




Primary Refugee Arrival Health Screening Data

Refugee Health Program


2023

Primary* Refugee Arrivals to Minnesota by Region of World 1979-2023






Primary Refugee Arrivals by Month Minnesota, 2019-2023







Primary Refugee Arrivals Minnesota, 2023

N=3,274




*“Other” Afghanistan, the Bahamas, Belarus, Cameroon, Central African Republic, Chad, China, Colombia, Cuba, Djibouti, Dominican Republic, Ecuador, El Salvador, Eritrea, Guatemala, Haiti, Honduras, India, Iran, Iraq, Ivory Coast, Kazakhstan, Kenya, Laos (Hmong), Mexico, Moldova, Nicaragua, Nigeria, Pakistan, Russia, South Sudan, Sri Lanka, Sudan, Tajikistan, Uzbekistan, Venezuela, Vietnam, and Yemen

Country of Origin by County of Resettlement, Minnesota, 2023






Primary Refugee Arrivals Screened in Minnesota 2010 – 2023



Ineligible if moved out of state or to an unknown destination, no insurance, unable to locate, already connected to care, or died before screening




Primary Refugees' Reasons for No Screening, Minnesota, 2023



*Ineligible for the refugee health assessment



Refugee Screening Rates by Exam Type Minnesota, 2023



Refugee Health Assessment Results, 2023*

Health status upon arrival	Number (%) of refugees screened*	Number (%) of refugees with infection
TB (latent or active)**	2,809 (96%)	465 (17%)
Hepatitis B infection***	2,704 (92%)	51 (2%)
Parasitic infection****	2,287 (78%)	494 (22%)
Sexually transmitted infections (STIs)*****	2,737 (93%)	48 (2%)
Lead*****	1,026 (94%)	50 (5%)
Hemoglobin	2,736 (93%)	448 (16%)

*Screening results are still preliminary. Total screened: N=2,829 (97% of 3,016 eligible refugees)

** Persons with LTBI (≥ 10 mm induration or IGRA+, normal CXR) or suspect/active TB disease

*** Positive for hepatitis B surface antigen (HBsAg)


**** Positive for at least one intestinal parasite infection

***** Positive for at least one STI (tested for syphilis, HIV, chlamydia, and/or gonorrhea)

***** Children <17 years old (N=1,096); lead level ≥ 5 $\mu\text{g/dL}$

Latent or Active Tuberculosis (TB)* Among Refugees By Region Of Origin Minnesota, 2023


N=2,809 screened



*Diagnosis of Latent TB infection (N= 459) or Suspect/Active TB disease (N=6) 11

Intestinal Parasitic Infection* Among Refugees by Region of Origin Minnesota, 2023


N= 2,287 screened



*At least 1 parasitic infection found via stool or serology (excluding nonpathogenic)

Hepatitis B* infection Among Refugees by Region of Origin Minnesota, 2023

N=2,704 screened



*Positive for Hepatitis B Surface Antigen (HBsAg)



Immunization Status Among Refugees Minnesota, 2002 – 2023

