

Table 2. Cases of Selected Communicable Diseases Reported to the Minnesota Department of Health by District of Residence, 2010

District
(population per U.S. Census 2009 estimates)

Disease	Metropolitan (2,810,414)	Northwestern (153,218)	Northeastern (320,342)	Central (715,467)	West Central (229,186)	South Central (286,956)	Southeastern (486,517)	Southwestern (218,293)	Unknown Residence	Total (5,220,393)
Anaplasmosis	184	112	130	226	34	5	25	4	0	720
Arboviral disease										
LaCrosse	0	0	0	0	0	1	0	0	0	1
West Nile	4	0	0	1	0	0	1	2	0	8
Babesiosis	21	9	8	13	2	0	3	0	0	56
Campylobacteriosis	439	13	35	182	59	63	131	85	0	1007
Cryptosporidiosis	52	14	43	52	47	41	96	44	0	389
<i>Escherichia coli</i> O157 infection	67	5	2	23	9	11	12	11	0	140
Hemolytic uremic syndrome	3	2	0	6	2	1	2	1	0	17
Giardiasis	432	19	48	102	21	17	46	26	135	846
<i>Haemophilus influenzae</i> disease	35	2	8	10	4	4	13	5	0	81
HIV infection other than AIDS	217	1	5	9	1	7	4	4	0	248
AIDS (cases diagnosed in 2010)	137	0	6	12	3	3	9	2	1	173
Legionellosis	18	0	3	4	2	1	7	1	0	36
Listeriosis	4	0	1	1	2	0	1	0	0	9
Lyme disease	517	100	197	315	46	16	97	5	0	1,293
Meningococcal disease	7	0	0	1	1	0	0	0	0	9
Mumps	5	0	0	1	0	0	0	2	0	8
Pertussis	595	16	33	305	17	50	88	39	0	1,143
Salmonellosis	385	24	26	81	41	40	50	48	0	695
Sexually transmitted diseases	12,207	295	716	1,311	311	564	1,253	338	765	17,760
<i>Chlamydia trachomatis</i> - genital infections	10,264	260	653	1,198	293	526	1,131	305	664	15,294
Gonorrhea	1,638	34	50	107	18	33	111	31	97	2,119
Syphilis, total	305	1	13	6	0	5	11	2	4	347
Primary/secondary	138	0	6	2	0	1	2	0	0	149
Early latent*	67	0	3	0	0	0	0	0	2	72
Late latent**	100	1	4	4	0	4	8	2	2	125
Congenital	0	0	0	0	0	0	0	1	0	1
Other***	0	0	0	0	0	0	0	0	0	0
Shigellosis	43	2	0	5	2	1	10	3	0	66
<i>Streptococcus pneumoniae</i> disease	299	40	72	84	30	36	60	28	0	649
Streptococcal invasive disease - Group A	96	2	11	21	8	2	14	4	0	158
Streptococcal invasive disease - Group B	231	11	48	54	21	25	43	15	0	448
Toxic shock syndrome (<i>Staphylococcal</i>)	4	0	0	0	0	1	1	0	0	6
Tuberculosis	117	0	1	4	2	0	8	3	0	135
Viral hepatitis, type A	13	0	0	4	1	16	2	1	0	37
Viral hepatitis, type B (acute infections only, not perinatal)	12	0	4	4	0	2	1	1	0	24
Viral hepatitis, type C (acute infections only)	6	2	3	3	0	1	0	0	0	15

* Duration ≤1 year

** Duration >1 year

*** Includes unstaged neurosyphilis, latent syphilis of unknown duration, and latent syphilis with clinical manifestations

County Distribution within Districts

Metropolitan - Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, Washington

Northwestern - Beltrami, Clearwater, Hubbard, Kittson, Lake of the Woods, Marshall, Pennington, Polk, Red Lake, Roseau

Northeastern - Aitkin, Carlton, Cook, Itasca, Koochiching, Lake, St. Louis

Central - Benton, Cass, Chisago, Crow Wing, Isanti, Kanabec, Mille Lacs, Morrison, Pine, Sherburne, Stearns, Todd, Wadena, Wright

West Central - Becker, Clay, Douglas, Grant, Mahnomon, Norman, Otter Tail, Pope, Stevens, Traverse, Wilkin

South Central - Blue Earth, Brown, Faribault, LeSueur, McLeod, Martin, Meeker, Nicollet, Sibley, Waseca, Watonwan

Southeastern - Dodge, Fillmore, Freeborn, Goodhue, Houston, Mower, Olmsted, Rice, Steele, Wabasha, Winona

Southwestern - Big Stone, Chippewa, Cottonwood, Jackson, Kandiyohi, Lac Qui Parle, Lincoln, Lyon, Murray, Nobles, Pipestone, Redwood, Renville, Rock, Swift, Yellow Medicine