

STI Surveillance Report

JAN. 1 – DEC. 31, 2025

Overview

Table 1. Number of Cases and Rates (per 100,000 persons) of Chlamydia, Gonorrhea, Syphilis, and Chancroid – Minnesota, 2020 – 2025

Disease	2021 Cases	2021 Rate	2022 Cases	2022 Rate	2023 Cases	2023 Rate	2024 Cases	2024 Rate	2025 Cases	2025 Rate
Chlamydia	22,578	395.4	22,079	386.7	21,767	380.7	19,703	344.6	18,179	318.0
Gonorrhea	9,671	169.4	8,161	153.9	7,717	135.0	7,131	124.7	5,960	104.2
All Stages of Syphilis	1457	25.5	1831	34.5	1748	30.6	1478	25.9	1384	24.2
Primary/Secondary Syphilis	564	9.9	676	12.7	502	8.8	440	7.7	373	6.5
Early NP/NS	415	7.3	535	10.1	387	6.8	315	5.5	299	5.2
Late Unknown Duration ¹	463	8.1	601	11.3	830	14.5	694	12.1	682	11.9
Congenital Syphilis²	15	23.6	20	31.7	26	42.7	29	47.5	30	48.7
Chancroid	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

¹Includes unstaged neurosyphilis, latent syphilis of unknown duration, and late syphilis with clinical manifestations.

²Congenital syphilis rate per 100,000 live births.

Chlamydia

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 2.A. Number of Cases and Rates (per 100,000 persons) of Chlamydia by Residence and Sex – Minnesota, 2025

Residence ¹	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	1,609	25%	2,548	22%	4,167	23%	980
St. Paul	823	13%	1,424	12%	2,250	12%	742
Suburban ²	2,225	35%	3,965	34%	6,196	34%	256
Greater Minnesota	1,681	26%	3,814	32%	5,498	30%	214

STI SURVEILLANCE REPORT

Residence ^I	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown ^{III}	31	0%	37	0%	68	0%	x
Total^{IV}	6,369	100%	11,788	100%	18,179	100%	318

^IResidence missing for 64 cases of chlamydia.

^{II}Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

^{III}No comparable population data available to calculate rates.

^{IV}Sex missing/other/unknown for 22 cases of chlamydia.

Table 2.B. Number of Cases and Rates of Chlamydia by Age and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	22	0%	110	1%	132	1%	19
15-19 yrs	1,254	20%	3,488	30%	4,743	26%	1,267
20-24 yrs	1,920	30%	4,195	36%	6,125	34%	1,651
25-29 yrs	1,186	19%	1,838	16%	3,028	17%	837
30-34 yrs	735	12%	961	8%	1,701	9%	449
35-39 yrs	514	8%	596	5%	1,110	6%	282
40-44 yrs	294	5%	300	3%	596	3%	157
45-49 yrs	188	3%	166	1%	354	2%	111
50-54 yrs	111	2%	76	1%	187	1%	55
55+ yrs	145	2%	58	0%	203	1%	12
Total^I	6,369	100%	11,788	100%	18,179	100%	318

^ISex missing/other/unknown for 22 cases of chlamydia.

Table 2.C. Number of Cases and Rates of Chlamydia by Race/Ethnicity and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	1,888	30%	4,298	36%	6,185	34%	139
Black, Non-Hispanic	2,351	37%	3,120	26%	5,468	30%	1,292
American Indian	124	2%	487	4%	611	3%	1,020
Asian/PI	208	3%	517	4%	728	4%	233
Other ^{I,II}	204	3%	441	4%	646	4%	x

STI SURVEILLANCE REPORT

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown ^I	798	13%	1,074	9%	1,883	10%	x
Hispanic ^{IV}	796	12%	1,851	16%	2,645	15%	775
Total^{IV}	6,369	100%	11,788	100%	18,179	100%	318

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Sex missing/other/unknown for 22 cases of chlamydia.

Gonorrhea

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 3.A. Number of Cases and Rates (per 100,000 persons) of Gonorrhea by Residence and Sex – Minnesota, 2025

Residence ^I	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	1,629	42%	724	35%	2,359	40%	555
St. Paul	583	15%	354	17%	941	16%	310
Suburban ^{II}	1,155	30%	619	30%	1,783	30%	74
Greater Minnesota	462	12%	387	18%	850	14%	33
Unknown ^{III}	17	0%	10	0%	27	0%	x
Total^{IV}	3,846	100%	2,094	100%	5,960	100%	104

^IResidence missing for 27 cases of gonorrhea.

^{II}Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

^{III}No comparable population data available to calculate rates.

^{IV}Sex missing/other/unknown for 20 cases of gonorrhea.

STI SURVEILLANCE REPORT

Table 3.B. Number of Cases and Rates of Gonorrhea by Age and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	7	0%	18	1%	25	0%	4
15-19 yrs	288	7%	407	19%	696	12%	186
20-24 yrs	675	18%	543	26%	1,225	21%	330
25-29 yrs	645	17%	310	15%	960	16%	265
30-34 yrs	745	19%	269	13%	1,017	17%	268
35-39 yrs	525	14%	256	12%	782	13%	199
40-44 yrs	368	10%	156	7%	527	9%	139
45-49 yrs	222	6%	78	4%	300	5%	94
50-54 yrs	153	4%	35	2%	188	3%	55
55+ yrs	218	6%	22	1%	240	4%	14
Total^I	3,846	100%	2,094	100%	5,960	100%	104

^ISex missing/other/unknown for 20 cases of gonorrhea.

Table 3.C. Number of Cases and Rates of Gonorrhea by Race/Ethnicity and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	1,236	32%	666	32%	1,910	32%	43
Black, Non-Hispanic	1,541	40%	737	35%	2,284	38%	540
American Indian	68	2%	212	10%	280	5%	467
Asian/PI	128	3%	56	3%	186	3%	60
Other ^{I,II}	100	3%	72	3%	175	3%	x
Unknown ^{II}	364	9%	189	9%	553	9%	x
Hispanic ^{III}	409	11%	162	8%	572	10%	168
Total^{IV,V}	3,846	100%	2,094	100%	5,960	100%	104

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Sex missing/other/unknown for 20 cases of gonorrhea.

Primary/Secondary Syphilis

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 4.A. Number of Cases and Rates (per 100,000 persons) of Primary/Secondary Syphilis by Residence and Sex – Minnesota, 2025

Residence	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	79	30%	30	28%	109	29%	25.6
St. Paul	41	15%	21	19%	62	17%	20.5
Suburban ¹	75	28%	19	18%	94	25%	3.9
Greater Minnesota	70	26%	38	35%	108	29%	4.2
Total^{II}	265	100%	108	100%	373	100%	6.5

¹Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

^{II}Sex missing/other/unknown for 0 cases of syphilis.

Table 4.B. Number of Cases and Rates of Primary/Secondary Syphilis by Age and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	0	0%	0	%	0	0%	0.0
15-19 yrs	5	2%	3	3%	8	2%	2.1
20-24 yrs	24	9%	19	18%	43	12%	11.6
25-29 yrs	28	11%	15	14%	43	12%	11.9
30-34 yrs	50	19%	23	21%	73	20%	19.3
35-39 yrs	41	15%	15	14%	56	15%	14.2
40-44 yrs	32	12%	14	13%	46	12%	12.2
45-49 yrs	34	13%	11	10%	45	12%	14.1
50-54 yrs	14	5%	4	4%	18	5%	5.3
55+ yrs	37	14%	4	4%	41	11%	2.4
Total^I	265	100%	108	100%	373	100%	6.5

^ISex missing/other/unknown for 0 cases of syphilis.

Table 4.C. Number of Cases and Rates of Primary/Secondary Syphilis by Race/Ethnicity and Sex – Minnesota, 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	93	35%	46	43%	139	37%	3.1
Black, Non-Hispanic	102	38%	30	28%	132	35%	31.2
American Indian	5	2%	13	12%	18	5%	30.0
Asian/PI	17	6%	4	4%	21	6%	6.7
Other ^{I,II}	11	4%	7	6%	18	5%	x
Unknown ^{II}	2	1%	1	1%	3	1%	x
Hispanic ^{III}	35	13%	7	6%	42	11%	12.3
Total^{IV}	265	100%	108	100%	373	100%	6.5

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Sex missing/other/unknown for 0 cases of syphilis.

County STI Totals

Note: Data exclude cases diagnosed in federal or private correctional facilities.

County data missing for 68 chlamydia cases and 33 gonorrhea cases.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 5. Number of Cases and Rates^I (per 100,000 persons) of Chlamydia and Gonorrhea by County of Residence – Minnesota, 2025

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Aitkin	17	105	1	-
Anoka	1,017	276	239	65
Becker	79	223	14	40
Beltrami	140	299	15	32
Benton	84	203	16	39
Big Stone	5	97	0	-
Blue Earth	291	418	29	42
Brown	27	105	6	23
Carlton	70	191	4	-

STI SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Carver	164	149	48	44
Cass	57	182	3	-
Chippewa	25	204	1	-
Chisago	84	145	17	29
Clay	256	388	64	97
Clearwater	12	139	4	-
Cook	4	-	0	-
Cottonwood	17	150	4	-
Crow Wing	97	143	17	25
Dakota	1,245	281	335	76
Dodge	55	262	10	48
Douglas	57	144	10	25
Faribault	20	144	1	-
Fillmore	37	173	8	37
Freeborn	58	189	9	29
Goodhue	77	160	23	48
Grant	3	-	0	-
Hennepin	6,567	521	3,142	249
Houston	22	117	3	-
Hubbard	32	146	2	-
Isanti	67	157	19	44
Itasca	50	111	4	-
Jackson	14	142	0	-
Kanabec	32	194	3	-
Kandiyohi	130	297	12	27
Kittson	5	123	0	-
Koochiching	13	110	1	-
Lac qui Parle	9	135	0	-
Lake	5	46	2	-
Lake of the Woods	1	-	0	-
Le Sueur	46	158	5	17
Lincoln	7	125	0	-

STI SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Lyon	57	226	1	-
McLeod	72	196	10	27
Mahnomen	29	544	13	244
Marshall	18	18	0	-
Martin	29	29	4	-
Meeker	46	46	2	-
Mille Lacs	61	61	8	29
Morrison	40	41	10	29
Mower	111	111	20	50
Murray	6	6	0	-
Nicollet	69	69	11	32
Nobles	95	97	9	41
Norman	8	9	2	-
Olmsted	482	482	92	56
Otter Tail	82	82	7	12
Pennington	26	26	3	-
Pine	38	38	3	-
Pipestone	12	12	5	53
Polk	67	67	11	36
Pope	18	18	0	-
Ramsey	2,709	2710	1101	205
Red Lake	10	10	1	-
Redwood	34	34	8	52
Renville	19	19	2	-
Rice	126	126	30	44
Rock	17	17	0	-
Roseau	10	10	0	-
St. Louis	488	488	103	52
Scott	363	363	85	55
Sherburne	193	193	32	32
Sibley	22	22	4	-
Stearns	494	495	80	50

STI SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Steele	109	109	16	43
Stevens	19	19	1	-
Swift	20	20	3	-
Todd	51	51	4	-
Traverse	6	6	0	-
Wabasha	39	39	1	-
Wadena	32	32	5	35
Waseca	32	32	4	-
Washington	530	531	116	42
Watonwan	22	22	0	-
Wilkin	15	15	1	-
Winona	125	125	10	20
Wright	241	242	37	25
Yellow Medicine	13	13	1	-

¹Rates not calculated for counties with fewer than five cases.

Note: County syphilis data is available at [Newly Diagnosed Syphilis Cases by County](https://www.health.state.mn.us/diseases/stds/stats/county.html) (<https://www.health.state.mn.us/diseases/stds/stats/county.html>).

Minnesota Department of Health
651-201-5414
www.health.state.mn.us/std

3/24/2026

To obtain this information in a different format, call: 651-201-5414.