Breastfeeding Reports

HuBERT Report Name: Breastfeeding Duration – No Longer Breastfeeding OPR034 (Healthy People Headings)

Use to compare agency's rates to local and state goals, and national Healthy People objectives

Report Topics: Breastfeeding, Participation

Frequency: On-Demand

Access/Where to find: HuBERT Reports environments - State Office (for your clinic and state reports)¹

Description: This report is run by the user after during the End of Month (EOM) process is completed. This report describes a snapshot in time of breastfeeding duration measures (1 day to more than 12 months among infants and children) - a dynamic population, and will provide a unique cohort every 10 months.

1) The first portion of this statewide report provides a snapshot of WIC Breastfeeding duration measures among participants:

- who were aged 14-24 months in the selected month (see table);
- · were breastfed; and
- were in a valid certification at least once.


This report can be run for Detail or Summary counts, & for selected Clinic(s), Agency, Grantee, or the State.

- 2) The second part of this report provides:
 - A. the count of total children aged 14-24 months who answered Yes or No to Ever Breastfed;
 - B. the count and percentage of total children aged 14 24 months who ever breastfed;
 - C. the count and percentage of total children aged 14-24 months that stopped breastfeeding prior to their initial certification; and
 - D. the count of total children aged 14-24 months with Unknown values for Ever Breastfed.

Criteria and Filters:

- Enrolled participants are included in this report if the participant's age on the last day of the selected month was between the ages of 14 to 24 months, inclusive.
- The participant must have been in at least one valid certification, and might not be in a current certification.
- For the Reports format (not the Spreadsheet format), the breastfeeding amount must be currently recorded as "Non-Breastfeeding" or the box must be checked for "Breastfeeding beyond One Year." (The Spreadsheet format includes all breastfeeding and no longer breastfeeding Participants in the selected age range.)
- Infants and mothers do not have to be linked to be counted. (Linking the mother and infants' records is recommended.)
- Fully BF infants <6 months old are only included and counted when linked with the mother, and counted in the clinic in which his/her linked mother received benefits.

(Reports - Clinic environment for your clinic reports only.)



Users can only select up to the last EOM, and no later than 24 months ago. e.g., If selecting this month and year:	Will get children/infants who are 14 months of age (born in this month and year):	to children/infants who are 24 months of age (born in this month and year):
January 2013	November 2011	January 2011
February 2013	December 2011	February 2011
March 2013	January 2012	March 2011
April 2013	February 2012	April 2011
May 2013	March 2012	May 2011
June 2013	April 2012	June 2011
July 2013	May 2012	July 2011
August 2013	June 2012	August 2011
September 2013	July 2012	September 2011
October 2013	August 2012	October 2011
November 2013	September 2012	November 2011
December 2013	October 2012	December 2011

- "Unknown" and "Incomplete" are excluded from totals and percentages, but counts are listed on the report for reference.
 - Unknown = "Unknown" is selected for Ever Breastfed in the Health Information screen.
 - o Incomplete = infant or child where there is no selection for Ever Breastfed (Breastfeeding Information may be incomplete for Out-of-State Transfers/VOCs.)
- Participants are counted in one duration category if breastfeeding duration is 30 days or less.
- For duration of one month and beyond, a participant will be counted in each duration category up to the time she/he stopped breastfeeding.
- The Detail version of this report groups participants by ethnicity and race, and then Breastfeeding amount in the following sequence:

 Note: the reference for Ethnicity/Race Codes is on the web in the WIC Hubert Data Dictionary (RACEETHNICITY table)
 - o Hispanic or Latino, then race (Ethnicity and race are not displayed in summary reports.)
 - o Non-Hispanic or Latino, then race (Ethnicity and race are not displayed in summary reports.)

The Spreadsheet option allows the user to create summaries of Ethnicity/Race by breastfeeding amounts and duration for this population.

- Each month a new group of 14-month olds will display, and the 24-month olds from the previous month will no longer display. (Participants who have had no activity on their participant record remain assigned to the Local Agency database for 180 days before being moved to Agency 88.)
 - Ex. If a user runs a report for January 2014 today, it will look different from a January 2014 report run six months from now, because participants will be added to the system, and/or moved to Agency 88.
 - **Ex.** The report excludes all inactive participants in Agency 88 at the time the report is generated, even if they were participating during the time-period for which the report was generated.
 - Ex. This report can change daily, reflecting updates to HuBERT from the previous day's work.
 - o Records are updated daily; some inactive participants are moved to Agency 88. (Data are kept for six years, then purged.)
 - The most recent certification will be selected to appear. If a participant transfers to a different agency or clinic, that change will be reflected in day-to-day changes in this report.

Some possible purposes for this report:

- Review rates and trends within your agency regarding breastfeeding duration and effects of policies or programs.
- Identify when participants are most likely to stop breastfeeding.
- Plan anticipatory guidance, education, and key times for support.
- Plan and share information with breastfeeding coalitions, cultural groups, hospitals, boards, and grant funders to help support breastfeeding.

 Note: This report is best used when run every month after the EOM to do monthly comparisons of 14 24 month olds. Save as a .pdf in a secure location.

 Ex. Use to review the data later for a certain point in time e.g., before, during, and after a special project or outreach occurs.

Output Options: Select the report to display on the screen, send directly to the chosen printer, save as a pdf, or as raw data in a spreadsheet. (There is no "all" option in Reports - Clinic or Reports - State Office. However, selecting State and the Spreadsheet option can provide this lengthy output.)

Also Compare to HuBERT Report(s): Breastfeeding Duration – No Longer Breastfeeding (Standard Headings) OPR 033; Also see: Software Release Document 2.19 - Reports.

The **Healthy People Version** of the report displays these columns:

	Duration of Br	eastfeeding								
	1 D	2-4 D	5-7 D	8-30 D	>= 1 MO	>= 2 MO	>= 3 MO	>= 6 MO	>= 12 MO	Total Infants

Definitions of columns:

When breastfeeding was started and ended on the same day (0 days BF), the child is included in the "1 D" category.

The values for Columns "1 D" through"8-30 D" should match when the Standard and Healthy People versions if run at the same time.

Healthy People Version	Compare to HP2020 Objective	HP2020 Target
1 D (1 day or less)	-	-
2-4 D (2 – 4 days)	-	-
5-7 D (5 – 7 days)	-	-
8-30 D (8 – 30 days)	-	-
>= 1 MO (≥ 31 days)	-	-
>= 2 MO (≥ 62 days)	-	-
>= 3 MO (≥ 92 days)	-	-
>= 6 MO (≥ 184 days)	MICH 21.2	60.6 %
>= 12 MO (≥ 366 days)	MICH 21.3	34.1 %
Total Infants (sum of columns from 1 D to >= 1 MO above)	-	-
Ever Breastfed (Row B at the end of the report)	MICH 21.1	81.9 %

If NOT currently breastfeeding, the breastfeeding duration is drawn from the Health Information tab of each participant's folder (Child table). Duration of Breastfeeding is calculated by taking the "Date Breastfeeding Ended" minus "Date Breastfeeding Began":



If the Breastfeeding beyond One Year box is checked, the infant is counted in the >=12 MO category

Report Detail: Selecting the Clinic option at the beginning will display the summary for each clinic. If selected, clinics that have no data will be presented and not suppressed.

The percentages in the top of the report are calculated by rows - divide each number by the "Total Infants" for that row and multiply by 100 to get the percent.

If percentages are recalculated with the denominator of "Total Children Age 14 to 24 Months," instead of "Total Infants," these groups can be used to compare percentages to Healthy People 2020 categories.

OPR034 REPORT USER					PARTMENT (ng Duration - N			RAM		Run Date: Run Time: Page:	09/03/20: 8:09:01A
Total" line displays the a ne most specific selection			•		Month of Dec Detail F					Tage.	
Grantee: ### - Grantee N Agency: ### - AGENCY	NAME										
Clinic: ### - ### - CLINI Race/Ethnicity	C NAME	Column Head	ders: Calcula	ted based on	the difference i	between the c	child's Date Bro	eastfeeding B	egan and the D	ate Breastfeedir	ig Ended field
	1 D	2-4 D	5-7 D	8-30 D	Duration of Br	reastfeeding >= 2 MO	>= 3 MO	>= 6 MO	>= 12 MO	То	tal Infants
220 - American Indian or	Alaskan Nati 0 0.0	ive; Black or Africa 0 0.0	n American; V 0 0.0	Vhite; Not Hisp 1 100.0	anic or Latino 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0		1
225 - Black or African Ar	nerican; Nati 0 0.0	ve Hawaiian or Otl 0 0.0	ner Pacific Islan 0 0.0	nder; White; No 1 100.0	Hispanic or La 0 0.0	0 0.0	0 0.0	0 0.0	0 0.0		1
Not Hispanic or Latino T	2 1.6	3 2.4	3 2.4	15 11.8	104 81.9	87 68.5	80 63.0	58 45.7	27 21.3		127
► Total	2 0.9	6 2.6	6 2.6	23 9.9	195 84.1	166 71.6	153 65.9	115 49.6	63 27.2		232
A. Total Children Age 14 B. Total Children Age 14 C. Total Children Age 14 D. Total Children Age 14	to 24 Months to 24 Months	s Ever Breastfed s that Stopped Brea	stfeeding prior			ertification			296 240 47 12		81.08 % 15.88 %
	counted in th	in at least one valid ne duration groupin onth or more are co	g based on the		end date. Partici	pants breastfed	less than one m	onth are counte	d in the applicab		oort.

"Total Infants" is the total count of child participants with a date recorded for breastfeeding ended. Since the first five columns are distinct counts, they sum to the total for the row.


Participants with BF duration of 1 month or more could be included in multiple categories. Ex. A participant with breastfeeding duration of 8 months and 5 days will be counted in ≥ 1 Mo, ≥2 Mo, ≥2 Mo, ≥3 Mo and ≥ 6 Months.

Report Summary:

This section provides the same information as is provided in the last part of the Detail version of this report.

"Total" line displays the accumulated total within the column of the most specific selection (the selected clinic, agency, or grantee). Clinics selected that have no data will be presented with no data.

"For the first "Total" row, the percentages are calculated by dividing each duration total by the "Total Infants" for that row. If percentages are recalculated with the denominator of "Total Children Age 14 to 24 Months," instead of "Total Infants," these groups can be used to compare percentages to Healthy People 2020 categories.





Data difference = For the report month above (December 2013), some participants are not marked as Non-Breastfeeding, e.g., BF who never came in for recertification. **Ex.** Subtract the count of the Total Infants who stopped BF (n=232) from B. Total Children Age 14-24 Months Ever Breastfed (n=240) to find the difference (n=8).

Row A + Row D is the Grand Total in this population of children 14-24 months old.

Row B is the count of children who initiated breastfeeding out of all children 14 – 24 months old for the selected month and displays the percent: Row B divided by Row A. Row C is the count of children 14-24 months old who stopped breastfeeding before their initial certification, and displays the percent: Row C divided by Row A. Row D is the count of children 14 – 24 months old with unknown values for ever breastfed.

Spreadsheet: Presents the same columns for all selections; it does not matter if the Summary, Detail, Standard, or Healthy People version is selected. All participants will display, even if the Breastfeeding Amount is marked as "Non-Breastfeeding" in the Health Information tab.

The spreadsheet allows users to verify calculations for Rows A, B, C, and D located at the bottom of the reports where:

- Row A + Row D is the Grand Total of the population of children 14-24 months old.
- Row B is the count of children who initiated breastfeeding for the selected month out of all children 14 24 months old and displays the percent: Row B divided by Row A.
- Row C is the count of children 14 24 months old who stopped breastfeeding before their initial certification, and displays the percent: Row C divided by Row A.
- Row D is the count of children 14 24 months old with unknown values for ever breastfed.

If selected to be run for the State, the name of each clinic (even closed clinics) will display as a row. There is no row for the State total; State totals will need to be calculated. Before printing, consider that the spreadsheet output for the state is quite lengthy- almost 500 pages.

Ever Breastfed: If Ever Breastfed is Yes ("Y"), No ("N"), Unknown ("U"), or Blank, the child's record will appear in the spreadsheet. **"Days Breastfed"** is the "Date Breastfeeding Ended" minus "Date Breastfeeding Began" from within the Health Information tab of each participant's folder (Child table). The selected report month will be ignored when calculating breastfeeding duration as presented in the spreadsheet.

Those who continue to breastfeed when the report was run ("Run Date") will not have an ending date, and the cell on the spreadsheet will be blank.

Those who continued to breastfeed when the report was run ("Run Date"), and stopped breastfeeding after the selected month, will display a number that represents the total number of days breastfed.

If Days Breastfed is "0", it appears that Breastfeeding began and ended on the same day. Note: "0" indicates further investigation may be needed.

- e.g., a data entry error may have been made in the Health Information tab in breastfeeding fields and may indicate that additional training could be useful for staff. (Dates Breastfeeding Verified, Began, and Ended can be corrected in the Participant's Folder for any age infant/child.), or
- There may be a need to do outreach to hospital maternity/NICU staff on the importance of breastfeeding.

If Days Breastfed is "Blank," and Ever Breastfed is Yes ("Y"), and Stopped Breastfeeding is No ("N"), this indicates that the child's certification has been terminated, e.g., due to Failure to pick up or Certification Expired.

Note: Report users could use this combination to identify participants that might be contacted to return to WIC.

A	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0
1	OPR034				M	Run Date:									
2	REPORT U	SER			E	Run Time	4:55:01 PI	M							
3							Month	of January :	2014						
4															
5															
	Grantee	Grantee	Agency	Agency		Clinic	State	Ethnicity		Race/Eth		Days Breastfe	Ever Breastfe		Stopped Breastfeed ing Before Certificatio
6	ID	Name	ID	Name	Clinic ID	Name	WIC ID	Code	Ethnicity	Code	Race/Ethnicity	d	d	eding	n
7	20	Anoka Co	021	ANOKA CO	010	010 - BLAI		2	Not Hispanic or Lat	205	White; Not Hispan	55	Υ	Y	N
8	20	Anoka Co	021	ANOKA CO	010	010 - BLAI		2	Not Hispanic or Lat	203	Black or African A	87	Υ	Υ	N
9	20	Anoka Co	021	ANOKA CO	010	010 - BLAI		2	Not Hispanic or Lat	208	Black or African A	merican; V	N	N	N
10	20	Anoka Co	021	ANOKA CO	010	010 - BLAI		2	Not Hispanic or Lat	205	White; Not Hispan	54	Υ	Υ	N

Note: Report users could filter the Ever

Breastfed and Days Breastfed columns

breastfed or breastfed for a short time,

provide appropriate cultural support.

to determine who said they never

then review Ethnicity/Race, and