

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
MINNESOTA						
2021	21,891	498 (2.3)	5,945 (27.2)	6,548 (29.9)	4,386 (20.0)	4,514 (20.6)
2020	23,026	573 (2.5)	6,476 (28.1)	6,821 (29.6)	4,511 (19.6)	4,645 (20.2)
2019	22,560	576 (2.6)	6,703 (29.7)	6,560 (29.1)	4,453 (19.7)	4,268 (18.9)
2018	21,950	713 (3.2)	7,577 (34.5)	6,108 (27.8)	3,910 (17.8)	3,642 (16.6)
2017	23,990	754 (3.1)	8,641 (36.0)	6,717 (28.0)	4,113 (17.1)	3,765 (15.7)
2016	26,620	853 (3.2)	8,340 (31.3)	7,918 (29.7)	4,950 (18.6)	4,559 (17.1)
2015	25,289	858 (3.4)	9,629 (38.1)	7,068 (27.9)	4,159 (16.4)	3,575 (14.1)
2014	23,940	770 (3.2)	9,149 (38.2)	6,637 (27.7)	3,990 (16.7)	3,394 (14.2)
2013	24,510	790 (3.2)	9,555 (39.0)	6,646 (27.1)	3,999 (16.3)	3,520 (14.4)
2012	25,727	878 (3.4)	9,876 (38.4)	7,226 (28.1)	4,108 (16.0)	3,639 (14.1)
2011	25,084	744 (3.0)	9,611 (38.3)	6,982 (27.8)	4,140 (16.5)	3,607 (14.4)
AITKIN ITASCA KOOCHICHING: Grand Rapids						
2021	85	1 (1.2)	20 (23.5)	23 (27.1)	18 (21.2)	23 (27.1)
2020	72	1 (1.4)	22 (30.6)	24 (33.3)	12 (16.7)	13 (18.1)
2019	90	1 (1.1)	36 (40.0)	21 (23.3)	13 (14.4)	19 (21.1)
2018	96	5 (5.2)	31 (32.3)	26 (27.1)	14 (14.6)	20 (20.8)
2017	104	5 (4.8)	39 (37.5)	25 (24.0)	17 (16.3)	18 (17.3)
2016	103	1 (1.0)	34 (33.0)	24 (23.3)	18 (17.5)	26 (25.2)
2015	98	4 (4.1)	32 (32.7)	27 (27.6)	18 (18.4)	17 (17.3)
2014	95	2 (2.1)	34 (35.8)	23 (24.2)	11 (11.6)	25 (26.3)
2013	96	4 (4.2)	26 (27.1)	27 (28.1)	14 (14.6)	25 (26.0)
2012	117	1 (<1)	41 (35.0)	28 (23.9)	18 (15.4)	29 (24.8)
2011	96	3 (3.1)	33 (34.4)	25 (26.0)	14 (14.6)	21 (21.9)
ANOKA: Andover/ Ramsey						
2021	156	4 (2.6)	53 (34.0)	51 (32.7)	32 (20.5)	16 (10.3)
2020	122	4 (3.3)	50 (41.0)	39 (32.0)	19 (15.6)	10 (8.2)
2019	149	6 (4.0)	47 (31.5)	42 (28.2)	26 (17.4)	28 (18.8)
2018	111	3 (2.7)	33 (29.7)	29 (26.1)	25 (22.5)	21 (18.9)
2017	89	3 (3.4)	36 (40.4)	29 (32.6)	9 (10.1)	12 (13.5)
2016	122	1 (<1)	44 (36.1)	38 (31.1)	24 (19.7)	15 (12.3)
2015	97	2 (2.1)	40 (41.2)	29 (29.9)	18 (18.6)	8 (8.2)
2014	105	6 (5.7)	37 (35.2)	29 (27.6)	14 (13.3)	19 (18.1)
2013	108	0	51 (47.2)	32 (29.6)	12 (11.1)	13 (12.0)
2012	112	4 (3.6)	44 (39.3)	33 (29.5)	14 (12.5)	17 (15.2)
2011	137	3 (2.2)	58 (42.3)	40 (29.2)	14 (10.2)	22 (16.1)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
ANOKA: Anoka						
2021	89	2 (2.2)	23 (25.8)	22 (24.7)	21 (23.6)	21 (23.6)
2020	101	0	26 (25.7)	33 (32.7)	19 (18.8)	23 (22.8)
2019	111	2 (1.8)	38 (34.2)	23 (20.7)	20 (18.0)	28 (25.2)
2018	76	2 (2.6)	24 (31.6)	17 (22.4)	13 (17.1)	20 (26.3)
2017	85	6 (7.1)	27 (31.8)	25 (29.4)	15 (17.6)	12 (14.1)
2016	108	3 (2.8)	30 (27.8)	36 (33.3)	15 (13.9)	24 (22.2)
2015	87	6 (6.9)	25 (28.7)	20 (23.0)	17 (19.5)	19 (21.8)
2014	98	4 (4.1)	44 (44.9)	20 (20.4)	18 (18.4)	12 (12.2)
2013	85	6 (7.1)	33 (38.8)	16 (18.8)	18 (21.2)	12 (14.1)
2012	111	1 (<1)	47 (42.3)	29 (26.1)	21 (18.9)	13 (11.7)
2011	117	7 (6.0)	42 (35.9)	30 (25.6)	21 (17.9)	17 (14.5)
ANOKA: Bethel/ East Bethel/ Ham Lake/ St. Francis						
2021	76	3 (3.9)	23 (30.3)	16 (21.1)	14 (18.4)	20 (26.3)
2020	105	5 (4.8)	34 (32.4)	25 (23.8)	18 (17.1)	23 (21.9)
2019	64	0	21 (32.8)	12 (18.8)	15 (23.4)	16 (25.0)
2018	68	1 (1.5)	29 (42.6)	17 (25.0)	12 (17.6)	9 (13.2)
2017	71	2 (2.8)	26 (36.6)	17 (23.9)	17 (23.9)	9 (12.7)
2016	95	1 (1.1)	31 (32.6)	25 (26.3)	19 (20.0)	19 (20.0)
2015	71	1 (1.4)	24 (33.8)	18 (25.4)	18 (25.4)	10 (14.1)
2014	87	7 (8.0)	34 (39.1)	26 (29.9)	15 (17.2)	5 (5.7)
2013	82	5 (6.1)	34 (41.5)	19 (23.2)	8 (9.8)	16 (19.5)
2012	87	5 (5.7)	43 (49.4)	21 (24.1)	10 (11.5)	8 (9.2)
2011	87	5 (5.7)	29 (33.3)	26 (29.9)	11 (12.6)	16 (18.4)
ANOKA: BLAINE						
2021	195	6 (3.1)	56 (28.7)	74 (37.9)	31 (15.9)	28 (14.4)
2020	220	10 (4.5)	67 (30.5)	69 (31.4)	39 (17.7)	35 (15.9)
2019	213	5 (2.3)	70 (32.9)	57 (26.8)	47 (22.1)	34 (16.0)
2018	144	4 (2.8)	49 (34.0)	46 (31.9)	24 (16.7)	21 (14.6)
2017	159	7 (4.4)	59 (37.1)	42 (26.4)	29 (18.2)	22 (13.8)
2016	220	6 (2.7)	70 (31.8)	58 (26.4)	51 (23.2)	35 (15.9)
2015	180	2 (1.1)	85 (47.2)	41 (22.8)	25 (13.9)	27 (15.0)
2014	159	5 (3.1)	75 (47.2)	39 (24.5)	20 (12.6)	20 (12.6)
2013	190	10 (5.3)	86 (45.3)	40 (21.1)	25 (13.2)	29 (15.3)
2012	190	9 (4.7)	81 (42.6)	47 (24.7)	32 (16.8)	21 (11.1)
2011	197	7 (3.6)	81 (41.1)	44 (22.3)	33 (16.8)	32 (16.2)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
ANOKA: Centerville/ Circle Pines/ Lino Lakes/ Spring Lake Park						
2021	86	1 (1.2)	26 (30.2)	24 (27.9)	17 (19.8)	18 (20.9)
2020	109	4 (3.7)	40 (36.7)	34 (31.2)	21 (19.3)	10 (9.2)
2019	112	4 (3.6)	29 (25.9)	34 (30.4)	27 (24.1)	18 (16.1)
2018	68	4 (5.9)	22 (32.4)	19 (27.9)	12 (17.6)	11 (16.2)
2017	72	1 (1.4)	33 (45.8)	16 (22.2)	14 (19.4)	8 (11.1)
2016	99	3 (3.0)	36 (36.4)	29 (29.3)	22 (22.2)	9 (9.1)
2015	80	1 (1.2)	34 (42.5)	21 (26.2)	13 (16.2)	11 (13.8)
2014	81	2 (2.5)	37 (45.7)	27 (33.3)	9 (11.1)	6 (7.4)
2013	79	1 (1.3)	32 (40.5)	21 (26.6)	13 (16.5)	12 (15.2)
2012	71	1 (1.4)	29 (40.8)	21 (29.6)	11 (15.5)	9 (12.7)
2011	89	6 (6.7)	29 (32.6)	29 (32.6)	13 (14.6)	12 (13.5)
ANOKA: Columbia Heights						
2021	122	3 (2.5)	23 (18.9)	41 (33.6)	25 (20.5)	30 (24.6)
2020	144	2 (1.4)	31 (21.5)	46 (31.9)	32 (22.2)	33 (22.9)
2019	114	4 (3.5)	36 (31.6)	32 (28.1)	28 (24.6)	14 (12.3)
2018	104	2 (1.9)	23 (22.1)	31 (29.8)	30 (28.8)	18 (17.3)
2017	118	3 (2.5)	41 (34.7)	38 (32.2)	21 (17.8)	15 (12.7)
2016	136	4 (2.9)	46 (33.8)	31 (22.8)	27 (19.9)	28 (20.6)
2015	127	5 (3.9)	48 (37.8)	42 (33.1)	16 (12.6)	16 (12.6)
2014	107	2 (1.9)	43 (40.2)	25 (23.4)	25 (23.4)	12 (11.2)
2013	129	7 (5.4)	47 (36.4)	35 (27.1)	22 (17.1)	18 (14.0)
2012	124	3 (2.4)	36 (29.0)	40 (32.3)	30 (24.2)	15 (12.1)
2011	136	1 (<1)	62 (45.6)	36 (26.5)	24 (17.6)	13 (9.6)
ANOKA: Coon Rapids						
2021	309	11 (3.6)	79 (25.6)	96 (31.1)	69 (22.3)	54 (17.5)
2020	313	4 (1.3)	71 (22.7)	116 (37.1)	62 (19.8)	60 (19.2)
2019	304	4 (1.3)	72 (23.7)	93 (30.6)	69 (22.7)	66 (21.7)
2018	226	9 (4.0)	74 (32.7)	76 (33.6)	35 (15.5)	32 (14.2)
2017	247	4 (1.6)	89 (36.0)	71 (28.7)	46 (18.6)	37 (15.0)
2016	312	7 (2.2)	99 (31.7)	109 (34.9)	44 (14.1)	53 (17.0)
2015	273	11 (4.0)	85 (31.1)	89 (32.6)	49 (17.9)	39 (14.3)
2014	244	8 (3.3)	91 (37.3)	72 (29.5)	44 (18.0)	29 (11.9)
2013	255	8 (3.1)	103 (40.4)	60 (23.5)	41 (16.1)	43 (16.9)
2012	268	10 (3.7)	105 (39.2)	92 (34.3)	29 (10.8)	32 (11.9)
2011	266	7 (2.6)	107 (40.2)	69 (25.9)	41 (15.4)	42 (15.8)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
ANOKA: Fridley						
2021	214	4 (1.9)	55 (25.7)	77 (36.0)	41 (19.2)	37 (17.3)
2020	211	4 (1.9)	58 (27.5)	66 (31.3)	45 (21.3)	38 (18.0)
2019	206	2 (1.0)	52 (25.2)	65 (31.6)	47 (22.8)	40 (19.4)
2018	167	7 (4.2)	62 (37.1)	51 (30.5)	25 (15.0)	22 (13.2)
2017	173	3 (1.7)	69 (39.9)	43 (24.9)	39 (22.5)	19 (11.0)
2016	206	6 (2.9)	55 (26.7)	69 (33.5)	40 (19.4)	36 (17.5)
2015	166	5 (3.0)	66 (39.8)	43 (25.9)	32 (19.3)	20 (12.0)
2014	212	6 (2.8)	79 (37.3)	67 (31.6)	38 (17.9)	22 (10.4)
2013	188	8 (4.3)	78 (41.5)	48 (25.5)	30 (16.0)	24 (12.8)
2012	161	5 (3.1)	63 (39.1)	54 (33.5)	17 (10.6)	22 (13.7)
2011	176	4 (2.3)	74 (42.0)	57 (32.4)	26 (14.8)	15 (8.5)
BELTRAMI: Bemidji						
2021	179	1 (<1)	52 (29.1)	53 (29.6)	27 (15.1)	46 (25.7)
2020	182	0	55 (30.2)	43 (23.6)	41 (22.5)	43 (23.6)
2019	198	1 (<1)	64 (32.3)	48 (24.2)	38 (19.2)	47 (23.7)
2018	162	2 (1.2)	66 (40.7)	34 (21.0)	30 (18.5)	30 (18.5)
2017	166	7 (4.2)	60 (36.1)	38 (22.9)	24 (14.5)	37 (22.3)
2016	203	7 (3.4)	67 (33.0)	60 (29.6)	30 (14.8)	39 (19.2)
2015	173	6 (3.5)	57 (32.9)	59 (34.1)	25 (14.5)	26 (15.0)
2014	204	10 (4.9)	71 (34.8)	55 (27.0)	33 (16.2)	35 (17.2)
2013	218	7 (3.2)	86 (39.4)	51 (23.4)	33 (15.1)	41 (18.8)
2012	232	8 (3.4)	95 (40.9)	52 (22.4)	32 (13.8)	45 (19.4)
2011	247	9 (3.6)	94 (38.1)	62 (25.1)	32 (13.0)	50 (20.2)
BLOOMINGTON: Bloomington						
2021	311	4 (1.3)	82 (26.4)	103 (33.1)	72 (23.2)	50 (16.1)
2020	339	8 (2.4)	83 (24.5)	116 (34.2)	76 (22.4)	56 (16.5)
2019	285	10 (3.5)	102 (35.8)	76 (26.7)	53 (18.6)	44 (15.4)
2018	271	10 (3.7)	111 (41.0)	64 (23.6)	47 (17.3)	39 (14.4)
2017	354	9 (2.5)	124 (35.0)	121 (34.2)	60 (16.9)	40 (11.3)
2016	348	7 (2.0)	112 (32.2)	110 (31.6)	63 (18.1)	56 (16.1)
2015	325	10 (3.1)	140 (43.1)	89 (27.4)	48 (14.8)	38 (11.7)
2014	294	6 (2.0)	112 (38.1)	104 (35.4)	41 (13.9)	31 (10.5)
2013	316	16 (5.1)	112 (35.4)	101 (32.0)	46 (14.6)	41 (13.0)
2012	320	14 (4.4)	123 (38.4)	106 (33.1)	36 (11.2)	41 (12.8)
2011	322	11 (3.4)	125 (38.8)	106 (32.9)	45 (14.0)	35 (10.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
BLUE EARTH: Mankato						
2021	193	4 (2.1)	54 (28.0)	55 (28.5)	38 (19.7)	42 (21.8)
2020	213	5 (2.3)	64 (30.0)	58 (27.2)	40 (18.8)	46 (21.6)
2019	199	6 (3.0)	53 (26.6)	53 (26.6)	47 (23.6)	40 (20.1)
2018	174	5 (2.9)	59 (33.9)	52 (29.9)	29 (16.7)	29 (16.7)
2017	181	5 (2.8)	56 (30.9)	56 (30.9)	38 (21.0)	26 (14.4)
2016	219	7 (3.2)	57 (26.0)	64 (29.2)	46 (21.0)	45 (20.5)
2015	189	4 (2.1)	86 (45.5)	45 (23.8)	25 (13.2)	29 (15.3)
2014	177	4 (2.3)	72 (40.7)	49 (27.7)	29 (16.4)	23 (13.0)
2013	184	9 (4.9)	72 (39.1)	49 (26.6)	27 (14.7)	27 (14.7)
2012	204	12 (5.9)	84 (41.2)	48 (23.5)	37 (18.1)	23 (11.3)
2011	173	6 (3.5)	77 (44.5)	37 (21.4)	26 (15.0)	27 (15.6)
CARLTON-COOK-LAKE ST. LOUIS: Aurora/ Biwabik/ Buhl/ Chisholm/ Ely/ Embarrass/ Eveleth/ Gilbert/ Hibbing/ Mt. Iron/ Virginia						
2021	156	7 (4.5)	50 (32.1)	32 (20.5)	18 (11.5)	49 (31.4)
2020	168	3 (1.8)	57 (33.9)	38 (22.6)	35 (20.8)	35 (20.8)
2019	165	6 (3.6)	49 (29.7)	38 (23.0)	21 (12.7)	51 (30.9)
2018	136	4 (2.9)	40 (29.4)	30 (22.1)	31 (22.8)	31 (22.8)
2017	191	7 (3.7)	63 (33.0)	54 (28.3)	28 (14.7)	39 (20.4)
2016	176	3 (1.7)	51 (29.0)	51 (29.0)	33 (18.8)	38 (21.6)
2015	170	10 (5.9)	68 (40.0)	43 (25.3)	24 (14.1)	25 (14.7)
2014	179	8 (4.5)	58 (32.4)	44 (24.6)	40 (22.3)	29 (16.2)
2013	298	19 (6.4)	123 (41.3)	72 (24.2)	41 (13.8)	43 (14.4)
2012	302	15 (5.0)	111 (36.8)	76 (25.2)	51 (16.9)	49 (16.2)
2011	305	10 (3.3)	120 (36.3)	75 (24.6)	50 (16.4)	50 (16.4)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
CARLTON-COOK-LAKE ST. LOUIS: Cloquet						
2021	76	1 (1.3)	15 (19.7)	17 (22.4)	19 (25.0)	24 (31.6)
2020	93	2 (2.2)	25 (26.9)	23 (24.7)	17 (18.3)	26 (28.0)
2019	95	1 (1.1)	28 (29.5)	29 (30.5)	12 (12.6)	25 (26.3)
2018	85	4 (4.7)	24 (28.2)	29 (34.1)	11 (12.9)	17 (20.0)
2017	94	5 (5.3)	39 (41.5)	23 (24.5)	18 (19.1)	9 (9.6)
2016	98	4 (4.1)	27 (27.6)	32 (32.7)	16 (16.3)	19 (19.4)
2015	100	3 (3.0)	39 (39.0)	26 (26.0)	17 (17.0)	15 (15.0)
2014	88	4 (4.5)	32 (36.4)	23 (26.1)	19 (21.6)	10 (11.4)
2013	102	5 (4.9)	44 (43.1)	25 (24.5)	15 (14.7)	13 (12.7)
2012	112	3 (2.7)	51 (45.5)	27 (24.1)	17 (15.2)	14 (12.5)
2011	111	3 (2.7)	38 (34.2)	27 (24.3)	28 (25.2)	15 (13.5)
CARLTON-COOK-LAKE ST. LOUIS: Duluth						
2021	357	13 (3.6)	106 (29.7)	113 (31.7)	58 (16.2)	67 (18.8)
2020	361	7 (1.9)	113 (31.3)	107 (29.6)	61 (16.9)	73 (20.2)
2019	341	6 (1.8)	113 (33.1)	104 (30.5)	43 (12.6)	75 (22.0)
2018	321	9 (2.8)	120 (37.4)	85 (26.5)	53 (16.5)	54 (16.8)
2017	358	10 (2.8)	136 (38.0)	99 (27.7)	51 (14.2)	62 (17.3)
2016	366	8 (2.2)	127 (34.7)	100 (27.3)	59 (16.1)	72 (19.7)
2015	386	14 (3.6)	159 (41.2)	79 (20.5)	73 (18.9)	61 (15.8)
2014	392	15 (3.8)	156 (39.8)	105 (26.8)	57 (14.5)	59 (15.1)
2013	397	8 (2.0)	159 (40.1)	97 (24.4)	63 (15.9)	70 (17.6)
2012	446	14 (3.1)	199 (44.6)	103 (23.1)	78 (17.5)	52 (11.7)
2011	410	19 (4.6)	174 (42.4)	110 (26.8)	50 (12.2)	57 (13.9)
CARLTON-COOK-LAKE ST. LOUIS: Hibbing						
2021	81	1 (1.2)	19 (23.5)	19 (23.5)	18 (22.2)	24 (29.6)
2020	97	1 (1.0)	26 (26.8)	26 (26.8)	19 (19.6)	25 (25.8)
2019	90	3 (3.3)	24 (26.7)	20 (22.2)	14 (15.6)	29 (32.2)
2018	80	3 (3.8)	28 (35.0)	19 (23.8)	13 (16.2)	17 (21.2)
2017	105	4 (3.8)	31 (29.5)	25 (23.8)	19 (18.1)	26 (24.8)
2016	101	3 (3.0)	34 (33.7)	23 (22.8)	16 (15.8)	25 (24.8)
2015	95	6 (6.3)	39 (41.1)	26 (27.4)	14 (14.7)	10 (10.5)
2014	99	5 (5.1)	43 (43.4)	24 (24.2)	15 (15.2)	12 (12.1)
2013	99	7 (7.1)	44 (44.4)	24 (24.2)	11 (11.1)	13 (13.1)
2012	115	7 (6.1)	37 (32.2)	31 (27.0)	17 (14.8)	23 (20.0)
2011	111	4 (3.6)	39 (35.1)	28 (25.2)	16 (14.4)	24 (21.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
CARVER: Carver/ Chanhasen/ Chaska						
2021	90	5 (5.6)	21 (23.3)	31 (34.4)	19 (21.1)	14 (15.6)
2020	101	4 (4.0)	29 (28.7)	30 (29.7)	15 (14.9)	23 (22.8)
2019	93	1 (1.1)	26 (28.0)	23 (24.7)	22 (23.7)	21 (22.6)
2018	69	2 (2.9)	20 (29.0)	25 (36.2)	9 (13.0)	13 (18.8)
2017	106	1 (<1)	36 (34.0)	36 (34.0)	18 (17.0)	15 (14.2)
2016	111	1 (<1)	40 (36.0)	33 (29.7)	19 (17.1)	18 (16.2)
2015	102	4 (3.9)	36 (35.3)	34 (33.3)	17 (16.7)	11 (10.8)
2014	88	3 (3.4)	24 (27.3)	30 (34.1)	23 (26.1)	8 (9.1)
2013	116	5 (4.3)	52 (44.8)	18 (15.5)	23 (19.8)	18 (15.5)
2012	79	4 (5.1)	28 (35.4)	19 (24.1)	17 (21.5)	11 (13.9)
2011	84	4 (4.8)	36 (42.9)	24 (28.6)	11 (13.1)	9 (10.7)
CROW WING: Brainerd						
2021	151	1 (<1)	53 (35.1)	31 (20.5)	29 (19.2)	37 (24.5)
2020	157	4 (2.5)	51 (32.5)	33 (21.0)	35 (22.3)	34 (21.7)
2019	161	3 (1.9)	49 (30.4)	34 (21.1)	38 (23.6)	37 (23.0)
2018	128	6 (4.7)	43 (33.6)	25 (19.5)	24 (18.8)	30 (23.4)
2017	170	6 (3.5)	60 (35.3)	41 (24.1)	29 (17.1)	34 (20.0)
2016	186	8 (4.3)	56 (30.1)	36 (19.4)	36 (19.4)	50 (26.9)
2015	194	8 (4.1)	72 (37.1)	58 (29.9)	31 (16.0)	25 (12.9)
2014	189	6 (3.2)	77 (40.7)	47 (24.9)	22 (11.6)	37 (19.6)
2013	202	7 (3.5)	72 (35.6)	45 (22.3)	37 (18.3)	41 (20.3)
2012	232	14 (6.0)	92 (39.7)	47 (20.3)	42 (18.1)	37 (15.9)
2011	204	11 (5.4)	76 (37.3)	45 (22.1)	43 (21.1)	29 (14.2)
DAKOTA: Apple Valley						
2021	204	5 (2.5)	53 (26.0)	74 (36.3)	36 (17.6)	36 (17.6)
2020	157	0	51 (32.5)	44 (28.0)	33 (21.0)	29 (18.5)
2019	148	2 (1.4)	49 (33.1)	49 (33.1)	26 (17.6)	22 (14.9)
2018	139	5 (3.6)	53 (38.1)	43 (30.9)	25 (18.0)	13 (9.4)
2017	147	4 (2.7)	54 (36.7)	43 (29.3)	22 (15.0)	24 (16.3)
2016	176	3 (1.7)	48 (27.3)	51 (29.0)	41 (23.3)	33 (18.8)
2015	141	4 (2.8)	45 (31.9)	51 (36.2)	18 (12.8)	23 (16.3)
2014	137	6 (4.4)	44 (32.1)	36 (26.3)	28 (20.4)	23 (16.8)
2013	157	8 (5.1)	60 (38.2)	41 (26.1)	27 (17.2)	21 (13.4)
2012	189	7 (3.7)	82 (43.4)	52 (27.5)	26 (13.8)	22 (11.6)
2011	159	7 (4.4)	59 (37.1)	45 (28.3)	31 (19.5)	17 (10.7)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
DAKOTA: Burnsville						
2021	380	7 (1.8)	97 (25.5)	131 (34.5)	79 (20.8)	66 (17.4)
2020	388	7 (1.8)	110 (28.4)	120 (30.9)	77 (19.8)	74 (19.1)
2019	344	7 (2.0)	108 (31.4)	99 (28.8)	73 (21.2)	57 (16.6)
2018	324	9 (2.8)	102 (31.5)	113 (34.9)	66 (20.4)	34 (10.5)
2017	337	8 (2.4)	143 (42.4)	99 (29.4)	42 (12.5)	45 (13.4)
2016	413	17 (4.1)	125 (30.3)	140 (33.9)	73 (17.7)	58 (14.0)
2015	378	10 (2.6)	160 (42.3)	113 (29.9)	54 (14.3)	41 (10.8)
2014	338	7 (2.1)	137 (40.5)	96 (28.4)	52 (15.4)	46 (13.6)
2013	316	11 (3.5)	123 (38.9)	86 (27.2)	53 (16.8)	43 (13.6)
2012	360	5 (1.4)	140 (38.9)	101 (28.1)	75 (20.8)	39 (10.8)
2011	375	11 (2.9)	143 (38.1)	106 (28.3)	67 (17.9)	48 (12.8)
DAKOTA: Eagan						
2021	173	5 (2.9)	50 (28.9)	61 (35.3)	31 (17.9)	26 (15.0)
2020	192	7 (3.6)	56 (29.2)	58 (30.2)	38 (19.8)	33 (17.2)
2019	172	4 (2.3)	43 (25.0)	54 (31.4)	44 (25.6)	27 (15.7)
2018	166	3 (1.8)	64 (38.6)	49 (29.5)	27 (16.3)	23 (13.9)
2017	151	8 (5.3)	61 (40.4)	40 (26.5)	27 (17.9)	15 (9.9)
2016	189	8 (4.2)	67 (35.4)	59 (31.2)	32 (16.9)	23 (12.2)
2015	184	10 (5.4)	78 (42.4)	44 (23.9)	35 (19.0)	17 (9.2)
2014	150	9 (6.0)	58 (38.7)	40 (26.7)	26 (17.3)	17 (11.3)
2013	162	4 (2.5)	71 (43.8)	50 (30.9)	23 (14.2)	14 (8.6)
2012	165	9 (5.5)	71 (43.0)	42 (25.5)	18 (10.9)	25 (15.2)
2011	166	1 (<1)	71 (42.8)	42 (25.3)	34 (20.5)	18 (10.8)
DAKOTA: Farmington						
2021	93	3 (3.2)	27 (29.0)	24 (25.8)	18 (19.4)	21 (22.6)
2020	59	2 (3.4)	11 (18.6)	16 (27.1)	18 (30.5)	12 (20.3)
2019	58	2 (3.4)	18 (31.0)	19 (32.8)	11 (19.0)	8 (13.8)
2018	58	6 (10.3)	16 (27.6)	15 (25.9)	10 (17.2)	11 (19.0)
2017	80	3 (3.8)	29 (36.2)	16 (20.0)	14 (17.5)	18 (22.5)
2016	84	3 (3.6)	38 (45.2)	19 (22.6)	9 (10.7)	15 (17.9)
2015	74	1 (1.4)	27 (36.5)	13 (17.6)	14 (18.9)	19 (25.7)
2014	75	3 (4.0)	25 (33.3)	28 (37.3)	10 (13.3)	9 (12.0)
2013	72	4 (5.6)	23 (31.9)	29 (40.3)	4 (5.6)	12 (16.7)
2012	81	4 (4.9)	34 (42.0)	23 (28.4)	10 (12.3)	10 (12.3)
2011	66	3 (4.5)	29 (43.9)	19 (28.8)	6 (9.1)	9 (13.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
DAKOTA: Hastings						
2021	54	2 (3.7)	16 (29.6)	13 (24.1)	13 (24.1)	10 (18.5)
2020	82	2 (2.4)	25 (30.5)	17 (20.7)	22 (26.8)	16 (19.5)
2019	66	1 (1.5)	18 (27.3)	19 (28.8)	14 (21.2)	14 (21.2)
2018	67	1 (1.5)	24 (35.8)	20 (29.9)	13 (19.4)	9 (13.4)
2017	61	1 (1.6)	18 (29.5)	15 (24.6)	10 (16.4)	17 (27.9)
2016	60	2 (3.3)	15 (25.0)	20 (33.3)	12 (20.0)	11 (18.3)
2015	70	5 (7.1)	19 (27.1)	13 (18.6)	16 (22.9)	17 (24.3)
2014	61	0	27 (44.3)	17 (27.9)	11 (18.0)	6 (9.8)
2013	61	2 (3.3)	28 (45.9)	12 (19.7)	10 (16.4)	9 (14.8)
2012	79	6 (7.6)	27 (34.2)	20 (25.3)	9 (11.4)	17 (21.5)
2011	80	3 (3.8)	27 (33.8)	20 (25.0)	14 (17.5)	16 (20.0)
DAKOTA: Inver Grove Heights/ Rosemont						
2021	183	3 (1.6)	44 (24.0)	49 (26.8)	36 (19.7)	51 (27.9)
2020	220	2 (<1)	62 (28.2)	73 (33.2)	41 (18.6)	42 (19.1)
2019	182	8 (4.4)	48 (26.4)	58 (31.9)	38 (20.9)	30 (16.5)
2018	165	4 (2.4)	58 (35.2)	51 (30.9)	32 (19.4)	20 (12.1)
2017	192	3 (1.6)	75 (39.1)	51 (26.6)	36 (18.8)	27 (14.1)
2016	219	3 (1.4)	69 (31.5)	83 (37.9)	33 (15.1)	31 (14.2)
2015	161	3 (1.9)	55 (34.2)	57 (35.4)	28 (17.4)	18 (11.2)
2014	187	7 (3.7)	86 (46.0)	42 (22.5)	28 (15.0)	24 (12.8)
2013	184	7 (3.8)	61 (33.2)	51 (27.7)	34 (18.5)	31 (16.8)
2012	217	2 (<1)	61 (28.1)	86 (39.6)	32 (14.7)	36 (16.6)
2011	219	5 (2.3)	88 (40.2)	63 (28.8)	34 (15.5)	29 (13.2)
DAKOTA: Lakeville						
2021	101	1 (1.0)	32 (31.7)	29 (28.7)	23 (22.8)	16 (15.8)
2020	106	3 (2.8)	35 (33.0)	30 (28.3)	18 (17.0)	20 (18.9)
2019	76	2 (2.6)	22 (28.9)	17 (22.4)	16 (21.1)	19 (25.0)
2018	85	2 (2.4)	29 (34.1)	24 (28.2)	18 (21.2)	12 (14.1)
2017	85	6 (7.1)	30 (35.3)	25 (29.4)	12 (14.1)	12 (14.1)
2016	88	3 (3.4)	30 (34.1)	26 (29.5)	18 (20.5)	11 (12.5)
2015	68	6 (8.8)	27 (39.7)	12 (17.6)	9 (13.2)	14 (20.6)
2014	61	1 (1.6)	28 (45.9)	15 (24.6)	9 (14.8)	8 (13.1)
2013	77	1 (1.3)	31 (40.3)	21 (27.3)	11 (14.3)	13 (16.9)
2012	84	2 (2.4)	41 (48.8)	27 (32.1)	6 (7.1)	8 (9.5)
2011	84	4 (4.8)	38 (45.2)	12 (14.3)	17 (20.2)	13 (15.5)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
DAKOTA: South St. Paul						
2021	94	2 (2.1)	29 (30.9)	31 (33.0)	11 (11.7)	21 (22.3)
2020	115	3 (2.6)	35 (30.4)	31 (27.0)	16 (13.9)	30 (26.1)
2019	97	3 (3.1)	25 (25.8)	30 (30.9)	20 (20.6)	19 (19.6)
2018	90	2 (2.2)	28 (31.1)	28 (31.1)	19 (21.1)	13 (14.4)
2017	86	0	28 (32.6)	23 (26.7)	19 (22.1)	16 (18.6)
2016	124	4 (3.2)	29 (23.4)	38 (30.6)	23 (18.5)	30 (24.2)
2015	103	7 (6.8)	33 (32.0)	32 (31.1)	14 (13.6)	17 (16.5)
2014	94	1 (1.1)	40 (42.6)	25 (26.6)	16 (17.0)	12 (12.8)
2013	116	1 (<1)	37 (31.9)	31 (26.7)	27 (23.3)	20 (17.2)
2012	112	4 (3.6)	41 (36.6)	24 (21.4)	20 (17.9)	23 (20.5)
2011	106	1 (<1)	36 (34.0)	30 (28.3)	18 (17.0)	21 (19.8)
DAKOTA: West St. Paul						
2021	97	0	28 (28.9)	28 (28.9)	21 (21.6)	20 (20.6)
2020	103	2 (1.9)	20 (19.4)	27 (26.2)	20 (19.4)	34 (33.0)
2019	104	4 (3.8)	31 (29.8)	30 (28.8)	23 (22.1)	16 (15.4)
2018	101	0	36 (35.6)	30 (29.7)	20 (19.8)	15 (14.9)
2017	96	2 (2.1)	28 (29.2)	30 (31.2)	13 (13.5)	23 (24.0)
2016	173	3 (1.7)	50 (28.9)	48 (27.7)	40 (23.1)	32 (18.5)
2015	114	5 (4.4)	39 (34.2)	33 (28.9)	24 (21.1)	13 (11.4)
2014	119	5 (4.2)	48 (40.3)	37 (31.1)	19 (16.0)	10 (8.4)
2013	107	3 (2.8)	38 (35.5)	29 (27.1)	21 (19.6)	16 (15.0)
2012	138	1 (<1)	48 (34.8)	47 (34.1)	29 (21.0)	13 (9.4)
2011	136	3 (2.2)	40 (29.4)	50 (36.8)	29 (21.3)	14 (10.3)
EDINA: Edina						
2021	45	2 (4.4)	12 (26.7)	10 (22.2)	11 (24.4)	10 (22.2)
2020	50	0	19 (38.0)	13 (26.0)	8 (16.0)	10 (20.0)
2019	35	0	13 (37.1)	8 (22.9)	11 (31.4)	3 (8.6)
2018	40	0	12 (30.0)	16 (40.0)	7 (17.5)	5 (12.5)
2017	36	2 (5.6)	15 (41.7)	11 (30.6)	6 (16.7)	2 (5.6)
2016	43	1 (2.3)	16 (37.2)	15 (34.9)	7 (16.3)	4 (9.3)
2015	47	0	23 (48.9)	14 (29.8)	7 (14.9)	3 (6.4)
2014	39	0	14 (35.9)	10 (25.6)	9 (23.1)	6 (15.4)
2013	35	0	15 (42.9)	11 (31.4)	7 (20.0)	2 (5.7)
2012	46	1 (2.2)	22 (47.8)	14 (30.4)	3 (6.5)	6 (13.0)
2011	42	1 (2.4)	13 (31.0)	12 (28.6)	11 (26.2)	5 (11.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
FREEBORN: Albert Lea						
2021	132	2 (1.5)	26 (19.7)	40 (30.3)	29 (22.0)	35 (26.5)
2020	142	5 (3.5)	36 (25.4)	45 (31.7)	18 (12.7)	38 (26.8)
2019	159	1 (<1)	46 (28.9)	44 (27.7)	33 (20.8)	35 (22.0)
2018	111	3 (2.7)	33 (29.7)	25 (22.5)	20 (18.0)	30 (27.0)
2017	144	1 (<1)	45 (31.2)	33 (22.9)	34 (23.6)	31 (21.5)
2016	144	4 (2.8)	36 (25.0)	38 (26.4)	38 (26.4)	28 (19.4)
2015	138	5 (3.6)	49 (35.5)	35 (25.4)	21 (15.2)	28 (20.3)
2014	153	6 (3.9)	52 (34.0)	47 (30.7)	23 (15.0)	25 (16.3)
2013	175	5 (2.9)	63 (36.0)	47 (26.9)	27 (15.4)	33 (18.9)
2012	178	9 (5.1)	43 (24.2)	45 (25.3)	35 (19.7)	46 (25.8)
2011	169	7 (4.1)	73 (43.2)	36 (21.3)	26 (15.4)	27 (16.0)
GOODHUE: Red Wing						
2021	56	3 (5.4)	14 (25.0)	10 (17.9)	17 (30.4)	12 (21.4)
2020	74	2 (2.7)	20 (27.0)	19 (25.7)	12 (16.2)	21 (28.4)
2019	77	1 (1.3)	18 (23.4)	19 (24.7)	19 (24.7)	20 (26.0)
2018	75	2 (2.7)	29 (38.7)	18 (24.0)	8 (10.7)	18 (24.0)
2017	87	1 (1.1)	26 (29.9)	19 (21.8)	13 (14.9)	28 (32.2)
2016	91	1 (1.1)	33 (36.3)	22 (24.2)	13 (14.3)	22 (24.2)
2015	74	4 (5.4)	28 (37.8)	19 (25.7)	16 (21.6)	7 (9.5)
2014	76	2 (2.6)	25 (32.9)	21 (27.6)	12 (15.8)	16 (21.1)
2013	72	1 (1.4)	27 (37.5)	15 (20.8)	11 (15.3)	18 (25.0)
2012	79	2 (2.5)	28 (35.4)	24 (30.4)	11 (13.9)	14 (17.7)
2011	83	0	30 (36.1)	25 (30.1)	13 (15.7)	15 (18.1)
HENNEPIN: Brooklyn Center						
2021	298	6 (2.0)	68 (22.8)	90 (30.2)	77 (25.8)	57 (19.1)
2020	333	7 (2.1)	95 (28.5)	102 (30.6)	71 (21.3)	58 (17.4)
2019	334	3 (<1)	88 (26.3)	98 (29.3)	86 (25.7)	59 (17.7)
2018	309	10 (3.2)	104 (33.7)	96 (31.1)	50 (16.2)	49 (15.9)
2017	342	14 (4.1)	114 (33.3)	97 (28.4)	69 (20.2)	48 (14.0)
2016	427	13 (3.0)	126 (29.5)	125 (29.3)	86 (20.1)	77 (18.0)
2015	353	11 (3.1)	139 (39.4)	98 (27.8)	55 (15.6)	50 (14.2)
2014	363	13 (3.6)	128 (35.3)	118 (32.5)	58 (16.0)	46 (12.7)
2013	352	8 (2.3)	147 (41.8)	97 (27.6)	55 (15.6)	45 (12.8)
2012	390	12 (3.1)	155 (39.7)	121 (31.0)	57 (14.6)	45 (11.5)
2011	378	13 (3.4)	159 (42.1)	94 (24.9)	55 (14.6)	57 (15.1)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
HENNEPIN: Brooklyn Park						
2021	615	12 (2.0)	155 (25.2)	200 (32.5)	136 (22.1)	112 (18.2)
2020	670	19 (2.8)	203 (30.3)	204 (30.4)	134 (20.0)	110 (16.4)
2019	593	18 (3.0)	171 (28.8)	170 (28.7)	132 (22.3)	102 (17.2)
2018	590	30 (5.1)	203 (34.4)	182 (30.8)	107 (18.1)	68 (11.5)
2017	706	17 (2.4)	264 (37.4)	208 (29.5)	117 (16.6)	100 (14.2)
2016	733	24 (3.3)	254 (34.7)	218 (29.7)	141 (19.2)	96 (13.1)
2015	760	25 (3.3)	304 (40.0)	211 (27.8)	129 (17.0)	91 (12.0)
2014	698	19 (2.7)	294 (42.1)	197 (28.2)	102 (14.6)	86 (12.3)
2013	699	24 (3.4)	281 (40.2)	192 (27.5)	126 (18.0)	76 (10.9)
2012	698	20 (2.9)	291 (41.7)	200 (28.7)	110 (15.8)	77 (11.0)
2011	668	17 (2.5)	285 (42.7)	186 (27.8)	105 (15.7)	75 (11.2)
HENNEPIN: Champlin/ Maple Grove/ Osseo						
2021	214	6 (2.8)	60 (28.0)	57 (26.6)	50 (23.4)	41 (19.2)
2020	187	0	43 (23.0)	54 (28.9)	43 (23.0)	47 (25.1)
2019	165	5 (3.0)	50 (30.3)	56 (33.9)	28 (17.0)	26 (15.8)
2018	145	7 (4.8)	49 (33.8)	40 (27.6)	31 (21.4)	18 (12.4)
2017	169	9 (5.3)	56 (33.1)	54 (32.0)	26 (15.4)	24 (14.2)
2016	175	8 (4.6)	59 (33.7)	56 (32.0)	32 (18.3)	20 (11.4)
2015	165	4 (2.4)	58 (35.2)	54 (32.7)	29 (17.6)	20 (12.1)
2014	157	6 (3.8)	75 (47.8)	40 (25.5)	22 (14.0)	14 (8.9)
2013	157	5 (3.2)	67 (42.7)	48 (30.6)	23 (14.6)	14 (8.9)
2012	155	5 (3.2)	67 (43.2)	44 (28.4)	22 (14.2)	17 (11.0)
2011	164	7 (4.3)	76 (46.3)	32 (19.5)	24 (14.6)	25 (15.2)
HENNEPIN: Crystal						
2021	92	3 (3.3)	23 (25.0)	32 (34.8)	23 (25.0)	11 (12.0)
2020	97	3 (3.1)	26 (26.8)	30 (30.9)	25 (25.8)	13 (13.4)
2019	106	6 (5.7)	33 (31.1)	32 (30.2)	16 (15.1)	19 (17.9)
2018	78	5 (6.4)	35 (44.9)	21 (26.9)	9 (11.5)	8 (10.3)
2017	105	3 (2.9)	37 (35.2)	35 (33.3)	17 (16.2)	13 (12.4)
2016	118	3 (2.5)	38 (32.2)	40 (33.9)	18 (15.3)	19 (16.1)
2015	98	7 (7.1)	35 (35.7)	29 (29.6)	17 (17.3)	10 (10.2)
2014	95	2 (2.1)	37 (38.9)	24 (25.3)	19 (20.0)	13 (13.7)
2013	85	3 (3.5)	39 (45.9)	15 (17.6)	11 (12.9)	17 (20.0)
2012	105	3 (2.9)	34 (32.4)	37 (35.2)	15 (14.3)	16 (15.2)
2011	97	2 (2.1)	30 (30.9)	26 (26.8)	20 (20.6)	19 (19.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
HENNEPIN: Eden Prairie						
2021	104	1 (1.0)	25 (24.0)	40 (38.5)	24 (23.1)	14 (13.5)
2020	117	2 (1.7)	36 (30.8)	30 (25.6)	24 (20.5)	25 (21.4)
2019	96	2 (2.1)	28 (29.2)	30 (31.2)	24 (25.0)	12 (12.5)
2018	95	1 (1.1)	36 (37.9)	37 (38.9)	11 (11.6)	10 (10.5)
2017	106	2 (1.9)	56 (52.8)	25 (23.6)	14 (13.2)	9 (8.5)
2016	112	3 (2.7)	37 (33.0)	46 (41.1)	18 (16.1)	8 (7.1)
2015	111	3 (2.7)	45 (40.5)	38 (34.2)	13 (11.7)	12 (10.8)
2014	101	1 (1.0)	48 (47.5)	27 (26.7)	13 (12.9)	12 (11.9)
2013	98	2 (2.0)	49 (50.0)	30 (30.6)	8 (8.2)	9 (9.2)
2012	121	1 (<1)	47 (38.8)	41 (33.9)	21 (17.4)	11 (9.1)
2011	124	6 (4.8)	53 (42.7)	42 (33.9)	13 (10.5)	10 (8.1)
HENNEPIN: Excelsior/ Maple Plain/ Mound/ Minnetonka						
2021	88	3 (3.4)	17 (19.3)	28 (31.8)	31 (35.2)	9 (10.2)
2020	76	4 (5.3)	17 (22.4)	29 (38.2)	13 (17.1)	13 (17.1)
2019	47	0	20 (42.6)	8 (17.0)	12 (25.5)	7 (14.9)
2018	62	1 (1.6)	25 (40.3)	17 (27.4)	11 (17.7)	8 (12.9)
2017	67	2 (3.0)	28 (41.8)	17 (25.4)	13 (19.4)	7 (10.4)
2016	81	2 (2.5)	23 (28.4)	28 (34.6)	17 (21.0)	11 (13.6)
2015	86	0	32 (37.2)	32 (37.2)	12 (14.0)	10 (11.6)
2014	69	3 (4.3)	31 (44.9)	17 (24.6)	14 (20.3)	4 (5.8)
2013	65	2 (3.1)	25 (38.5)	27 (41.5)	9 (13.8)	2 (3.1)
2012	65	2 (3.1)	26 (40.0)	23 (35.4)	7 (10.8)	7 (10.8)
2011	69	0	28 (40.6)	19 (27.5)	15 (21.7)	7 (10.1)
HENNEPIN: Golden Valley/ Robbinsdale						
2021	98	2 (2.0)	26 (26.5)	20 (20.4)	19 (19.4)	31 (31.6)
2020	73	1 (1.4)	16 (21.9)	23 (31.5)	14 (19.2)	19 (26.0)
2019	65	2 (3.1)	18 (27.7)	15 (23.1)	15 (23.1)	15 (23.1)
2018	77	4 (5.2)	23 (29.9)	20 (26.0)	15 (19.5)	15 (19.5)
2017	98	3 (3.1)	37 (37.8)	22 (22.4)	22 (22.4)	14 (14.3)
2016	87	1 (1.1)	24 (27.6)	34 (39.1)	19 (21.8)	9 (10.3)
2015	109	4 (3.7)	41 (37.6)	24 (22.0)	18 (16.5)	22 (20.2)
2014	82	1 (1.2)	32 (39.0)	22 (26.8)	15 (18.3)	12 (14.6)
2013	91	3 (3.3)	31 (34.1)	25 (27.5)	19 (20.9)	13 (14.3)
2012	90	7 (7.8)	31 (34.4)	26 (28.9)	16 (17.8)	10 (11.1)
2011	79	1 (1.3)	28 (35.4)	21 (26.6)	16 (20.3)	13 (16.5)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
HENNEPIN: Hopkins						
2021	120	6 (5.0)	35 (29.2)	38 (31.7)	16 (13.3)	25 (20.8)
2020	161	3 (1.9)	47 (29.2)	51 (31.7)	31 (19.3)	29 (18.0)
2019	149	5 (3.4)	50 (33.6)	38 (25.5)	29 (19.5)	27 (18.1)
2018	125	6 (4.8)	48 (38.4)	42 (33.6)	10 (8.0)	19 (15.2)
2017	134	7 (5.2)	46 (34.3)	41 (30.6)	24 (17.9)	16 (11.9)
2016	149	4 (2.7)	48 (32.2)	49 (32.9)	27 (18.1)	21 (14.1)
2015	133	3 (2.3)	46 (34.6)	41 (30.8)	25 (18.8)	18 (13.5)
2014	140	3 (2.1)	51 (36.4)	36 (25.7)	28 (20.0)	22 (15.7)
2013	98	2 (2.0)	38 (38.8)	26 (26.5)	18 (18.4)	14 (14.3)
2012	139	3 (2.2)	51 (36.7)	39 (28.1)	29 (20.9)	17 (12.2)
2011	126	3 (2.4)	54 (42.9)	31 (24.6)	24 (19.0)	14 (11.1)
HENNEPIN: New Hope						
2021	110	1 (<1)	20 (18.2)	35 (31.8)	23 (20.9)	31 (28.2)
2020	115	4 (3.5)	27 (23.5)	37 (32.2)	11 (9.6)	36 (31.3)
2019	91	1 (1.1)	31 (34.1)	30 (33.0)	15 (16.5)	14 (15.4)
2018	94	1 (1.1)	34 (36.2)	27 (28.7)	20 (21.3)	12 (12.8)
2017	124	5 (4.0)	41 (33.1)	37 (29.8)	20 (16.1)	21 (16.9)
2016	144	3 (2.1)	38 (26.4)	46 (31.9)	34 (23.6)	23 (16.0)
2015	135	4 (3.0)	43 (31.9)	34 (25.2)	24 (17.8)	30 (22.2)
2014	102	2 (2.0)	38 (37.3)	28 (27.5)	19 (18.6)	15 (14.7)
2013	110	5 (4.5)	39 (35.5)	30 (27.3)	22 (20.0)	14 (12.7)
2012	115	5 (4.3)	47 (40.9)	27 (23.5)	20 (17.4)	16 (13.9)
2011	112	3 (2.7)	39 (34.8)	31 (27.7)	24 (21.4)	15 (13.4)
HENNEPIN: Plymouth						
2021	141	4 (2.8)	40 (28.4)	36 (25.5)	31 (22.0)	30 (21.3)
2020	135	4 (3.0)	39 (28.9)	39 (28.9)	32 (23.7)	21 (15.6)
2019	113	4 (3.5)	36 (31.9)	37 (32.7)	27 (23.9)	9 (8.0)
2018	115	3 (2.6)	48 (41.7)	32 (27.8)	20 (17.4)	12 (10.4)
2017	119	5 (4.2)	44 (37.0)	38 (31.9)	17 (14.3)	15 (12.6)
2016	149	8 (5.4)	45 (30.2)	41 (27.5)	31 (20.8)	24 (16.1)
2015	149	6 (4.0)	70 (47.0)	34 (22.8)	19 (12.8)	20 (13.4)
2014	129	3 (2.3)	45 (34.9)	38 (29.5)	22 (17.1)	21 (16.3)
2013	138	5 (3.6)	59 (42.8)	37 (26.8)	23 (16.7)	14 (10.1)
2012	113	1 (<1)	46 (40.7)	34 (30.1)	22 (19.5)	10 (8.8)
2011	116	2 (1.7)	50 (43.1)	32 (27.6)	22 (19.0)	10 (8.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
HENNEPIN: St. Louis Park						
2021	178	3 (1.7)	49 (27.5)	58 (32.6)	38 (21.3)	30 (16.9)
2020	110	3 (2.7)	31 (28.2)	35 (31.8)	27 (24.5)	14 (12.7)
2019	105	3 (2.9)	22 (21.0)	39 (37.1)	24 (22.9)	17 (16.2)
2018	122	5 (4.1)	49 (40.2)	38 (31.1)	13 (10.7)	17 (13.9)
2017	120	6 (5.0)	45 (37.5)	31 (25.8)	14 (11.7)	24 (20.0)
2016	129	4 (3.1)	40 (31.0)	36 (27.9)	30 (23.3)	19 (14.7)
2015	159	5 (3.1)	73 (45.9)	42 (26.4)	27 (17.0)	12 (7.5)
2014	136	5 (3.7)	54 (39.7)	38 (27.9)	23 (16.9)	16 (11.8)
2013	107	5 (4.7)	41 (38.3)	31 (29.0)	18 (16.8)	12 (11.2)
2012	122	5 (4.1)	47 (38.5)	36 (29.5)	22 (18.0)	12 (9.8)
2011	103	5 (4.9)	39 (37.9)	26 (25.2)	17 (16.5)	16 (15.5)
HORIZON: Alexandria						
2021	74	2 (2.7)	20 (27.0)	16 (21.6)	12 (16.2)	24 (32.4)
2020	95	0	28 (29.5)	23 (24.2)	15 (15.8)	29 (30.5)
2019	86	6 (7.0)	23 (26.7)	20 (23.3)	15 (17.4)	22 (25.6)
2018	84	3 (3.6)	27 (32.1)	17 (20.2)	16 (19.0)	21 (25.0)
2017	92	3 (3.3)	29 (31.5)	12 (13.0)	20 (21.7)	28 (30.4)
2016	100	3 (3.0)	26 (26.0)	38 (38.0)	20 (20.0)	13 (13.0)
2015	97	1 (1.0)	36 (37.1)	23 (23.7)	18 (18.6)	19 (19.6)
2014	106	4 (3.8)	31 (29.2)	22 (20.8)	21 (19.8)	28 (26.4)
2013	126	0	54 (42.9)	25 (19.8)	23 (18.3)	24 (19.0)
2012	116	6 (5.2)	44 (37.9)	22 (19.0)	22 (19.0)	22 (19.0)
2011	108	1 (<1)	41 (38.0)	23 (21.3)	27 (25.0)	16 (14.8)
ISANTI: Cambridge						
2021	69	3 (4.3)	17 (24.6)	19 (27.5)	15 (21.7)	15 (21.7)
2020	60	2 (3.3)	15 (25.0)	22 (36.7)	8 (13.3)	13 (21.7)
2019	73	1 (1.4)	18 (24.7)	24 (32.9)	14 (19.2)	16 (21.9)
2018	71	0	25 (35.2)	21 (29.6)	9 (12.7)	16 (22.5)
2017	63	0	18 (28.6)	25 (39.7)	8 (12.7)	12 (19.0)
2016	70	1 (1.4)	20 (28.6)	20 (28.6)	18 (25.7)	11 (15.7)
2015	83	3 (3.6)	38 (45.8)	19 (22.9)	12 (14.5)	11 (13.3)
2014	75	3 (4.0)	32 (42.7)	16 (21.3)	11 (14.7)	13 (17.3)
2013	86	0	41 (47.7)	22 (25.6)	10 (11.6)	13 (15.1)
2012	88	4 (4.5)	41 (46.6)	17 (19.3)	11 (12.5)	15 (17.0)
2011	89	6 (6.7)	45 (50.6)	22 (24.7)	6 (6.7)	10 (11.2)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
KANDIYOHI RENVILLE: Willmar						
2021	229	4 (1.7)	54 (23.6)	74 (32.3)	46 (20.1)	51 (22.3)
2020	270	10 (3.7)	55 (20.4)	83 (30.7)	62 (23.0)	60 (22.2)
2019	247	9 (3.6)	52 (21.1)	81 (32.8)	67 (27.1)	38 (15.4)
2018	238	9 (3.8)	67 (28.2)	67 (28.2)	51 (21.4)	44 (18.5)
2017	302	5 (1.7)	96 (31.8)	94 (31.1)	57 (18.9)	50 (16.6)
2016	268	7 (2.6)	74 (27.6)	86 (32.1)	57 (21.3)	44 (16.4)
2015	284	9 (3.2)	99 (34.9)	78 (27.5)	51 (18.0)	47 (16.5)
2014	244	6 (2.5)	99 (40.6)	62 (25.4)	47 (19.3)	30 (12.3)
2013	265	3 (1.1)	98 (37.0)	85 (32.1)	45 (17.0)	34 (12.8)
2012	215	10 (4.7)	69 (32.1)	65 (30.2)	42 (19.5)	29 (13.5)
2011	218	5 (2.3)	63 (28.9)	58 (26.6)	50 (22.9)	42 (19.3)
MEEKER MCLEOD SIBLEY: Hutchinson						
2021	72	0	21 (29.2)	19 (26.4)	11 (15.3)	21 (29.2)
2020	78	3 (3.8)	22 (28.2)	21 (26.9)	20 (25.6)	12 (15.4)
2019	66	0	26 (39.4)	18 (27.3)	11 (16.7)	11 (16.7)
2018	72	2 (2.8)	25 (34.7)	11 (15.3)	21 (29.2)	13 (18.1)
2017	61	2 (3.3)	19 (31.1)	15 (24.6)	17 (27.9)	8 (13.1)
2016	102	1 (1.0)	30 (29.4)	26 (25.5)	24 (23.5)	21 (20.6)
2015	74	2 (2.7)	27 (36.5)	19 (25.7)	13 (17.6)	13 (17.6)
2014	84	2 (2.4)	30 (35.7)	29 (34.5)	12 (14.3)	11 (13.1)
2013	76	1 (1.3)	29 (38.2)	16 (21.1)	12 (15.8)	18 (23.7)
2012	89	2 (2.2)	33 (37.1)	20 (22.5)	16 (18.0)	18 (20.2)
2011	80	1 (1.2)	25 (31.2)	21 (26.2)	15 (18.8)	18 (22.5)
MINNEAPOLIS: Minneapolis						
2021	1,908	41 (2.1)	500 (26.2)	610 (32.0)	401 (21.0)	356 (18.7)
2020	2,178	47 (2.2)	588 (27.0)	636 (29.2)	479 (22.0)	428 (19.7)
2019	2,169	51 (2.4)	638 (29.4)	672 (31.0)	431 (19.9)	377 (17.4)
2018	2,186	65 (3.0)	722 (33.0)	654 (29.9)	436 (19.9)	309 (14.1)
2017	2,572	73 (2.8)	970 (37.7)	767 (29.8)	420 (16.3)	342 (13.3)
2016	2,755	103 (3.7)	809 (29.4)	879 (31.9)	537 (19.5)	427 (15.5)
2015	2,887	81 (2.8)	1,036 (35.9)	956 (33.1)	463 (16.0)	351 (12.2)
2014	2,650	85 (3.2)	998 (37.7)	774 (29.2)	460 (17.4)	333 (12.6)
2013	2,580	83 (3.2)	959 (37.2)	778 (30.2)	437 (16.9)	323 (12.5)
2012	2,692	85 (3.2)	953 (35.4)	850 (31.6)	449 (16.7)	355 (13.2)
2011	2,597	73 (2.8)	950 (36.6)	808 (31.1)	429 (16.5)	337 (13.0)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
MORRISON TODD WADENA: Little Falls						
2021	60	1 (1.7)	15 (25.0)	20 (33.3)	7 (11.7)	17 (28.3)
2020	61	2 (3.3)	13 (21.3)	18 (29.5)	11 (18.0)	17 (27.9)
2019	84	0	24 (28.6)	20 (23.8)	15 (17.9)	25 (29.8)
2018	53	4 (7.5)	15 (28.3)	12 (22.6)	7 (13.2)	15 (28.3)
2017	69	1 (1.4)	33 (47.8)	11 (15.9)	12 (17.4)	12 (17.4)
2016	94	3 (3.2)	23 (24.5)	30 (31.9)	15 (16.0)	23 (24.5)
2015	75	1 (1.3)	28 (37.3)	23 (30.7)	7 (9.3)	16 (21.3)
2014	84	4 (4.8)	31 (36.9)	25 (29.8)	12 (14.3)	12 (14.3)
2013	102	4 (3.9)	36 (35.3)	24 (23.5)	15 (14.7)	23 (22.5)
2012	93	1 (1.1)	27 (29.0)	21 (22.6)	15 (16.1)	29 (31.2)
2011	79	2 (2.5)	24 (30.4)	18 (22.8)	17 (21.5)	18 (22.8)
MOWER: Austin						
2021	231	4 (1.7)	52 (22.5)	72 (31.2)	51 (22.1)	52 (22.5)
2020	250	5 (2.0)	61 (24.4)	78 (31.2)	52 (20.8)	54 (21.6)
2019	269	6 (2.2)	85 (31.6)	76 (28.3)	48 (17.8)	54 (20.1)
2018	225	16 (7.1)	77 (34.2)	59 (26.2)	45 (20.0)	28 (12.4)
2017	232	12 (5.2)	76 (32.8)	60 (25.9)	35 (15.1)	49 (21.1)
2016	239	9 (3.8)	86 (36.0)	70 (29.3)	47 (19.7)	27 (11.3)
2015	230	7 (3.0)	92 (40.0)	66 (28.7)	33 (14.3)	32 (13.9)
2014	244	10 (4.1)	87 (35.7)	74 (30.3)	43 (17.6)	30 (12.3)
2013	222	6 (2.7)	90 (40.5)	57 (25.7)	42 (18.9)	27 (12.2)
2012	243	19 (7.8)	83 (34.2)	62 (25.5)	46 (18.9)	33 (13.6)
2011	216	7 (3.2)	97 (44.9)	65 (30.1)	28 (13.0)	19 (8.8)
NOBLES: Worthington						
2021	199	0	76 (38.2)	64 (32.2)	43 (21.6)	16 (8.0)
2020	191	2 (1.0)	61 (31.9)	81 (42.4)	32 (16.8)	15 (7.9)
2019	197	3 (1.5)	58 (29.4)	72 (36.5)	40 (20.3)	24 (12.2)
2018	230	3 (1.3)	96 (41.7)	80 (34.8)	37 (16.1)	14 (6.1)
2017	210	3 (1.4)	85 (40.5)	75 (35.7)	36 (17.1)	11 (5.2)
2016	244	13 (5.3)	75 (30.7)	98 (40.2)	43 (17.6)	15 (6.1)
2015	218	5 (2.3)	77 (35.3)	80 (36.7)	39 (17.9)	17 (7.8)
2014	192	5 (2.6)	63 (32.8)	89 (46.4)	22 (11.5)	13 (6.8)
2013	192	4 (2.1)	67 (34.9)	64 (33.3)	39 (20.3)	18 (9.4)
2012	177	4 (2.3)	58 (32.8)	63 (35.6)	32 (18.1)	20 (11.3)
2011	165	6 (3.6)	49 (29.7)	69 (41.8)	27 (16.4)	14 (8.5)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
OLMSTED: Rochester						
2021	523	10 (1.9)	153 (29.3)	165 (31.5)	98 (18.7)	97 (18.5)
2020	546	16 (2.9)	189 (34.6)	147 (26.9)	92 (16.8)	102 (18.7)
2019	532	20 (3.8)	166 (31.2)	150 (28.2)	103 (19.4)	93 (17.5)
2018	521	18 (3.5)	197 (37.8)	144 (27.6)	89 (17.1)	73 (14.0)
2017	614	29 (4.7)	221 (36.0)	178 (29.0)	90 (14.7)	96 (15.6)
2016	610	26 (4.3)	195 (32.0)	175 (28.7)	113 (18.5)	101 (16.6)
2015	665	32 (4.8)	255 (38.3)	190 (28.6)	102 (15.3)	86 (12.9)
2014	600	21 (3.5)	232 (38.7)	173 (28.8)	93 (15.5)	81 (13.5)
2013	602	23 (3.8)	254 (42.2)	163 (27.1)	85 (14.1)	77 (12.8)
2012	627	18 (2.9)	245 (39.1)	183 (29.2)	94 (15.0)	87 (13.9)
2011	612	20 (3.3)	240 (39.2)	162 (26.5)	109 (17.8)	81 (13.2)
PARTNERSHIP 4 HEALTH: Detroit Lakes						
2021	74	2 (2.7)	12 (16.2)	25 (33.8)	11 (14.9)	24 (32.4)
2020	83	1 (1.2)	26 (31.3)	20 (24.1)	19 (22.9)	17 (20.5)
2019	85	3 (3.5)	26 (30.6)	21 (24.7)	20 (23.5)	15 (17.6)
2018	82	1 (1.2)	26 (31.7)	22 (26.8)	15 (18.3)	18 (22.0)
2017	85	3 (3.5)	29 (34.1)	19 (22.4)	13 (15.3)	21 (24.7)
2016	90	4 (4.4)	38 (42.2)	18 (20.0)	13 (14.4)	17 (18.9)
2015	68	2 (2.9)	26 (38.2)	21 (30.9)	8 (11.8)	11 (16.2)
2014	87	2 (2.3)	22 (25.3)	24 (27.6)	20 (23.0)	19 (21.8)
2013	96	2 (2.1)	34 (35.4)	28 (29.2)	15 (15.6)	17 (17.7)
2012	92	10 (10.9)	36 (39.1)	22 (23.9)	12 (13.0)	12 (13.0)
2011	105	4 (3.8)	46 (43.8)	21 (20.0)	14 (13.3)	20 (19.0)
PARTNERSHIP 4 HEALTH: Fergus Falls						
2021	73	3 (4.1)	23 (31.5)	18 (24.7)	12 (16.4)	17 (23.3)
2020	56	0	16 (28.6)	21 (37.5)	8 (14.3)	11 (19.6)
2019	78	0	23 (29.5)	19 (24.4)	20 (25.6)	16 (20.5)
2018	67	9 (13.4)	20 (29.9)	23 (34.3)	5 (7.5)	10 (14.9)
2017	81	3 (3.7)	25 (30.9)	22 (27.2)	16 (19.8)	15 (18.5)
2016	84	0	35 (41.7)	28 (33.3)	8 (9.5)	13 (15.5)
2015	89	2 (2.2)	27 (30.3)	25 (28.1)	16 (18.0)	19 (21.3)
2014	88	0	39 (44.3)	25 (28.4)	10 (11.4)	14 (15.9)
2013	90	4 (4.4)	28 (31.1)	27 (30.0)	18 (20.0)	13 (14.4)
2012	127	2 (1.6)	50 (39.4)	29 (22.8)	16 (12.6)	30 (23.6)
2011	90	0	35 (38.9)	28 (31.1)	12 (13.3)	15 (16.7)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
PARTNERSHIP 4 HEALTH: Moorhead						
2021	148	3 (2.0)	47 (31.8)	49 (33.1)	25 (16.9)	24 (16.2)
2020	175	2 (1.1)	50 (28.6)	53 (30.3)	36 (20.6)	34 (19.4)
2019	223	7 (3.1)	76 (34.1)	58 (26.0)	39 (17.5)	43 (19.3)
2018	222	8 (3.6)	82 (36.9)	48 (21.6)	43 (19.4)	41 (18.5)
2017	230	8 (3.5)	81 (35.2)	68 (29.6)	36 (15.7)	37 (16.1)
2016	217	5 (2.3)	65 (30.0)	60 (27.6)	45 (20.7)	42 (19.4)
2015	214	8 (3.7)	83 (38.8)	53 (24.8)	38 (17.8)	32 (15.0)
2014	194	6 (3.1)	70 (36.1)	55 (28.4)	33 (17.0)	30 (15.5)
2013	198	4 (2.0)	70 (35.4)	49 (24.7)	44 (22.2)	31 (15.7)
2012	205	4 (2.0)	73 (35.6)	56 (27.3)	38 (18.5)	34 (16.6)
2011	216	7 (3.2)	75 (34.7)	62 (28.7)	43 (19.9)	29 (13.4)
QUIN: Thief River Falls						
2021	62	1 (1.6)	12 (19.4)	23 (37.1)	12 (19.4)	14 (22.6)
2020	46	0	16 (34.8)	12 (26.1)	6 (13.0)	12 (26.1)
2019	67	1 (1.5)	21 (31.3)	24 (35.8)	9 (13.4)	12 (17.9)
2018	71	6 (8.5)	20 (28.2)	16 (22.5)	10 (14.1)	19 (26.8)
2017	67	2 (3.0)	19 (28.4)	18 (26.9)	13 (19.4)	15 (22.4)
2016	70	4 (5.7)	16 (22.9)	19 (27.1)	17 (24.3)	14 (20.0)
2015	84	5 (6.0)	31 (36.9)	21 (25.0)	14 (16.7)	13 (15.5)
2014	77	6 (7.8)	28 (36.4)	17 (22.1)	13 (16.9)	13 (16.9)
2013	62	3 (4.8)	25 (40.3)	14 (22.6)	11 (17.7)	9 (14.5)
2012	90	4 (4.4)	36 (40.0)	24 (26.7)	10 (11.1)	16 (17.8)
2011	92	2 (2.2)	36 (39.1)	32 (34.8)	6 (6.5)	16 (17.4)
RAMSEY: Arden Hills/ Shoreview/ Vadnais Heights						
2021	97	2 (2.1)	19 (19.6)	33 (34.0)	26 (26.8)	17 (17.5)
2020	81	4 (4.9)	20 (24.7)	21 (25.9)	22 (27.2)	14 (17.3)
2019	67	1 (1.5)	19 (28.4)	19 (28.4)	12 (17.9)	16 (23.9)
2018	81	1 (1.2)	26 (32.1)	22 (27.2)	16 (19.8)	16 (19.8)
2017	89	4 (4.5)	38 (42.7)	22 (24.7)	10 (11.2)	15 (16.9)
2016	84	3 (3.6)	26 (31.0)	28 (33.3)	16 (19.0)	11 (13.1)
2015	106	8 (7.5)	50 (47.2)	29 (27.4)	11 (10.4)	8 (7.5)
2014	85	3 (3.5)	29 (34.1)	30 (35.3)	13 (15.3)	10 (11.8)
2013	85	4 (4.7)	33 (38.8)	28 (32.9)	15 (17.6)	5 (5.9)
2012	83	1 (1.2)	32 (38.6)	24 (28.9)	15 (18.1)	11 (13.3)
2011	69	3 (4.3)	27 (39.1)	24 (34.8)	7 (10.1)	8 (11.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
RAMSEY: Little Canada/ North St. Paul						
2021	121	2 (1.7)	34 (28.1)	32 (26.4)	26 (21.5)	27 (22.3)
2020	137	6 (4.4)	40 (29.2)	45 (32.8)	21 (15.3)	25 (18.2)
2019	119	5 (4.2)	39 (32.8)	37 (31.1)	15 (12.6)	23 (19.3)
2018	104	1 (1.0)	34 (32.7)	38 (36.5)	19 (18.3)	12 (11.5)
2017	100	5 (5.0)	29 (29.0)	28 (28.0)	17 (17.0)	21 (21.0)
2016	116	3 (2.6)	33 (28.4)	37 (31.9)	21 (18.1)	22 (19.0)
2015	122	4 (3.3)	53 (43.4)	27 (22.1)	24 (19.7)	14 (11.5)
2014	131	3 (2.3)	55 (42.0)	39 (29.8)	21 (16.0)	13 (9.9)
2013	121	3 (2.5)	47 (38.8)	38 (31.4)	21 (17.4)	12 (9.9)
2012	117	4 (3.4)	48 (41.0)	33 (28.2)	21 (17.9)	11 (9.4)
2011	94	3 (3.2)	36 (38.3)	28 (29.8)	17 (18.1)	10 (10.6)
RAMSEY: Maplewood						
2021	250	5 (2.0)	92 (36.8)	71 (28.4)	57 (22.8)	25 (10.0)
2020	260	8 (3.1)	80 (30.8)	88 (33.8)	37 (14.2)	47 (18.1)
2019	260	7 (2.7)	83 (31.9)	77 (29.6)	55 (21.2)	38 (14.6)
2018	225	6 (2.7)	81 (36.0)	70 (31.1)	36 (16.0)	32 (14.2)
2017	220	8 (3.6)	72 (32.7)	70 (31.8)	44 (20.0)	26 (11.8)
2016	220	6 (2.7)	64 (29.1)	60 (27.3)	50 (22.7)	40 (18.2)
2015	196	10 (5.1)	85 (43.4)	46 (23.5)	32 (16.3)	23 (11.7)
2014	200	11 (5.5)	74 (37.0)	53 (26.5)	42 (21.0)	20 (10.0)
2013	201	8 (4.0)	77 (38.3)	58 (28.9)	37 (18.4)	21 (10.4)
2012	237	10 (4.2)	86 (36.3)	81 (34.2)	39 (16.5)	21 (8.9)
2011	169	6 (3.6)	66 (39.1)	49 (29.0)	26 (15.4)	22 (13.0)
RAMSEY: Mounds View						
2021	70	1 (1.4)	18 (25.7)	24 (34.3)	12 (17.1)	15 (21.4)
2020	75	0	17 (22.7)	27 (36.0)	15 (20.0)	16 (21.3)
2019	60	3 (5.0)	14 (23.3)	20 (33.3)	16 (26.7)	7 (11.7)
2018	60	2 (3.3)	19 (31.7)	17 (28.3)	8 (13.3)	14 (23.3)
2017	79	4 (5.1)	27 (34.2)	24 (30.4)	16 (20.3)	8 (10.1)
2016	71	2 (2.8)	23 (32.4)	19 (26.8)	10 (14.1)	17 (23.9)
2015	78	5 (6.4)	33 (42.3)	16 (20.5)	15 (19.2)	9 (11.5)
2014	68	0	14 (20.6)	23 (33.8)	21 (30.9)	10 (14.7)
2013	61	0	19 (31.1)	22 (36.1)	10 (16.4)	10 (16.4)
2012	92	5 (5.4)	35 (38.0)	26 (28.3)	13 (14.1)	13 (14.1)
2011	71	3 (4.2)	21 (29.6)	16 (22.5)	19 (26.8)	12 (16.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
RAMSEY: New Brighton						
2021	117	3 (2.6)	32 (27.4)	34 (29.1)	30 (25.6)	18 (15.4)
2020	134	4 (3.0)	37 (27.6)	37 (27.6)	39 (29.1)	17 (12.7)
2019	94	3 (3.2)	33 (35.1)	30 (31.9)	16 (17.0)	12 (12.8)
2018	110	3 (2.7)	34 (30.9)	34 (30.9)	22 (20.0)	17 (15.5)
2017	117	6 (5.1)	54 (46.2)	25 (21.4)	20 (17.1)	12 (10.3)
2016	128	6 (4.7)	38 (29.7)	41 (32.0)	28 (21.9)	15 (11.7)
2015	133	6 (4.5)	47 (35.3)	42 (31.6)	21 (15.8)	17 (12.8)
2014	108	2 (1.9)	36 (33.3)	40 (37.0)	18 (16.7)	12 (11.1)
2013	97	2 (2.1)	36 (37.1)	28 (28.9)	16 (16.5)	15 (15.5)
2012	110	4 (3.6)	41 (37.3)	37 (33.6)	18 (16.4)	10 (9.1)
2011	105	3 (2.9)	47 (44.8)	27 (25.7)	17 (16.2)	11 (10.5)
RAMSEY: Roseville						
2021						
2020						
2019						
2018	93	2 (2.2)	39 (41.9)	20 (21.5)	18 (19.4)	14 (15.1)
2017	119	7 (5.9)	52 (43.7)	28 (23.5)	22 (18.5)	10 (8.4)
2016	145	7 (4.8)	54 (37.2)	40 (27.6)	29 (20.0)	15 (10.3)
2015	119	1 (<1)	54 (45.4)	34 (28.6)	17 (14.3)	13 (10.9)
2014	130	7 (5.4)	64 (49.2)	33 (25.4)	14 (10.8)	12 (9.2)
2013	98	2 (2.0)	48 (49.0)	34 (34.7)	10 (10.2)	4 (4.1)
2012	111	2 (1.8)	53 (47.7)	31 (27.9)	16 (14.4)	9 (8.1)
2011	104	4 (3.8)	39 (37.5)	27 (26.0)	23 (22.1)	11 (10.6)
RAMSEY: St. Paul						
2021	122	5 (4.1)	35 (28.7)	46 (37.7)	16 (13.1)	20 (16.4)
2020	98	6 (6.1)	35 (35.7)	33 (33.7)	13 (13.3)	11 (11.2)
2019	109	6 (5.5)	38 (34.9)	35 (32.1)	21 (19.3)	9 (8.3)
2018	3,018	110 (3.6)	1,099 (36.4)	881 (29.2)	503 (16.7)	425 (14.1)
2017	3,046	104 (3.4)	1,208 (39.7)	863 (28.3)	486 (16.0)	385 (12.6)
2016	3,312	131 (4.0)	1,071 (32.3)	1,037 (31.3)	586 (17.7)	487 (14.7)
2015	3,244	130 (4.0)	1,350 (41.6)	914 (28.2)	482 (14.9)	368 (11.3)
2014	3,029	107 (3.5)	1,228 (40.5)	885 (29.2)	474 (15.6)	335 (11.1)
2013	3,125	96 (3.1)	1,263 (40.4)	955 (30.6)	464 (14.8)	347 (11.1)
2012	3,094	116 (3.7)	1,253 (40.5)	882 (28.5)	480 (15.5)	363 (11.7)
2011	3,001	77 (2.6)	1,218 (40.6)	871 (29.0)	487 (16.2)	348 (11.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
RAMSEY: White Bear Lake						
2021	103	3 (2.9)	27 (26.2)	31 (30.1)	23 (22.3)	19 (18.4)
2020	91	3 (3.3)	27 (29.7)	27 (29.7)	19 (20.9)	15 (16.5)
2019	85	2 (2.4)	23 (27.1)	29 (34.1)	14 (16.5)	17 (20.0)
2018	84	0	33 (39.3)	29 (34.5)	11 (13.1)	11 (13.1)
2017	76	4 (5.3)	27 (35.5)	17 (22.4)	13 (17.1)	15 (19.7)
2016	162	8 (4.9)	55 (34.0)	42 (25.9)	31 (19.1)	26 (16.0)
2015	106	2 (1.9)	39 (36.8)	30 (28.3)	20 (18.9)	15 (14.2)
2014	86	2 (2.3)	31 (36.0)	21 (24.4)	17 (19.8)	15 (17.4)
2013	78	3 (3.8)	36 (46.2)	15 (19.2)	13 (16.7)	11 (14.1)
2012	92	1 (1.1)	37 (40.2)	28 (30.4)	15 (16.3)	11 (12.0)
2011	74	3 (4.1)	26 (35.1)	25 (33.8)	11 (14.9)	9 (12.2)
RICE: Faribault						
2021	199	4 (2.0)	48 (24.1)	58 (29.1)	44 (22.1)	45 (22.6)
2020	195	4 (2.1)	42 (21.5)	60 (30.8)	50 (25.6)	39 (20.0)
2019	221	5 (2.3)	60 (27.1)	77 (34.8)	50 (22.6)	29 (13.1)
2018	216	7 (3.2)	62 (28.7)	84 (38.9)	35 (16.2)	28 (13.0)
2017	233	4 (1.7)	64 (27.5)	71 (30.5)	57 (24.5)	37 (15.9)
2016	227	5 (2.2)	82 (36.1)	75 (33.0)	43 (18.9)	22 (9.7)
2015	227	5 (2.2)	82 (36.1)	75 (33.0)	43 (18.9)	22 (9.7)
2014	214	7 (3.3)	79 (36.9)	52 (24.3)	42 (19.6)	34 (15.9)
2013	208	6 (2.9)	74 (35.6)	62 (29.8)	30 (14.4)	36 (17.3)
2012	241	6 (2.5)	89 (36.9)	71 (29.5)	47 (19.5)	28 (11.6)
2011	234	4 (1.7)	72 (30.8)	85 (36.3)	46 (19.7)	27 (11.5)
RICE: Northfield						
2021	40	3 (7.5)	13 (32.5)	11 (27.5)	4 (10.0)	9 (22.5)
2020	48	0	20 (41.7)	13 (27.1)	5 (10.4)	10 (20.8)
2019	37	2 (5.4)	11 (29.7)	12 (32.4)	6 (16.2)	6 (16.2)
2018	62	0	29 (46.8)	6 (9.7)	18 (29.0)	9 (14.5)
2017	57	1 (1.8)	18 (31.6)	19 (33.3)	10 (17.5)	9 (15.8)
2016	60	1 (1.7)	20 (33.3)	18 (30.0)	13 (21.7)	8 (13.3)
2015	44	2 (4.5)	16 (36.4)	8 (18.2)	11 (25.0)	7 (15.9)
2014	46	0	14 (30.4)	14 (30.4)	7 (15.2)	11 (23.9)
2013	61	2 (3.3)	17 (27.9)	20 (32.8)	10 (16.4)	12 (19.7)
2012	92	2 (2.2)	31 (33.7)	26 (28.3)	18 (19.6)	15 (16.3)
2011	66	3 (4.5)	28 (42.4)	16 (24.2)	9 (13.6)	10 (15.2)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
RICHFIELD: Richfield						
2021	126	5 (4.0)	31 (24.6)	45 (35.7)	29 (23.0)	16 (12.7)
2020	136	7 (5.1)	29 (21.3)	44 (32.4)	29 (21.3)	27 (19.9)
2019	144	2 (1.4)	43 (29.9)	53 (36.8)	27 (18.8)	19 (13.2)
2018	167	3 (1.8)	65 (38.9)	46 (27.5)	29 (17.4)	24 (14.4)
2017	206	5 (2.4)	77 (37.4)	51 (24.8)	41 (19.9)	32 (15.5)
2016	190	6 (3.2)	66 (34.7)	56 (29.5)	30 (15.8)	32 (16.8)
2015	224	5 (2.2)	81 (36.2)	71 (31.7)	38 (17.0)	29 (12.9)
2014	180	3 (1.7)	64 (35.6)	61 (33.9)	33 (18.3)	19 (10.6)
2013	187	4 (2.1)	70 (37.4)	63 (33.7)	29 (15.5)	21 (11.2)
2012	229	7 (3.1)	92 (40.2)	74 (32.3)	31 (13.5)	25 (10.9)
2011	193	4 (2.1)	86 (44.6)	54 (28.0)	31 (16.1)	18 (9.3)
SCOTT: Prior Lake/ Savage						
2021	127	3 (2.4)	34 (26.8)	40 (31.5)	26 (20.5)	24 (18.9)
2020	140	4 (2.9)	40 (28.6)	44 (31.4)	32 (22.9)	20 (14.3)
2019	129	3 (2.3)	32 (24.8)	49 (38.0)	22 (17.1)	23 (17.8)
2018	117	3 (2.6)	39 (33.3)	28 (23.9)	27 (23.1)	20 (17.1)
2017	116	4 (3.4)	34 (29.3)	43 (37.1)	17 (14.7)	18 (15.5)
2016	154	5 (3.2)	52 (33.8)	45 (29.2)	30 (19.5)	22 (14.3)
2015	134	3 (2.2)	48 (35.8)	42 (31.3)	23 (17.2)	18 (13.4)
2014	104	3 (2.9)	49 (47.1)	23 (22.1)	22 (21.2)	7 (6.7)
2013	117	5 (4.3)	63 (53.8)	25 (21.4)	17 (14.5)	7 (6.0)
2012	117	7 (6.0)	47 (40.2)	37 (31.6)	14 (12.0)	12 (10.3)
2011	123	3 (2.4)	54 (43.9)	36 (29.3)	19 (15.4)	11 (8.9)
SCOTT: Shakopee						
2021	192	4 (2.1)	49 (25.5)	61 (31.8)	36 (18.8)	42 (21.9)
2020	228	5 (2.2)	73 (32.0)	72 (31.6)	42 (18.4)	36 (15.8)
2019	173	2 (1.2)	55 (31.8)	51 (29.5)	35 (20.2)	30 (17.3)
2018	171	10 (5.8)	68 (39.8)	54 (31.6)	22 (12.9)	17 (9.9)
2017	193	7 (3.6)	74 (38.3)	53 (27.5)	39 (20.2)	20 (10.4)
2016	207	6 (2.9)	66 (31.9)	69 (33.3)	43 (20.8)	23 (11.1)
2015	198	7 (3.5)	84 (42.4)	64 (32.3)	28 (14.1)	15 (7.6)
2014	200	5 (2.5)	80 (40.0)	65 (32.5)	23 (11.5)	27 (13.5)
2013	183	5 (2.7)	70 (38.3)	46 (25.1)	32 (17.5)	30 (16.4)
2012	220	6 (2.7)	83 (37.7)	65 (29.5)	39 (17.7)	27 (12.3)
2011	194	8 (4.1)	74 (38.1)	66 (34.0)	29 (14.9)	17 (8.8)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
SHERBURNE: Big Lake/ Clear Lake/ Becker						
2021	104	2 (1.9)	26 (25.0)	29 (27.9)	23 (22.1)	24 (23.1)
2020	116	1 (<1)	35 (30.2)	34 (29.3)	26 (22.4)	20 (17.2)
2019	98	2 (2.0)	27 (27.6)	28 (28.6)	23 (23.5)	18 (18.4)
2018	96	2 (2.1)	36 (37.5)	18 (18.8)	25 (26.0)	15 (15.6)
2017	78	6 (7.7)	29 (37.2)	22 (28.2)	9 (11.5)	12 (15.4)
2016	117	2 (1.7)	35 (29.9)	30 (25.6)	28 (23.9)	22 (18.8)
2015	104	1 (1.0)	37 (35.6)	31 (29.8)	22 (21.2)	13 (12.5)
2014	98	3 (3.1)	35 (35.7)	28 (28.6)	18 (18.4)	14 (14.3)
2013	105	4 (3.8)	49 (46.7)	22 (21.0)	16 (15.2)	14 (13.3)
2012	104	7 (6.7)	46 (44.2)	29 (27.9)	10 (9.6)	12 (11.5)
2011	114	4 (3.5)	51 (44.7)	24 (21.1)	20 (17.5)	15 (13.2)
SHERBURNE: Elk River/ Zimmerman						
2021	126	5 (4.0)	35 (27.8)	35 (27.8)	33 (26.2)	18 (14.3)
2020	109	6 (5.5)	32 (29.4)	32 (29.4)	22 (20.2)	17 (15.6)
2019	116	2 (1.7)	38 (32.8)	32 (27.6)	20 (17.2)	24 (20.7)
2018	112	3 (2.7)	44 (39.3)	29 (25.9)	22 (19.6)	14 (12.5)
2017	132	8 (6.1)	48 (36.4)	39 (29.5)	21 (15.9)	16 (12.1)
2016	162	8 (4.9)	65 (40.1)	35 (21.6)	25 (15.4)	29 (17.9)
2015	166	15 (9.0)	61 (36.7)	37 (22.3)	30 (18.1)	23 (13.9)
2014	123	9 (7.3)	52 (42.3)	32 (26.0)	13 (10.6)	17 (13.8)
2013	134	7 (5.2)	51 (38.1)	42 (31.3)	17 (12.7)	17 (12.7)
2012	140	6 (4.3)	65 (46.4)	37 (26.4)	14 (10.0)	18 (12.9)
2011	146	3 (2.1)	69 (47.3)	32 (21.9)	26 (17.8)	16 (11.0)
STEARNS: St. Cloud						
2021	622	22 (3.5)	153 (24.6)	197 (31.7)	136 (21.9)	114 (18.3)
2020	644	17 (2.6)	172 (26.7)	220 (34.2)	119 (18.5)	116 (18.0)
2019	599	25 (4.2)	173 (28.9)	173 (28.9)	129 (21.5)	99 (16.5)
2018	561	20 (3.6)	190 (33.9)	175 (31.2)	94 (16.8)	82 (14.6)
2017	615	19 (3.1)	210 (34.1)	194 (31.5)	116 (18.9)	76 (12.4)
2016	674	35 (5.2)	228 (33.8)	193 (28.6)	142 (21.1)	76 (11.3)
2015	509	17 (3.3)	208 (40.9)	155 (30.5)	77 (15.1)	52 (10.2)
2014	461	14 (3.0)	179 (38.8)	138 (29.9)	76 (16.5)	54 (11.7)
2013	457	16 (3.5)	190 (41.6)	131 (28.7)	63 (13.8)	57 (12.5)
2012	453	19 (4.2)	188 (41.5)	127 (28.0)	84 (18.5)	35 (7.7)
2011	403	11 (2.7)	155 (38.5)	120 (29.8)	61 (15.1)	56 (13.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
STEARNS: St. Joseph/ Waite Park						
2021	148	3 (2.0)	39 (26.4)	48 (32.4)	35 (23.6)	23 (15.5)
2020	141	5 (3.5)	42 (29.8)	50 (35.5)	23 (16.3)	21 (14.9)
2019	129	7 (5.4)	45 (34.9)	33 (25.6)	30 (23.3)	14 (10.9)
2018	136	1 (<1)	51 (37.5)	40 (29.4)	29 (21.3)	15 (11.0)
2017	144	6 (4.2)	57 (39.6)	46 (31.9)	24 (16.7)	11 (7.6)
2016	152	10 (6.6)	42 (27.6)	49 (32.2)	38 (25.0)	13 (8.6)
2015	113	5 (4.4)	41 (36.3)	31 (27.4)	15 (13.3)	21 (18.6)
2014	91	0	23 (25.3)	40 (44.0)	14 (15.4)	14 (15.4)
2013	95	8 (8.4)	36 (37.9)	28 (29.5)	13 (13.7)	10 (10.5)
2012	91	2 (2.2)	37 (40.7)	23 (25.3)	10 (11.0)	19 (20.9)
2011	69	0	27 (39.1)	23 (33.3)	14 (20.3)	5 (7.2)
STEARNS: Sartell/ Sauk Rapids/ Sauk Center						
2021	143	5 (3.5)	44 (30.8)	42 (29.4)	18 (12.6)	34 (23.8)
2020	145	3 (2.1)	38 (26.2)	50 (34.5)	18 (12.4)	36 (24.8)
2019	141	5 (3.5)	36 (25.5)	43 (30.5)	25 (17.7)	32 (22.7)
2018	95	5 (5.3)	39 (41.1)	21 (22.1)	14 (14.7)	16 (16.8)
2017	125	5 (4.0)	47 (37.6)	32 (25.6)	14 (11.2)	27 (21.6)
2016	143	5 (3.5)	46 (32.2)	41 (28.7)	18 (12.6)	33 (23.1)
2015	143	4 (2.8)	48 (33.6)	36 (25.2)	29 (20.3)	26 (18.2)
2014	139	5 (3.6)	52 (37.4)	31 (22.3)	27 (19.4)	24 (17.3)
2013	148	5 (3.4)	63 (42.6)	34 (23.0)	26 (17.6)	20 (13.5)
2012	155	3 (1.9)	65 (41.9)	36 (23.2)	29 (18.7)	22 (14.2)
2011	138	5 (3.6)	52 (37.7)	45 (32.6)	20 (14.5)	16 (11.6)
STEELE: Owatonna						
2021	137	3 (2.2)	28 (20.4)	43 (31.4)	27 (19.7)	36 (26.3)
2020	152	1 (<1)	36 (23.7)	51 (33.6)	28 (18.4)	36 (23.7)
2019	146	6 (4.1)	43 (29.5)	47 (32.2)	29 (19.9)	21 (14.4)
2018	141	6 (4.3)	41 (29.1)	32 (22.7)	27 (19.1)	35 (24.8)
2017	144	9 (6.2)	39 (27.1)	47 (32.6)	19 (13.2)	30 (20.8)
2016	159	3 (1.9)	37 (23.3)	55 (34.6)	18 (11.3)	46 (28.9)
2015	203	8 (3.9)	81 (39.9)	50 (24.6)	35 (17.2)	29 (14.3)
2014	196	9 (4.6)	63 (32.1)	69 (35.2)	30 (15.3)	25 (12.8)
2013	177	5 (2.8)	69 (39.0)	47 (26.6)	25 (14.1)	31 (17.5)
2012	166	9 (5.4)	64 (38.6)	44 (26.5)	23 (13.9)	26 (15.7)
2011	193	3 (1.6)	72 (37.3)	55 (28.5)	29 (15.0)	34 (17.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
SOUTHWEST: Marshall						
2021	104	5 (4.8)	32 (30.8)	26 (25.0)	23 (22.1)	18 (17.3)
2020	127	4 (3.1)	38 (29.9)	46 (36.2)	21 (16.5)	18 (14.2)
2019	119	4 (3.4)	39 (32.8)	35 (29.4)	23 (19.3)	18 (15.1)
2018	137	7 (5.1)	54 (39.4)	37 (27.0)	22 (16.1)	17 (12.4)
2017	128	3 (2.3)	45 (35.2)	47 (36.7)	18 (14.1)	15 (11.7)
2016	134	6 (4.5)	37 (27.6)	45 (33.6)	18 (13.4)	28 (20.9)
2015	133	4 (3.0)	60 (45.1)	29 (21.8)	17 (12.8)	23 (17.3)
2014	131	5 (3.8)	47 (35.9)	34 (26.0)	23 (17.6)	22 (16.8)
2013	102	7 (6.9)	38 (37.3)	31 (30.4)	14 (13.7)	12 (11.8)
2012	127	3 (2.4)	54 (42.5)	32 (25.2)	17 (13.4)	21 (16.5)
2011	112	3 (2.7)	42 (37.5)	30 (26.8)	17 (15.2)	20 (17.9)
WASHINGTON: Cottage Grove/ St. Paul Park						
2021	136	7 (5.1)	40 (29.4)	31 (22.8)	26 (19.1)	32 (23.5)
2020	132	5 (3.8)	40 (30.3)	30 (22.7)	21 (15.9)	36 (27.3)
2019	124	1 (<1)	35 (28.2)	34 (27.4)	30 (24.2)	24 (19.4)
2018	121	8 (6.6)	41 (33.9)	29 (24.0)	21 (17.4)	22 (18.2)
2017	135	2 (1.5)	46 (34.1)	41 (30.4)	19 (14.1)	27 (20.0)
2016	145	5 (3.4)	43 (29.7)	42 (29.0)	25 (17.2)	30 (20.7)
2015	141	6 (4.3)	45 (31.9)	40 (28.4)	28 (19.9)	22 (15.6)
2014	112	6 (5.4)	42 (37.5)	30 (26.8)	15 (13.4)	19 (17.0)
2013	128	2 (1.6)	56 (43.8)	33 (25.8)	20 (15.6)	17 (13.3)
2012	151	4 (2.6)	62 (41.1)	44 (29.1)	27 (17.9)	14 (9.3)
2011	142	6 (4.2)	55 (38.7)	39 (27.5)	24 (16.9)	18 (12.7)
WASHINGTON: Forest Lake/ Hugo						
2021	75	1 (1.3)	27 (36.0)	15 (20.0)	21 (28.0)	11 (14.7)
2020	81	2 (2.5)	24 (29.6)	21 (25.9)	14 (17.3)	20 (24.7)
2019	92	7 (7.6)	26 (28.3)	23 (25.0)	11 (12.0)	25 (27.2)
2018	88	3 (3.4)	29 (33.0)	19 (21.6)	14 (15.9)	23 (26.1)
2017	67	0	26 (38.8)	21 (31.3)	9 (13.4)	11 (16.4)
2016	81	2 (2.5)	24 (29.6)	22 (27.2)	17 (21.0)	16 (19.8)
2015	97	4 (4.1)	47 (48.5)	23 (23.7)	13 (13.4)	10 (10.3)
2014	82	4 (4.9)	39 (47.6)	15 (18.3)	14 (17.1)	10 (12.2)
2013	99	4 (4.0)	42 (42.4)	21 (21.2)	19 (19.2)	13 (13.1)
2012	98	5 (5.1)	33 (33.7)	22 (22.4)	26 (26.5)	12 (12.2)
2011	96	2 (2.1)	37 (38.5)	25 (26.0)	17 (17.7)	15 (15.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
WASHINGTON: Lake Elmo/ Mahtomedi/ Stillwater						
2021	67	0	19 (28.4)	22 (32.8)	16 (23.9)	10 (14.9)
2020	67	2 (3.0)	24 (35.8)	19 (28.4)	11 (16.4)	11 (16.4)
2019	59	4 (6.8)	16 (27.1)	19 (32.2)	10 (16.9)	10 (16.9)
2018	68	3 (4.4)	28 (41.2)	22 (32.4)	8 (11.8)	7 (10.3)
2017	57	4 (7.0)	20 (35.1)	17 (29.8)	12 (21.1)	4 (7.0)
2016	78	3 (3.8)	21 (26.9)	22 (28.2)	15 (19.2)	17 (21.8)
2015	69	4 (5.8)	25 (36.2)	14 (20.3)	14 (20.3)	12 (17.4)
2014	60	3 (5.0)	22 (36.7)	18 (30.0)	10 (16.7)	7 (11.7)
2013	68	6 (8.8)	21 (30.9)	13 (19.1)	17 (25.0)	11 (16.2)
2012	86	9 (10.5)	30 (34.9)	24 (27.9)	12 (14.0)	11 (12.8)
2011	85	6 (7.1)	34 (40.0)	19 (22.4)	16 (18.8)	10 (11.8)
WASHINGTON: Oakdale						
2021	144	6 (4.2)	30 (20.8)	54 (37.5)	30 (20.8)	24 (16.7)
2020	145	5 (3.4)	40 (27.6)	40 (27.6)	28 (19.3)	32 (22.1)
2019	111	3 (2.7)	37 (33.3)	38 (34.2)	19 (17.1)	14 (12.6)
2018	120	1 (<1)	40 (33.3)	35 (29.2)	14 (11.7)	30 (25.0)
2017	120	5 (4.2)	43 (35.8)	40 (33.3)	19 (15.8)	13 (10.8)
2016	148	6 (4.1)	41 (27.7)	53 (35.8)	23 (15.5)	25 (16.9)
2015	141	5 (3.5)	53 (37.6)	43 (30.5)	25 (17.7)	15 (10.6)
2014	121	3 (2.5)	46 (38.0)	40 (33.1)	18 (14.9)	14 (11.6)
2013	138	3 (2.2)	58 (42.0)	37 (26.8)	20 (14.5)	20 (14.5)
2012	132	4 (3.0)	59 (44.7)	39 (29.5)	17 (12.9)	13 (9.8)
2011	129	0	52 (40.3)	38 (29.5)	11 (8.5)	28 (21.7)
WASHINGTON: Newport/ Woodbury						
2021	161	5 (3.1)	41 (25.5)	46 (28.6)	41 (25.5)	28 (17.4)
2020	178	7 (3.9)	40 (22.5)	64 (36.0)	38 (21.3)	29 (16.3)
2019	124	4 (3.2)	34 (27.4)	38 (30.6)	27 (21.8)	21 (16.9)
2018	131	4 (3.1)	52 (39.7)	33 (25.2)	24 (18.3)	18 (13.7)
2017	150	4 (2.7)	55 (36.7)	45 (30.0)	18 (12.0)	28 (18.7)
2016	156	4 (2.6)	47 (30.1)	42 (26.9)	36 (23.1)	27 (17.3)
2015	112	3 (2.7)	34 (30.4)	42 (37.5)	15 (13.4)	18 (16.1)
2014	126	5 (4.0)	49 (38.9)	36 (28.6)	26 (20.6)	10 (7.9)
2013	126	2 (1.6)	54 (42.9)	37 (29.4)	21 (16.7)	12 (9.5)
2012	143	7 (4.9)	39 (27.3)	54 (37.8)	21 (14.7)	22 (15.4)
2011	151	7 (4.6)	69 (45.7)	38 (25.2)	26 (17.2)	11 (7.3)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE¹	Total²	Underweight³	Normal⁴	Overweight⁵	Obese⁶	Very Obese⁷
WINONA: Winona						
2021	68	6 (8.8)	21 (30.9)	18 (26.5)	8 (11.8)	15 (22.1)
2020	83	7 (8.4)	18 (21.7)	18 (21.7)	11 (13.3)	29 (34.9)
2019	89	2 (2.2)	21 (23.6)	21 (23.6)	14 (15.7)	31 (34.8)
2018	91	6 (6.6)	32 (35.2)	17 (18.7)	16 (17.6)	20 (22.0)
2017	81	1 (1.2)	26 (32.1)	19 (23.5)	15 (18.5)	20 (24.7)
2016	122	1 (<1)	42 (34.4)	29 (23.8)	19 (15.6)	31 (25.4)
2015	107	2 (1.9)	45 (42.1)	22 (20.6)	21 (19.6)	17 (15.9)
2014	101	4 (4.0)	31 (30.7)	22 (21.8)	22 (21.8)	22 (21.8)
2013	111	2 (1.8)	42 (37.8)	33 (29.7)	17 (15.3)	17 (15.3)
2012	112	7 (6.2)	42 (37.5)	25 (22.3)	20 (17.9)	18 (16.1)
2011	113	3 (2.7)	43 (38.1)	24 (21.2)	22 (19.5)	21 (18.6)
WRIGHT: Buffalo/ St. Michael						
2021	91	1 (1.1)	22 (24.2)	24 (26.4)	22 (24.2)	22 (24.2)
2020	82	1 (1.2)	20 (24.4)	29 (35.4)	20 (24.4)	12 (14.6)
2019	89	3 (3.4)	27 (30.3)	32 (36.0)	10 (11.2)	17 (19.1)
2018	91	3 (3.3)	29 (31.9)	25 (27.5)	14 (15.4)	20 (22.0)
2017	80	4 (5.0)	28 (35.0)	19 (23.8)	14 (17.5)	15 (18.8)
2016	103	7 (6.8)	26 (25.2)	32 (31.1)	22 (21.4)	16 (15.5)
2015	85	3 (3.5)	30 (35.3)	17 (20.0)	16 (18.8)	19 (22.4)
2014	89	6 (6.7)	47 (52.8)	15 (16.9)	4 (4.5)	17 (19.1)
2013	100	6 (6.0)	42 (42.0)	26 (26.0)	11 (11.0)	15 (15.0)
2012	111	1 (<1)	47 (42.3)	28 (25.2)	15 (13.5)	20 (18.0)
2011	107	6 (5.6)	35 (32.7)	35 (32.7)	13 (12.1)	18 (16.8)
WRIGHT: Monticello/ Otsego						
2021	120	5 (4.2)	31 (25.8)	39 (32.5)	21 (17.5)	24 (20.0)
2020	103	7 (6.8)	29 (28.2)	19 (18.4)	20 (19.4)	28 (27.2)
2019	110	5 (4.5)	29 (26.4)	33 (30.0)	18 (16.4)	25 (22.7)
2018	91	3 (3.3)	30 (33.0)	27 (29.7)	16 (17.6)	15 (16.5)
2017	105	1 (1.0)	32 (30.5)	31 (29.5)	19 (18.1)	22 (21.0)
2016	96	3 (3.1)	28 (29.2)	24 (25.0)	14 (14.6)	27 (28.1)
2015	129	4 (3.1)	51 (39.5)	36 (27.9)	21 (16.3)	17 (13.2)
2014	94	1 (1.1)	46 (48.9)	22 (23.4)	11 (11.7)	14 (14.9)
2013	115	4 (3.5)	52 (45.2)	30 (26.1)	14 (12.2)	15 (13.0)
2012	108	5 (4.6)	49 (45.4)	22 (20.4)	13 (12.0)	19 (17.6)
2011	125	7 (5.6)	54 (43.2)	33 (26.4)	14 (11.2)	17 (13.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and
City of Residence in Minnesota WIC
Minnesota WIC Information System**

CITY OF RESIDENCE ¹	Total ²	Underweight ³	Normal ⁴	Overweight ⁵	Obese ⁶	Very Obese ⁷
-----------------------------------	--------------------	--------------------------	---------------------	-------------------------	--------------------	-------------------------

Number in weight status group (percentage of total)

**** percentages suppressed for denominators <30

Suggested Citation: Minnesota WIC Information System. *Pre-pregnancy weight status by calendar year of delivery and city of residence in Minnesota WIC*. Minnesota WIC Program: 2022.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

¹ City of residence as of March of the subsequent calendar year.

² Total number of participants delivering during calendar year with valid pre-pregnancy weight status information.

³ BMI <18.5

⁴ BMI 18.5 to <25

⁵ BMI 25 to <30

⁶ BMI 30 to <35

⁷ BMI ≥35