

# Blue Plus (HMO Minnesota)

HEDIS 2010 (Reporting Year 2009)

Data Last Refreshed: 1/6/2011

General Info		Page
	Disclaimers	2

Code	Effectiveness of Care Measures	Page
<b>Prevention and Screening</b>		
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	3
CIS	Childhood Immunization Status	5
BCS	Breast Cancer Screening	9
CCS	Cervical Cancer Screening	10
COL	Colorectal Cancer Screening	11
CHL	Chlamydia Screening in Women	12
GSO	Glaucoma Screening in Older Adults	14
LSC	Lead Screening in Children	15
COA	Care for Older Adults	16
<b>Respiratory Conditions</b>		
PCE	Pharmacotherapy Management of COPD Exacerbation	17
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	20
ASM	Use of Appropriate Medications for People with Asthma	21
<b>Cardiovascular</b>		
CMC	Cholesterol Management for Patients with Cardiovascular Conditions	23
CBP	Controlling High Blood Pressure	26
PBH	Persistence of Beta Blocker Treatment After Heart Attack	27
<b>Diabetes</b>		
CDC	Comprehensive Diabetes Care	28
<b>Musculoskeletal</b>		
OMW	Osteoporosis Management in Women Who had a Fracture	33
<b>Behavioral Health</b>		
AMM	Antidepressant Medication Management	34
ADD	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	39
FUH	Follow-up After Hospitalization for Mental Illness	41
<b>Medication Management</b>		
MPM	Annual Monitoring for Patients on Persistent Medications	44
MRP	Medication Reconciliation Post Discharge	49
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly	50
DAE	Use of High Risk Medications in the Elderly	52

Code	Access / Availability of Care Measures	Page
AAP	Adult's Access to Preventive/Ambulatory Health Services	54
CAP	Children's and Adolescents' Access to Primary Care Practitioners	59
IET	Initiation/Engagement of Alcohol & Other Drug Dependence Treatment	61
PPC	Prenatal and Postpartum Care	66

Code	Use of Services Measures	Page
W15	Well Child Visits in the First 15 Months of Life	68
W34	Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life	70
AWC	Adolescent Well-Care Visits	71
AMB	Ambulatory Care	72
IPU	Inpatient Utilization - General Hospital/Acute Care	77
IAD	Identification of Alcohol and Other Drug Services	82
MPT	Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services	87

Code	Health Plan Descriptive Information Measures	Page
BCR	Board Certification	92
ENP	Enrollment by Product Line (Age & Sex)	94

**( this page left blank intentionally )**

Commercial

Data Elements	BMI Percentile				Counseling for Nutrition				Counseling for Physical Activity			
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2009				2009				2009			
Data Collection Methodology	A				A				A			
Eligible Member Population		3155	2372	5527		3155	2372	5527		3155	2372	5527
Numerator events by admin data in eligible population												
Current Year's Administrative Rate		NR	NR	NR		NR	NR	NR		NR	NR	NR
Minimum Required Sample Size												
Oversampling Rate												
Final Sample Size (FSS)												
Numerator events by admin data in FSS												
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors												
Number of administrative data records excluded												
Number of medical records excluded												
Number of employee/dependent records excluded												
Records Added from the Oversample List												
Denominator												
Numerator Events by Admin Data		20	4	24		25	18	43		0	0	0
Numerator Events by Medical Record												
Reported Rate		0.63%	0.17%	0.43%		0.79%	0.76%	0.78%		0.00%	0.00%	0.00%
Lower 95% Confidence Interval		0.34%	0.00%	0.25%		0.47%	0.39%	0.54%		0.00%	0.00%	0.00%
Upper 95% Confidence Interval		0.93%	0.35%	0.62%		1.12%	1.13%	1.02%		0.02%	0.02%	0.01%

Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2009				2009				2009			
Data Collection Methodology	H				H				H			
Eligible Member Population		14336	7978	22314		14336	7978	22314		14336	7978	22314
Numerator events by admin data in eligible population		63	37	100		129	96	225		0	3	3
Current Year's Administrative Rate		0.44%	0.46%	0.45%		0.90%	1.20%	1.01%		0.00%	0.04%	0.01%
Minimum Required Sample Size	411				411				411			
Oversampling Rate	5.00%				5.00%				5.00%			
Final Sample Size (FSS)	432				432				432			
Numerator events by admin data in FSS		3	1	4		7	0	7		0	0	0
Admin rate on FSS		0.69%	0.23%	0.93%		1.62%	0.00%	1.62%		0.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0				0				0			
Number of administrative data records excluded	0				0				0			
Number of medical records excluded	0				0				0			
Number of employee/dependent records excluded	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		301	131	432		301	131	432		301	131	432
Numerator Events by Admin Data		3	1	4		7	0	7		0	0	0
Numerator Events by Medical Record		95	47	142		105	41	146		60	42	102
Reported Rate		32.56%	36.64%	33.80%		37.21%	31.30%	35.42%		19.93%	32.06%	23.61%
Lower 95% Confidence Interval		27.10%	28.01%	29.22%		31.58%	22.98%	30.79%		15.25%	23.69%	19.49%
Upper 95% Confidence Interval		38.02%	45.27%	38.37%		42.84%	39.62%	40.04%		24.61%	40.43%	27.73%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2009										
Data Collection Methodology	A										
Eligible Member Population	414										
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of Records Excluded because of Contraindications by Admin Data											
Number of Records Excluded because of Contraindications by Medical Record Review											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by Admin Data		344	373	369	387	362	364	355	122	261	283
Numerator Events by Medical Record											
Reported Rate		83.09%	90.10%	89.13%	93.48%	87.44%	87.92%	85.75%	29.47%	63.04%	68.36%
Lower 95% Confidence Interval		79.36%	87.10%	86.01%	90.98%	84.13%	84.66%	82.26%	24.96%	58.27%	63.76%
Upper 95% Confidence Interval		86.82%	93.09%	92.25%	95.98%	90.75%	91.18%	89.24%	33.98%	67.81%	72.96%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2009									
Data Collection Methodology	A									
Eligible Member Population	414									
Numerator events by admin data in eligible population										
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of Records Excluded because of Contraindications by Admin Data										
Number of Records Excluded because of Contraindications by Medical Record Review										
Number of employee/dependent records excluded										
Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data		312	304	108	210	228	80	85	171	67
Numerator Events by Medical Record										
Reported Rate		75.36%	73.43%	26.09%	50.72%	55.07%	19.32%	20.53%	41.30%	16.18%
Lower 95% Confidence Interval		71.09%	69.05%	21.74%	45.79%	50.16%	15.40%	16.52%	36.44%	12.52%
Upper 95% Confidence Interval		79.63%	77.81%	30.44%	55.66%	59.98%	23.25%	24.54%	46.17%	19.85%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2009										
Data Collection Methodology	H										
Eligible Member Population	2202										
Numerator events by admin data in eligible population		1749	1923	1966	2015	1936	1920	1747	533	1160	1074
Current Year's Administrative Rate		79.43%	87.33%	89.28%	91.51%	87.92%	87.19%	79.34%	24.21%	52.68%	48.77%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		341	379	381	396	379	377	345	111	232	208
Admin rate on FSS		78.94%	87.73%	88.19%	91.67%	87.73%	87.27%	79.86%	25.69%	53.70%	48.15%
Number of Records Excluded Because of Valid Data Errors	0										
Number of Records Excluded because of Contraindications by Admin Data	0										
Number of Records Excluded because of Contraindications by Medical Record Review	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	432										
Numerator Events by Admin Data		341	379	381	396	379	377	345	111	232	208
Numerator Events by Medical Record		30	22	5	12	23	7	24	7	23	13
Reported Rate		85.88%	92.82%	89.35%	94.44%	93.06%	88.89%	85.42%	27.31%	59.03%	51.16%
Lower 95% Confidence Interval		82.48%	90.27%	86.33%	92.17%	90.54%	85.81%	81.97%	23.00%	54.27%	46.33%
Upper 95% Confidence Interval		89.28%	95.37%	92.38%	96.72%	95.57%	91.97%	88.86%	31.63%	63.78%	55.99%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Childhood Immunization Status

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MH)

Data Elements	General Measure Data	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2009									
Data Collection Methodology	H									
Eligible Member Population	2202									
Numerator events by admin data in eligible population		1603	1533	454	996	884	342	291	641	232
Current Year's Administrative Rate		72.80%	69.62%	20.62%	45.23%	40.15%	15.53%	13.22%	29.11%	10.54%
Minimum Required Sample Size	411									
Oversampling Rate	0.05									
Final Sample Size (FSS)	432									
Numerator events by admin data in FSS		314	307	91	207	178	71	60	133	50
Admin rate on FSS		72.69%	71.06%	21.06%	47.92%	41.20%	16.44%	13.89%	30.79%	11.57%
Number of Records Excluded Because of Valid Data Errors	0									
Number of Records Excluded because of Contraindications by Admin Data	0									
Number of Records Excluded because of Contraindications by Medical Record Review	0									
Number of employee/dependent records excluded	0									
Records Added from the Oversample List	0									
Denominator	432									
Numerator Events by Admin Data		314	307	91	207	178	71	60	133	50
Numerator Events by Medical Record		33	31	18	27	20	17	13	17	10
Reported Rate		80.32%	78.24%	25.23%	54.17%	45.83%	20.37%	16.90%	34.72%	13.89%
Lower 95% Confidence Interval		76.46%	74.23%	21.02%	49.35%	41.02%	16.46%	13.25%	30.12%	10.51%
Upper 95% Confidence Interval		84.19%	82.25%	29.44%	58.98%	50.65%	24.28%	20.55%	39.33%	17.27%



# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Breast Cancer Screening

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2009		2009	2009	2009
Data Collection Methodology	A		A	A	A
Eligible Member Population	6819		430	15	4950
Numerator Events by Admin Data	4931		265	7	3046
Reported Rate	72.31%	NR	61.63%	NA	61.54%
Lower 95% Confidence Interval	71.24%	NR	56.92%	NA	60.17%
Upper 95% Confidence Interval	73.38%	NR	66.34%	NA	62.90%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Cervical Cancer Screening

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2009	2008
Data Collection Methodology	A	H
Eligible Member Population	8271	14147
Numerator Events by Admin Data on Eligible Population (before exclusions)		10054
Current Year's Admin Rate	NR	71.07%
Minimum Required Sample Size		411
Oversampling Rate		10.00%
Final Sample Size (FSS)		453
Numerator events by admin data in FSS		314
Admin Rate on FSS	NR	69.32%
Records Excluded because of Valid Data Errors		0
Number of administrative data records excluded		0
Number of medical record data records excluded		9
Number of employee/dependent medical records excluded		0
Records Added from the Oversample List		0
Denominator		444
Numerator Events by Admin Data	6184	314
Numerator Events by Medical Record		14
Reported Rate	74.77%	73.87%
Lower 95% Confidence Interval	73.83%	69.67%
Upper 95% Confidence Interval	75.71%	78.07%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Colorectal Cancer Screening

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC
Measurement Year	2009		2009	2009
Data collection methodology (administrative or hybrid)	A		H	A
Eligible population	7647		1940	12
Number of numerator events by administrative data in eligible population (before exclusions)			776	
Current year's administrative rate (before exclusions)	NR	NR	40.00%	NR
Minimum required sample size (MRSS) or other sample size			411	
Oversampling rate			10.00%	
Final sample size (FSS)			453	
Number of numerator events by administrative data in FSS			194	
Administrative rate on FSS	NR	NR	42.83%	NR
Number of original sample records excluded because of valid data errors			0	
Number of administrative data records excluded			0	
Number of medical record data records excluded			0	
Number of employee/dependent medical records excluded			0	
Records added from the oversample list			0	
Denominator			453	
Numerator events by administrative data	4450		194	5
Numerator events by medical records			38	
Reported rate	58.19%	NR	51.21%	NA
Lower 95% confidence interval	57.08%	NR	46.50%	NA
Upper 95% confidence interval	59.30%	NR	55.93%	NA

### Commercial

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2009			
Data Collection Methodology	A			
Eligible Member Population		564	581	1145
Numerator Events by Admin Data		204	260	464
Reported Rate		36.17%	44.75%	40.52%
Lower 95% Confidence Interval		32.12%	40.62%	37.64%
Upper 95% Confidence Interval		40.22%	48.88%	43.41%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Chlamydia Screening in Women

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2009			
Data Collection Methodology	A			
Eligible Member Population		1959	1824	3783
Numerator Events by Admin Data		917	901	1818
Reported Rate		46.81%	49.40%	48.06%
Lower 95% Confidence Interval		44.57%	47.08%	46.45%
Upper 95% Confidence Interval		49.04%	51.72%	49.66%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Glaucoma Screening in Older Adults

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2009
Data Collection Methodology		A
Eligible Member Population		6443
Numerator Events by Admin Data		4718
Reported Rate	NR	73.23%
Lower 95% Confidence Interval	NR	72.14%
Upper 95% Confidence Interval	NR	74.32%

## Lead Screening in Children

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	MHCP-MC
Measurement Year	2009
Data Collection Methodology	H
Eligible Member Population	2202
Numerator Events by Admin Data on Eligible Population (before exclusions)	1857
Current Year's Admin Rate	84.33%
Minimum Required Sample Size	411
Oversampling Rate	5.00%
Final Sample Size (FSS)	432
Numerator events by admin data in FSS	365
Admin Rate on FSS	84.49%
Records Excluded because of Valid Data Errors	0
Number of administrative data records excluded	0
Number of medical record data records excluded	0
Number of employee/dependent medical records excluded	0
Records Added from the Oversample List	0
Denominator	432
Numerator Events by Admin Data	365
Numerator Events by Medical Record	0
Reported Rate	84.49%
Lower 95% Confidence Interval	80.96%
Upper 95% Confidence Interval	88.02%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Care for Older Adults

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Data Elements	General Measure Data	Advance Care Planning	Medication Review	Functional Status Assessment	Pain Screening
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data on Eligible Population (before exclusions)					
Current Year's Admin Rate		NR	NR	NR	NR
Minimum Required Sample Size					
Oversampling Rate					
Final Sample Size (FSS)					
Numerator events by admin data in FSS					
Admin Rate on FSS		NR	NR	NR	NR
Records Excluded because of Valid Data Errors					
Number of employee/dependent medical records excluded					
Records Added from the Oversample List					
Denominator					
Numerator Events by Admin Data					
Numerator Events by Medical Record					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR



### Medicare Advantage

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Exclusions based on direct transfers to another facility			
Exclusions based on readmissions			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

**MSHO**

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	273		
Exclusions based on direct transfers to another facility	93		
Exclusions based on readmissions	70		
Numerator Events by Admin Data		156	219
Reported Rate		57.14%	80.22%
Lower 95% Confidence Interval		51.09%	75.31%
Upper 95% Confidence Interval		63.20%	85.13%

## Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	13		
Exclusions based on direct transfers to another facility	2		
Exclusions based on readmissions	4		
Numerator Events by Admin Data		13	11
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Medicare Advantage	MSHO	SNBC
Measurement Year		2009	2009
Data Collection Methodology		A	A
Eligible Member Population		276	0
Numerator Events by Admin Data		56	0
Reported Rate	NR	20.29%	NA
Lower 95% Confidence Interval	NR	15.36%	NA
Upper 95% Confidence Interval	NR	25.22%	NA

## Use of Appropriate Medications for People with Asthma

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year	2009			
Data Collection Methodology	A			
Eligible Member Population		62	288	350
Numerator Events by Admin Data		60	262	322
Reported Rate		96.77%	90.97%	92.00%
Lower 95% Confidence Interval		91.57%	87.49%	89.01%
Upper 95% Confidence Interval		100.00%	94.46%	94.99%

## Use of Appropriate Medications for People with Asthma

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year	2009			
Data Collection Methodology	A			
Eligible Member Population		275	740	1015
Numerator Events by Admin Data		259	639	898
Reported Rate		94.18%	86.35%	88.47%
Lower 95% Confidence Interval		91.23%	83.81%	86.46%
Upper 95% Confidence Interval		97.13%	88.89%	90.49%

### Commercial

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	231		
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data		201	0
Numerator Events by Medical Record			
Reported Rate		87.01%	0.00%
Lower 95% Confidence Interval		82.46%	0.00%
Upper 95% Confidence Interval		91.56%	0.22%

### Medicare Advantage

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR



### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2009		
Data Collection Methodology	H		
Eligible Member Population	206		
Numerator Events by Admin Data on Eligible Population		180	1
Current Year's Admin Rate		87.38%	0.49%
Minimum Required Sample Size	206		
Oversampling Rate	5.00%		
Final Sample Size (FSS)	206		
Numerator events by admin data in FSS		179	1
Admin rate on FSS		86.89%	0.49%
Records Excluded because of Valid Data Errors	1		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	205		
Numerator Events by Admin Data		179	1
Numerator Events by Medical Record		4	112
Reported Rate		89.27%	55.12%
Lower 95% Confidence Interval		84.79%	48.07%
Upper 95% Confidence Interval		93.75%	62.17%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Controlling High Blood Pressure

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2008		2009	2009	2009
Data Collection Methodology (Hybrid)	H		H	H	H
Eligible Member Population	3215		1893	253	2504
Numerator Events by Admin Data on Eligible Population (before exclusions)	0		0	0	0
Current Year's Admin Rate	0.00%	NR	0.00%	0.00%	0.00%
Minimum Required Sample Size	411		411	228	411
Oversampling Rate	10.00%		15.00%	5.00%	15.00%
Final Sample Size (FSS)	453		473	228	473
Numerator events by admin data in FSS	0		0	0	0
Admin rate on FSS	0.00%	NR	0.00%	0.00%	0.00%
Records Excluded because of Valid Data Errors	0		1	0	1
Number of records excluded because of false positive diagnoses	1		1	0	1
Number of administrative data records excluded	0		0	0	0
Number of medical record data records excluded	0		1	0	0
Number of employee/dependent medical records excluded	0		0	0	0
Records Added from the OverSample List	1		0	0	0
Denominator	411		471	228	472
Numerator Events by Admin Data	0		0	0	0
Numerator Events by Medical Record	288		319	165	317
Reported Rate	70.07%	NR	67.73%	72.37%	67.16%
Lower 95% Confidence Interval	65.52%	NR	63.40%	66.34%	62.82%
Upper 95% Confidence Interval	74.62%	NR	72.06%	78.39%	71.50%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Persistence of Beta Blocker Treatment After Hearth Attack

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year	2009		2009	2009	2009
Data Collection Methodology	A		A	A	A
Eligible Member Population	14		60	6	24
Numerator Events by Admin Data on Eligible Population	13		52	6	22
Reported Rate	NA	NR	86.67%	NA	NA
Lower 95% Confidence Interval	NA	NR	77.23%	NA	NA
Upper 95% Confidence Interval	NA	NR	96.10%	NA	NA

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	HbA1c Testing	Poor HbA1c Control (>9.0%)	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2009				2009	2009		2009		
Data Collection Methodology	A				A	A		A		
Eligible Member Population	1175				1175	1175		1175		
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data	1010				674	969		954		
Numerator Events by Medical Record										
Reported Rate	85.96%	NR	NR	NR	57.36%	82.47%	NR	81.19%	NR	NR
Lower 95% Confidence Interval	83.93%	NR	NR	NR	54.49%	80.25%	NR	78.91%	NR	NR
Upper 95% Confidence Interval	87.99%	NR	NR	NR	60.23%	84.68%	NR	83.47%	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2009	2009		2009	2009	2009	2009	2009	2009	2009
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	901	901		901	901	901	901	901	901	901
Numerator events by admin data in eligible population	812	882		14	597	713	23	780	49	42
Current Year's Administrative Rate	90.12%	97.89%	NR	1.55%	66.26%	79.13%	2.55%	86.57%	5.44%	4.66%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	418	446		6	302	368	12	392	4	3
Admin rate on FSS	92.27%	98.45%	NR	1.32%	66.67%	81.24%	2.65%	86.53%	0.88%	0.66%
Number of Records Excluded Because of Valid Data Errors	2	2		2	2	2	2	2	2	2
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	451	451		451	451	451	451	451	451	451
Numerator Events by Admin Data	418	104		6	302	368	12	392	4	3
Numerator Events by Medical Record	6	24		289	40	8	232	11	333	248
Reported Rate	94.01%	28.38%	NR	65.41%	75.83%	83.37%	54.10%	89.36%	74.72%	55.65%
Lower 95% Confidence Interval	91.71%	24.11%	NR	60.91%	71.77%	79.82%	49.39%	86.40%	70.60%	50.96%
Upper 95% Confidence Interval	96.31%	32.65%	NR	69.91%	79.89%	86.92%	58.81%	92.31%	78.84%	60.35%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2009	2009		2009	2009	2009	2009	2009	2009	2009
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	259	259		259	259	259	259	259	259	259
Numerator events by admin data in eligible population	233	257		2	180	212	5	206	6	5
Current Year's Administrative Rate	89.96%	99.23%	NR	0.77%	69.50%	81.85%	1.93%	79.54%	2.32%	1.93%
Minimum Required Sample Size	258	258		258	258	258	258	258	258	258
Oversampling Rate	5%	5%		5%	5%	5%	5%	5%	5%	5%
Final Sample Size (FSS)	258	258		258	258	258	258	258	258	258
Numerator events by admin data in FSS	232	254		3	185	215	5	206	3	3
Admin rate on FSS	89.92%	98.45%	NR	1.16%	71.71%	83.33%	1.94%	79.84%	1.16%	1.16%
Number of Records Excluded Because of Valid Data Errors	2	2		2	2	2	2	2	2	2
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	256	256		256	256	256	256	256	256	256
Numerator Events by Admin Data	232	50		3	185	215	5	206	3	3
Numerator Events by Medical Record	3	25		161	20	3	116	5	206	156
Reported Rate	91.80%	29.30%	NR	64.06%	80.08%	85.16%	47.27%	82.42%	81.64%	62.11%
Lower 95% Confidence Interval	88.24%	23.53%	NR	57.99%	74.99%	80.61%	40.95%	77.56%	76.70%	55.97%
Upper 95% Confidence Interval	95.35%	35.07%	NR	70.14%	85.17%	89.71%	53.58%	87.28%	86.58%	68.25%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Comprehensive Diabetes Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2009	2009		2009	2009	2009	2009	2009	2009	2009
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	2006	2006		2006	2006	2006	2006	2006	2006	2006
Numerator events by admin data in eligible population	1729	1991		10	1147	1546	18	1559	15	9
Current Year's Administrative Rate	86.19%	99.25%	NR	0.50%	57.18%	77.07%	0.90%	77.72%	0.75%	0.45%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	400	449		2	263	353	4	346	1	1
Admin rate on FSS	88.30%	99.12%	NR	0.44%	58.06%	77.92%	0.88%	76.38%	0.22%	0.22%
Number of Records Excluded Because of Valid Data Errors	5	5		5	5	5	5	5	5	5
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	1	1		1	1	1	1	1	1	1
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	447	447		447	447	447	447	447	447	447
Numerator Events by Admin Data	400	74		2	263	353	4	346	1	1
Numerator Events by Medical Record	8	67		260	49	12	182	18	332	232
Reported Rate	91.28%	31.54%	NR	58.61%	69.80%	81.66%	41.61%	81.43%	74.50%	52.13%
Lower 95% Confidence Interval	88.55%	27.12%	NR	53.94%	65.43%	77.96%	36.93%	77.72%	70.34%	47.38%
Upper 95% Confidence Interval	94.00%	35.96%	NR	63.29%	74.17%	85.36%	46.29%	85.15%	78.65%	56.87%



# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2009
Data Collection Methodology		A
Eligible Member Population		350
Numerator Events by Admin Data		41
Reported Rate	NR	11.71%
Lower 95% Confidence Interval	NR	8.20%
Upper 95% Confidence Interval	NR	15.23%

Commercial

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	363		
Numerator Events by Admin Data		268	213
Reported Rate		73.83%	58.68%
Lower 95% Confidence Interval		69.17%	53.47%
Upper 95% Confidence Interval		78.49%	63.88%

### Medicare Advantage

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	107		
Numerator Events by Admin Data		83	79
Reported Rate		77.57%	73.83%
Lower 95% Confidence Interval		69.20%	65.04%
Upper 95% Confidence Interval		85.94%	82.63%

SNBC

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	9		
Numerator Events by Admin Data		7	4
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	861		
Numerator Events by Admin Data		481	342
Reported Rate		55.87%	39.72%
Lower 95% Confidence Interval		52.49%	36.39%
Upper 95% Confidence Interval		59.24%	43.05%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population		98	26
Numerator Events by Admin Data		28	8
Reported Rate		28.57%	NA
Lower 95% Confidence Interval		19.12%	NA
Upper 95% Confidence Interval		38.03%	NA

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population		422	107
Numerator Events by Admin Data		149	45
Reported Rate		35.31%	42.06%
Lower 95% Confidence Interval		30.63%	32.24%
Upper 95% Confidence Interval		39.99%	51.88%



# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-up After Hospitalization for Mental Illness

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Follow-up After Hospitalization for Mental Illness

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	57		
Numerator Events by Admin Data		24	16
Reported Rate		42.11%	28.07%
Lower 95% Confidence Interval		28.41%	15.53%
Upper 95% Confidence Interval		55.80%	40.61%

**SNBC**

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	87		
Numerator Events by Admin Data		69	45
Reported Rate		79.31%	51.72%
Lower 95% Confidence Interval		70.22%	40.65%
Upper 95% Confidence Interval		88.40%	62.80%

### Commercial

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2009					
Data Collection Methodology	A					
Eligible Member Population		2193	25	1743	103	4064
Numerator Events by Admin Data		1724	19	1366	69	3178
Reported Rate		78.61%	NA	78.37%	66.99%	78.20%
Lower 95% Confidence Interval		76.87%	NA	76.41%	57.42%	76.92%
Upper 95% Confidence Interval		80.35%	NA	80.33%	76.56%	79.48%

# Effectiveness of Care

# Blue Plus (HMO Minnesota)

## Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2009					
Data Collection Methodology	A					
Eligible Member Population		3297	442	3792	432	7963
Numerator Events by Admin Data		3120	429	3626	388	7563
Reported Rate		94.63%	97.06%	95.62%	89.81%	94.98%
Lower 95% Confidence Interval		93.85%	95.37%	94.96%	86.85%	94.49%
Upper 95% Confidence Interval		95.42%	98.75%	96.29%	92.78%	95.46%

SNBC

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2009					
Data Collection Methodology	A					
Eligible Member Population		227	17	193	116	553
Numerator Events by Admin Data		216	17	185	94	512
Reported Rate		95.15%	NA	95.85%	81.03%	92.59%
Lower 95% Confidence Interval		92.14%	NA	92.78%	73.47%	90.31%
Upper 95% Confidence Interval		98.17%	NA	98.93%	88.60%	94.86%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2009					
Data Collection Methodology	A					
Eligible Member Population		2127	47	1738	254	4166
Numerator Events by Admin Data		1755	39	1446	188	3428
Reported Rate		82.51%	82.98%	83.20%	74.02%	82.29%
Lower 95% Confidence Interval		80.87%	71.17%	81.41%	68.43%	81.11%
Upper 95% Confidence Interval		84.15%	94.79%	84.99%	79.61%	83.46%



## Medication Reconciliation Post Discharge

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	MSHO
Measurement Year	
Data collection methodology (Administrative or Hybrid)	
Eligible member population	
Number of numerator events by administrative data in eligible population (before exclusions)	
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	
Oversampling rate	
Final sample size (FSS)	
Number of numerator events by administrative data in FSS	
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	
Number of employee/dependent medical records excluded	
Records added from the oversample list	
Denominator	
Numerator events by administrative data	
Numerator events by medical record	
Reported rate	NR
Lower 95% confidence interval	NR
Upper 95% confidence interval	NR

### Medicare Advantage

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2009				
Data Collection Methodology	A				
Eligible Member Population		619	2015	104	2738
Numerator Events by Admin Data		120	521	9	650
Reported Rate		19.39%	25.86%	8.65%	23.74%
Lower 95% Confidence Interval		16.19%	23.92%	2.77%	22.13%
Upper 95% Confidence Interval		22.58%	27.79%	14.54%	25.35%

### Medicare Advantage

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

**MSHO**

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2009		
Data Collection Methodology	A		
Eligible Member Population	8116		
Numerator Events by Admin Data		2033	366
Reported Rate		25.05%	4.51%
Lower 95% Confidence Interval		24.10%	4.05%
Upper 95% Confidence Interval		26.00%	4.97%

### Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		6933	9562	340	16835
Numerator events by administrative data		6571	9173	326	16070
Reported rate		94.78%	95.93%	95.88%	95.46%
Lower 95% confidence interval		94.25%	95.53%	93.62%	95.14%
Upper 95% confidence interval		95.31%	96.33%	98.14%	95.77%

### Medicare Advantage

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

**MSHO**

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		0	0	8116	8116
Numerator events by administrative data		0	0	7952	7952
Reported rate		NA	NA	97.98%	97.98%
Lower 95% confidence interval		NA	NA	97.67%	97.67%
Upper 95% confidence interval		NA	NA	98.29%	98.29%



SNBC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		418	668	15	1101
Numerator events by administrative data		407	657	14	1078
Reported rate		97.37%	98.35%	NA	97.91%
Lower 95% confidence interval		95.71%	97.31%	NA	97.02%
Upper 95% confidence interval		99.02%	99.39%	NA	98.80%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		17693	10032	33	27758
Numerator events by administrative data		15844	9083	30	24957
Reported rate		89.55%	90.54%	90.91%	89.91%
Lower 95% confidence interval		89.10%	89.96%	79.59%	89.55%
Upper 95% confidence interval		90.00%	91.12%	100.00%	90.27%

### Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population		392	2019	1904	3389
Numerator events by administrative data		374	1810	1698	3108
Reported rate		95.41%	89.65%	89.18%	91.71%
Lower 95% confidence interval		93.21%	88.29%	87.76%	90.77%
Upper 95% confidence interval		97.61%	91.00%	90.60%	92.65%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2009				
Data collection methodology (Administrative only)	A				
Eligible member population		3156	9512	6011	8668
Numerator events by administrative data		3114	8799	5511	8041
Reported rate		98.67%	92.50%	91.68%	92.77%
Lower 95% confidence interval		98.25%	91.97%	90.98%	92.22%
Upper 95% confidence interval		99.08%	93.04%	92.39%	93.32%

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2009						
Data collection methodology (Administrative only)	A						
Eligible member population		20		325		345	
Numerator events by administrative data		7	1	121	40	128	41
Reported rate		NA	NA	37.23%	12.31%	37.10%	11.88%
Lower 95% confidence interval		NA	NA	31.82%	8.58%	31.86%	8.32%
Upper 95% confidence interval		NA	NA	42.64%	16.03%	42.34%	15.44%

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

MSHO

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2009						
Data collection methodology (Administrative only)	A						
Eligible member population		0		125		125	
Numerator events by administrative data		0	0	66	3	66	3
Reported rate		NA	NA	52.80%	2.40%	52.80%	2.40%
Lower 95% confidence interval		NA	NA	43.65%	0.00%	43.65%	0.00%
Upper 95% confidence interval		NA	NA	61.95%	5.48%	61.95%	5.48%

# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

SNBC

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2009						
Data collection methodology (Administrative only)	A						
Eligible member population		0		132		132	
Numerator events by administrative data		0	0	60	21	60	21
Reported rate		NA	NA	45.45%	15.91%	45.45%	15.91%
Lower 95% confidence interval		NA	NA	36.58%	9.29%	36.58%	9.29%
Upper 95% confidence interval		NA	NA	54.33%	22.53%	54.33%	22.53%



# Access/Availability of Care

# Blue Plus (HMO Minnesota)

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2009						
Data collection methodology (Administrative only)	A						
Eligible member population		193		2051		2244	
Numerator events by administrative data		90	30	936	270	1026	300
Reported rate		46.63%	15.54%	45.64%	13.16%	45.72%	13.37%
Lower 95% confidence interval		39.33%	10.17%	43.46%	11.68%	43.64%	11.94%
Upper 95% confidence interval		53.93%	20.91%	47.82%	14.65%	47.81%	14.80%

## Prenatal and Postpartum Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2008	2008
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	760	760
Number of numerator events by administrative data in eligible population (before exclusions)	563	450
Current year's administrative rate (before exclusions)	74.08%	59.21%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	10%	10%
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	352	275
Administrative rate on FSS	77.70%	60.71%
Number of original sample records excluded because of valid data errors	1	1
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	1	1
Denominator	411	411
Numerator events by administrative data	319	250
Numerator events by medical record	66	87
Reported rate	93.67%	82.00%
Lower 95% confidence interval	91.20%	78.16%
Upper 95% confidence interval	96.15%	85.83%

## Prenatal and Postpartum Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2008	2008
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	3707	3707
Number of numerator events by administrative data in eligible population (before exclusions)	2133	2202
Current year's administrative rate (before exclusions)	57.54%	59.40%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	10%	10%
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	290	301
Administrative rate on FSS	64.02%	66.45%
Number of original sample records excluded because of valid data errors	3	3
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	450	450
Numerator events by administrative data	290	301
Numerator events by medical record	119	45
Reported rate	90.89%	76.89%
Lower 95% confidence interval	88.12%	72.88%
Upper 95% confidence interval	93.66%	80.89%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2009							
Data Collection Methodology	A							
Eligible Member Population	347							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		29	5	3	4	16	44	246
Numerator Events by Medical Record								
Reported Rate		8.36%	1.44%	0.86%	1.15%	4.61%	12.68%	70.89%
Lower 95% Confidence Interval		5.30%	0.04%	0.00%	0.00%	2.26%	9.03%	65.97%
Upper 95% Confidence Interval		11.41%	2.84%	1.98%	2.42%	6.96%	16.33%	75.82%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2009							
Data Collection Methodology	A							
Eligible Member Population	2630							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		49	58	58	115	312	583	1455
Numerator Events by Medical Record								
Reported Rate		1.86%	2.21%	2.21%	4.37%	11.86%	22.17%	55.32%
Lower 95% Confidence Interval		1.33%	1.63%	1.63%	3.57%	10.61%	20.56%	53.40%
Upper 95% Confidence Interval		2.40%	2.79%	2.79%	5.17%	13.12%	23.77%	57.24%

# Use of Services

# Blue Plus (HMO Minnesota)

## Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2009	2009
Data Collection Methodology	A	A
Eligible Member Population	1645	7539
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data	1094	4893
Numerator Events by Medical Record		
Reported Rate	66.50%	64.90%
Lower 95% Confidence Interval	64.19%	63.82%
Upper 95% Confidence Interval	68.82%	65.99%

# Use of Services

# Blue Plus (HMO Minnesota)

## Adolescent Well-Care Visits

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Data Elements	Commercial	MHCP-MC
Measurement Year	2009	2009
Data Collection Methodology	A	A
Eligible Member Population	4819	13432
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data	1555	4545
Numerator Events by Medical Record		
Reported Rate	32.27%	33.84%
Lower 95% Confidence Interval	30.94%	33.03%
Upper 95% Confidence Interval	33.60%	34.64%

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Age	Member Months
<1	5501
1-9	54407
10-19	70697
20-44	168491
45-64	168801
65-74	5011
75-84	207
85+	8
Unknown	0
<b>Total</b>	<b>473123</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	4647	844.76	193	35.08	48	8.73	2	0.36
1-9	15845	291.23	1072	19.70	299	5.50	13	0.24
10-19	16796	237.58	975	13.79	274	3.88	14	0.20
20-44	44035	261.35	2167	12.86	1477	8.77	120	0.71
45-64	59087	350.04	1934	11.46	3533	20.93	87	0.52
65-74	2103	419.68	55	10.98	118	23.55	3	0.60
75-84	126	608.70	2	9.66	8	38.65	0	0.00
85+	5	625.00	1	125.00	0	0.00	1	125.00
Unknown	0		0		0		0	
<b>Total</b>	<b>142644</b>	<b>301.49</b>	<b>6399</b>	<b>13.53</b>	<b>5757</b>	<b>12.17</b>	<b>240</b>	<b>0.51</b>



# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1		NR		NR		NR		NR
1-9		NR		NR		NR		NR
10-19		NR		NR		NR		NR
20-44		NR		NR		NR		NR
45-64		NR		NR		NR		NR
65-74		NR		NR		NR		NR
75-84		NR		NR		NR		NR
85+		NR		NR		NR		NR
Unknown								
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	7
65-74	31481
75-84	37827
85+	45558
Unknown	0
<b>Total</b>	<b>114873</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	0	NA	0	NA	0	NA	0	NA
20-44	0	NA	0	NA	0	NA	0	NA
45-64	10	1428.57	0	0.00	2	285.71	0	0.00
65-74	28179	895.11	1441	45.77	1412	44.85	38	1.21
75-84	33655	889.71	1601	42.32	1456	38.49	41	1.08
85+	37090	814.13	1793	39.36	998	21.91	57	1.25
Unknown	0		0		0		0	
<b>Total</b>	<b>98934</b>	<b>861.25</b>	<b>4835</b>	<b>42.09</b>	<b>3868</b>	<b>33.67</b>	<b>136</b>	<b>1.18</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

Age	Member Months
<1	0
1-9	0
10-19	123
20-44	6303
45-64	9347
65-74	124
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>15897</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	77	626.02	4	32.52	0	0.00	0	0.00
20-44	4767	756.31	639	101.38	191	30.30	9	1.43
45-64	9991	1068.90	740	79.17	508	54.35	16	1.71
65-74	92	741.94	2	16.13	3	24.19	0	0.00
75-84	0	NA	0	NA	0	NA	0	NA
85+	0	NA	0	NA	0	NA	0	NA
Unknown	0		0		0		0	
<b>Total</b>	<b>14927</b>	<b>938.98</b>	<b>1385</b>	<b>87.12</b>	<b>702</b>	<b>44.16</b>	<b>25</b>	<b>1.57</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Ambulatory Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	60380
1-9	333378
10-19	268978
20-44	397300
45-64	174107
65-74	376
75-84	130
85+	89
Unknown	0
<b>Total</b>	<b>1234738</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	50326	833.49	5590	92.58	456	7.55	74	1.23
1-9	115663	346.94	15501	46.50	2022	6.07	100	0.30
10-19	78025	290.08	8822	32.80	1378	5.12	277	1.03
20-44	181651	457.21	23053	58.02	7296	18.36	1507	3.79
45-64	90225	518.22	5633	32.35	5461	31.37	189	1.09
65-74	250	664.89	6	15.96	13	34.57	0	0.00
75-84	71	546.15	5	38.46	6	46.15	0	0.00
85+	39	438.20	1	11.24	2	22.47	0	0.00
Unknown	0		0		0		0	
<b>Total</b>	<b>516250</b>	<b>418.10</b>	<b>58611</b>	<b>47.47</b>	<b>16634</b>	<b>13.47</b>	<b>2147</b>	<b>1.74</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Age	Member Months
<1	5501
1-9	54407
10-19	70697
20-44	168491
45-64	168801
65-74	5011
75-84	207
85+	8
Unknown	0
<b>Total</b>	<b>473123</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	53	9.63	277	50.35	5.23
1-9	75	1.38	210	3.86	2.80
10-19	114	1.61	328	4.64	2.88
20-44	907	5.38	2446	14.52	2.70
45-64	943	5.59	3238	19.18	3.43
65-74	56	11.18	237	47.30	4.23
75-84	5	24.15	8	38.65	1.60
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>2153</b>	<b>4.55</b>	<b>6744</b>	<b>14.25</b>	<b>3.13</b>
<b>Medicine</b>					
<1	40	7.27	245	44.54	6.13
1-9	61	1.12	141	2.59	2.31
10-19	58	0.82	178	2.52	3.07
20-44	146	0.87	478	2.84	3.27
45-64	400	2.37	1456	8.63	3.64
65-74	19	3.79	58	11.57	3.05
75-84	2	9.66	3	14.49	1.50
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>726</b>	<b>1.53</b>	<b>2559</b>	<b>5.41</b>	<b>3.52</b>
<b>Surgery</b>					
<1	13	2.36	32	5.82	2.46
1-9	14	0.26	69	1.27	4.93
10-19	44	0.62	123	1.74	2.80
20-44	213	1.26	598	3.55	2.81
45-64	542	3.21	1780	10.54	3.28
65-74	37	7.38	179	35.72	4.84
75-84	3	14.49	5	24.15	1.67
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>866</b>	<b>1.83</b>	<b>2786</b>	<b>5.89</b>	<b>3.22</b>
<b>Maternity</b>					
10-19	12	0.17	27	0.38	2.25
20-44	548	3.25	1370	8.13	2.50
45-64	1	0.01	2	0.01	2.00
Unknown	0		0		NA
<b>Total</b>	<b>561</b>	<b>1.38</b>	<b>1399</b>	<b>3.43</b>	<b>2.49</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Maternity</b>					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	7
65-74	31481
75-84	37827
85+	45558
Unknown	0
<b>Total</b>	<b>114873</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	1274	40.47	5981	189.99	4.69
75-84	1719	45.44	8029	212.26	4.67
85+	1928	42.32	8119	178.21	4.21
Unknown	0		0		NA
<b>Total</b>	<b>4921</b>	<b>42.84</b>	<b>22129</b>	<b>192.64</b>	<b>4.50</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	975	30.97	4359	138.46	4.47
75-84	1430	37.80	6184	163.48	4.32
85+	1671	36.68	6634	145.62	3.97
Unknown	0		0		NA
<b>Total</b>	<b>4076</b>	<b>35.48</b>	<b>17177</b>	<b>149.53</b>	<b>4.21</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	299	9.50	1622	51.52	5.42
75-84	288	7.61	1840	48.64	6.39
85+	254	5.58	1474	32.35	5.80
Unknown	0		0		NA
<b>Total</b>	<b>841</b>	<b>7.32</b>	<b>4936</b>	<b>42.97</b>	<b>5.87</b>
<b>Maternity</b>					
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>NA</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

Age	Member Months
<1	0
1-9	0
10-19	123
20-44	6303
45-64	9347
65-74	124
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>15897</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	1	8.13	1	8.13	1.00
20-44	95	15.07	293	46.49	3.08
45-64	301	32.20	1241	132.77	4.12
65-74	3	24.19	5	40.32	1.67
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>400</b>	<b>25.16</b>	<b>1540</b>	<b>96.87</b>	<b>3.85</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	1	8.13	1	8.13	1.00
20-44	72	11.42	200	31.73	2.78
45-64	224	23.96	844	90.30	3.77
65-74	3	24.19	5	40.32	1.67
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>300</b>	<b>18.87</b>	<b>1050</b>	<b>66.05</b>	<b>3.50</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	0.00	0	0.00	NA
20-44	19	3.01	79	12.53	4.16
45-64	77	8.24	397	42.47	5.16
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>96</b>	<b>6.04</b>	<b>476</b>	<b>29.94</b>	<b>4.96</b>
<b>Maternity</b>					
10-19	0	0.00	0	0.00	NA
20-44	4	0.63	14	2.22	3.50
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>4</b>	<b>0.25</b>	<b>14</b>	<b>0.89</b>	<b>3.50</b>



# Use of Services

# Blue Plus (HMO Minnesota)

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	60380
1-9	333378
10-19	268978
20-44	397300
45-64	174107
65-74	376
75-84	130
85+	89
Unknown	0
<b>Total</b>	<b>1234738</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	664	11.00	3223	53.38	4.85
1-9	747	2.24	1863	5.59	2.49
10-19	997	3.71	2675	9.95	2.68
20-44	6184	15.57	16353	41.16	2.64
45-64	1914	10.99	7022	40.33	3.67
65-74	5	13.30	18	47.87	3.60
75-84	8	61.54	36	276.92	4.50
85+	4	44.94	16	179.78	4.00
Unknown	0		0		NA
<b>Total</b>	<b>10523</b>	<b>8.52</b>	<b>31206</b>	<b>25.27</b>	<b>2.97</b>
<b>Medicine</b>					
<1	579	9.59	2461	40.76	4.25
1-9	622	1.87	1292	3.88	2.08
10-19	298	1.11	773	2.87	2.59
20-44	1131	2.85	3097	7.80	2.74
45-64	1097	6.30	3814	21.91	3.48
65-74	4	10.64	15	39.89	3.75
75-84	7	53.85	33	253.85	4.71
85+	4	44.94	16	179.78	4.00
Unknown	0		0		NA
<b>Total</b>	<b>3742</b>	<b>3.03</b>	<b>11501</b>	<b>9.31</b>	<b>3.07</b>
<b>Surgery</b>					
<1	82	1.36	756	12.52	9.22
1-9	125	0.37	571	1.71	4.57
10-19	185	0.69	559	2.08	3.02
20-44	845	2.13	2622	6.60	3.10
45-64	806	4.63	3156	18.13	3.92
65-74	1	2.66	3	7.98	3.00
75-84	1	7.69	3	23.08	3.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>2045</b>	<b>1.66</b>	<b>7670</b>	<b>6.21</b>	<b>3.75</b>
<b>Maternity</b>					
10-19	511	1.90	1337	4.97	2.62
20-44	4204	10.58	10594	26.66	2.52
45-64	9	0.05	32	0.18	3.56
Unknown	0		0		NA
<b>Total</b>	<b>4724</b>	<b>5.62</b>	<b>11963</b>	<b>14.24</b>	<b>2.53</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	42066	38177	80243	42066	38177	80243	42066	38177	80243	42066	38177	80243
13-17	18268	17303	35571	18268	17303	35571	18268	17303	35571	18268	17303	35571
18-24	22343	24396	46739	22343	24396	46739	22343	24396	46739	22343	24396	46739
25-34	26795	34934	61729	26795	34934	61729	26795	34934	61729	26795	34934	61729
35-64	110122	133493	243615	110122	133493	243615	110122	133493	243615	110122	133493	243615
65+	2825	2401	5226	2825	2401	5226	2825	2401	5226	2825	2401	5226
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	1	0.03%	1	0.03%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>1</b>	<b>0.01%</b>	<b>1</b>	<b>0.01%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
13-17	M	25	1.64%	10	0.66%	2	0.13%	23	1.51%
	F	12	0.83%	5	0.35%	1	0.07%	11	0.76%
	<b>Total</b>	<b>37</b>	<b>1.25%</b>	<b>15</b>	<b>0.51%</b>	<b>3</b>	<b>0.10%</b>	<b>34</b>	<b>1.15%</b>
18-24	M	63	3.38%	17	0.91%	3	0.16%	55	2.95%
	F	43	2.12%	6	0.30%	2	0.10%	39	1.92%
	<b>Total</b>	<b>106</b>	<b>2.72%</b>	<b>23</b>	<b>0.59%</b>	<b>5</b>	<b>0.13%</b>	<b>94</b>	<b>2.41%</b>
25-34	M	55	2.46%	7	0.31%	4	0.18%	51	2.28%
	F	26	0.89%	9	0.31%	2	0.07%	24	0.82%
	<b>Total</b>	<b>81</b>	<b>1.57%</b>	<b>16</b>	<b>0.31%</b>	<b>6</b>	<b>0.12%</b>	<b>75</b>	<b>1.46%</b>
35-64	M	174	1.90%	37	0.40%	8	0.09%	163	1.78%
	F	115	1.03%	37	0.33%	6	0.05%	108	0.97%
	<b>Total</b>	<b>289</b>	<b>1.42%</b>	<b>74</b>	<b>0.36%</b>	<b>14</b>	<b>0.07%</b>	<b>271</b>	<b>1.33%</b>
65+	M	1	0.42%	0	0.00%	0	0.00%	1	0.42%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>1</b>	<b>0.23%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.23%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>319</b>	<b>1.72%</b>	<b>72</b>	<b>0.39%</b>	<b>17</b>	<b>0.09%</b>	<b>293</b>	<b>1.58%</b>
	<b>F</b>	<b>196</b>	<b>0.94%</b>	<b>57</b>	<b>0.27%</b>	<b>11</b>	<b>0.05%</b>	<b>182</b>	<b>0.87%</b>
	<b>Total</b>	<b>515</b>	<b>1.31%</b>	<b>129</b>	<b>0.33%</b>	<b>28</b>	<b>0.07%</b>	<b>475</b>	<b>1.20%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0	0	0
35-64	1	6	7	1	6	7	1	6	7	1	6	7
65+	30578	84288	114866	30578	84288	114866	30578	84288	114866	30578	84288	114866
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>

Age	Any Services			Inpatient		Intensive Outpatient/Partial Hospitalization			Outpatient/ED		
	Sex	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
0-12	M	0	NA	0	NA	0	NA	0	NA		
	F	0	NA	0	NA	0	NA	0	NA		
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>		
13-17	M	0	NA	0	NA	0	NA	0	NA		
	F	0	NA	0	NA	0	NA	0	NA		
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>		
18-24	M	0	NA	0	NA	0	NA	0	NA		
	F	0	NA	0	NA	0	NA	0	NA		
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>		
25-34	M	0	NA	0	NA	0	NA	0	NA		
	F	0	NA	0	NA	0	NA	0	NA		
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>		
35-64	M	1	1200.00%	1	1200.00%	0	0.00%	1	1200.00%		
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%		
	<b>Total</b>	<b>1</b>	<b>171.43%</b>	<b>1</b>	<b>171.43%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>171.43%</b>		
65+	M	85	3.34%	38	1.49%	1	0.04%	66	2.59%		
	F	110	1.57%	55	0.78%	0	0.00%	68	0.97%		
	<b>Total</b>	<b>195</b>	<b>2.04%</b>	<b>93</b>	<b>0.97%</b>	<b>1</b>	<b>0.01%</b>	<b>134</b>	<b>1.40%</b>		
Unknown	M	0	NA	0	NA	0	NA	0	NA		
	F	0	NA	0	NA	0	NA	0	NA		
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>		
<b>Total</b>	<b>M</b>	<b>86</b>	<b>3.37%</b>	<b>39</b>	<b>1.53%</b>	<b>1</b>	<b>0.04%</b>	<b>67</b>	<b>2.63%</b>		
	<b>F</b>	<b>110</b>	<b>1.57%</b>	<b>55</b>	<b>0.78%</b>	<b>0</b>	<b>0.00%</b>	<b>68</b>	<b>0.97%</b>		
	<b>Total</b>	<b>196</b>	<b>2.05%</b>	<b>94</b>	<b>0.98%</b>	<b>1</b>	<b>0.01%</b>	<b>135</b>	<b>1.41%</b>		

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	466	627	1093	466	627	1093	466	627	1093	466	627	1093
25-34	1007	1178	2185	1007	1178	2185	1007	1178	2185	1007	1178	2185
35-64	4908	7587	12495	4908	7587	12495	4908	7587	12495	4908	7587	12495
65+	59	65	124	59	65	124	59	65	124	59	65	124
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-24	M	6	15.45%	1	2.58%	0	0.00%	6	15.45%
	F	7	13.40%	3	5.74%	0	0.00%	7	13.40%
	<b>Total</b>	<b>13</b>	<b>14.27%</b>	<b>4</b>	<b>4.39%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	<b>14.27%</b>
25-34	M	13	15.49%	3	3.57%	1	1.19%	11	13.11%
	F	17	17.32%	5	5.09%	0	0.00%	15	15.28%
	<b>Total</b>	<b>30</b>	<b>16.48%</b>	<b>8</b>	<b>4.39%</b>	<b>1</b>	<b>0.55%</b>	<b>26</b>	<b>14.28%</b>
35-64	M	105	25.67%	26	6.36%	2	0.49%	94	22.98%
	F	98	15.50%	40	6.33%	7	1.11%	88	13.92%
	<b>Total</b>	<b>203</b>	<b>19.50%</b>	<b>66</b>	<b>6.34%</b>	<b>9</b>	<b>0.86%</b>	<b>182</b>	<b>17.48%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>124</b>	<b>23.11%</b>	<b>30</b>	<b>5.59%</b>	<b>3</b>	<b>0.56%</b>	<b>111</b>	<b>20.68%</b>
	<b>F</b>	<b>122</b>	<b>15.48%</b>	<b>48</b>	<b>6.09%</b>	<b>7</b>	<b>0.89%</b>	<b>110</b>	<b>13.96%</b>
	<b>Total</b>	<b>246</b>	<b>18.57%</b>	<b>78</b>	<b>5.89%</b>	<b>10</b>	<b>0.75%</b>	<b>221</b>	<b>16.68%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	243678	236603	480281	243678	236603	480281	243678	236603	480281	243678	236603	480281
13-17	67463	68031	135494	67463	68031	135494	67463	68031	135494	67463	68031	135494
18-24	51585	95166	146751	51585	95166	146751	51585	95166	146751	51585	95166	146751
25-34	56114	115893	172007	56114	115893	172007	56114	115893	172007	56114	115893	172007
35-64	124090	175520	299610	124090	175520	299610	124090	175520	299610	124090	175520	299610
65+	214	381	595	214	381	595	214	381	595	214	381	595
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	11	0.05%	2	0.01%	0	0.00%	10	0.05%
	F	10	0.05%	4	0.02%	1	0.01%	7	0.04%
	<b>Total</b>	<b>21</b>	<b>0.05%</b>	<b>6</b>	<b>0.01%</b>	<b>1</b>	<b>0.00%</b>	<b>17</b>	<b>0.04%</b>
13-17	M	282	5.02%	102	1.81%	27	0.48%	267	4.75%
	F	234	4.13%	82	1.45%	21	0.37%	209	3.69%
	<b>Total</b>	<b>516</b>	<b>4.57%</b>	<b>184</b>	<b>1.63%</b>	<b>48</b>	<b>0.43%</b>	<b>476</b>	<b>4.22%</b>
18-24	M	660	15.35%	188	4.37%	22	0.51%	620	14.42%
	F	562	7.09%	150	1.89%	35	0.44%	504	6.36%
	<b>Total</b>	<b>1222</b>	<b>9.99%</b>	<b>338</b>	<b>2.76%</b>	<b>57</b>	<b>0.47%</b>	<b>1124</b>	<b>9.19%</b>
25-34	M	923	19.74%	265	5.67%	44	0.94%	874	18.69%
	F	835	8.65%	227	2.35%	40	0.41%	777	8.05%
	<b>Total</b>	<b>1758</b>	<b>12.26%</b>	<b>492</b>	<b>3.43%</b>	<b>84</b>	<b>0.59%</b>	<b>1651</b>	<b>11.52%</b>
35-64	M	1558	15.07%	526	5.09%	63	0.61%	1441	13.94%
	F	1128	7.71%	352	2.41%	47	0.32%	1047	7.16%
	<b>Total</b>	<b>2686</b>	<b>10.76%</b>	<b>878</b>	<b>3.52%</b>	<b>110</b>	<b>0.44%</b>	<b>2488</b>	<b>9.96%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>3434</b>	<b>7.59%</b>	<b>1083</b>	<b>2.39%</b>	<b>156</b>	<b>0.34%</b>	<b>3212</b>	<b>7.10%</b>
	<b>F</b>	<b>2769</b>	<b>4.80%</b>	<b>815</b>	<b>1.41%</b>	<b>144</b>	<b>0.25%</b>	<b>2544</b>	<b>4.41%</b>
	<b>Total</b>	<b>6203</b>	<b>6.03%</b>	<b>1898</b>	<b>1.84%</b>	<b>300</b>	<b>0.29%</b>	<b>5756</b>	<b>5.59%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service:

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	42066	38177	80243	42066	38177	80243	42066	38177	80243	42066	38177	80243
13-17	18268	17303	35571	18268	17303	35571	18268	17303	35571	18268	17303	35571
18-64	159260	192823	352083	159260	192823	352083	159260	192823	352083	159260	192823	352083
65+	2825	2401	5226	2825	2401	5226	2825	2401	5226	2825	2401	5226
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	219	6.25%	4	0.11%	2	0.06%	218	6.22%
	F	123	3.87%	1	0.03%	1	0.03%	123	3.87%
	<b>Total</b>	<b>342</b>	<b>5.11%</b>	<b>5</b>	<b>0.07%</b>	<b>3</b>	<b>0.04%</b>	<b>341</b>	<b>5.10%</b>
13-17	M	209	13.73%	16	1.05%	7	0.46%	208	13.66%
	F	179	12.41%	12	0.83%	10	0.69%	178	12.34%
	<b>Total</b>	<b>388</b>	<b>13.09%</b>	<b>28</b>	<b>0.94%</b>	<b>17</b>	<b>0.57%</b>	<b>386</b>	<b>13.02%</b>
18-64	M	918	6.92%	33	0.25%	6	0.05%	913	6.88%
	F	1747	10.87%	49	0.30%	28	0.17%	1739	10.82%
	<b>Total</b>	<b>2665</b>	<b>9.08%</b>	<b>82</b>	<b>0.28%</b>	<b>34</b>	<b>0.12%</b>	<b>2652</b>	<b>9.04%</b>
65+	M	9	3.82%	0	0.00%	0	0.00%	9	3.82%
	F	8	4.00%	0	0.00%	0	0.00%	8	4.00%
	<b>Total</b>	<b>17</b>	<b>3.90%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	<b>3.90%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>1355</b>	<b>7.31%</b>	<b>53</b>	<b>0.29%</b>	<b>15</b>	<b>0.08%</b>	<b>1348</b>	<b>7.27%</b>
	<b>F</b>	<b>2057</b>	<b>9.85%</b>	<b>62</b>	<b>0.30%</b>	<b>39</b>	<b>0.19%</b>	<b>2048</b>	<b>9.80%</b>
	<b>Total</b>	<b>3412</b>	<b>8.65%</b>	<b>115</b>	<b>0.29%</b>	<b>54</b>	<b>0.14%</b>	<b>3396</b>	<b>8.61%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service:

Data Last Refreshed:

Jan 6, 2011 10:08 AM

## Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization			Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
0-12	M		NR		NR		NR		NR	
	F		NR		NR		NR		NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	
13-17	M		NR		NR		NR		NR	
	F		NR		NR		NR		NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	
18-64	M		NR		NR		NR		NR	
	F		NR		NR		NR		NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	
65+	M		NR		NR		NR		NR	
	F		NR		NR		NR		NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	
Unknown	M		NR		NR		NR		NR	
	F		NR		NR		NR		NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR	
	F	NR	NR	NR	NR	NR	NR	NR	NR	
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	



# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service:

Data Last Refreshed:

Jan 6, 2011 10:08 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	1	6	7	1	6	7	1	6	7	1	6	7
65+	30578	84288	114866	30578	84288	114866	30578	84288	114866	30578	84288	114866
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
65+	M	356	13.97%	108	4.24%	2	0.08%	283	11.11%
	F	865	12.31%	231	3.29%	8	0.11%	696	9.91%
	<b>Total</b>	<b>1221</b>	<b>12.76%</b>	<b>339</b>	<b>3.54%</b>	<b>10</b>	<b>0.10%</b>	<b>979</b>	<b>10.23%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>356</b>	<b>13.97%</b>	<b>108</b>	<b>4.24%</b>	<b>2</b>	<b>0.08%</b>	<b>283</b>	<b>11.11%</b>
	<b>F</b>	<b>865</b>	<b>12.31%</b>	<b>231</b>	<b>3.29%</b>	<b>8</b>	<b>0.11%</b>	<b>696</b>	<b>9.91%</b>
	<b>Total</b>	<b>1221</b>	<b>12.75%</b>	<b>339</b>	<b>3.54%</b>	<b>10</b>	<b>0.10%</b>	<b>979</b>	<b>10.23%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service:

Data Last Refreshed:

Jan 6, 2011 10:08 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	6381	9392	15773	6381	9392	15773	6381	9392	15773	6381	9392	15773
65+	59	65	124	59	65	124	59	65	124	59	65	124
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	300	56.42%	32	6.02%	20	3.76%	294	55.29%
	F	518	66.18%	61	7.79%	39	4.98%	518	66.18%
	<b>Total</b>	<b>818</b>	<b>62.23%</b>	<b>93</b>	<b>7.08%</b>	<b>59</b>	<b>4.49%</b>	<b>812</b>	<b>61.78%</b>
65+	M	1	20.34%	0	0.00%	0	0.00%	1	20.34%
	F	2	36.92%	0	0.00%	0	0.00%	2	36.92%
	<b>Total</b>	<b>3</b>	<b>29.03%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>29.03%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>301</b>	<b>56.09%</b>	<b>32</b>	<b>5.96%</b>	<b>20</b>	<b>3.73%</b>	<b>295</b>	<b>54.97%</b>
	<b>F</b>	<b>520</b>	<b>65.98%</b>	<b>61</b>	<b>7.74%</b>	<b>39</b>	<b>4.95%</b>	<b>520</b>	<b>65.98%</b>
	<b>Total</b>	<b>821</b>	<b>61.97%</b>	<b>93</b>	<b>7.02%</b>	<b>59</b>	<b>4.45%</b>	<b>815</b>	<b>61.52%</b>

# Use of Services

# Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service:

Data Last Refreshed:

Jan 6, 2011 10:08 AM

## Minnesota Health Care Programs - Managed Care(MHCP-M)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	243678	236603	480281	243678	236603	480281	243678	236603	480281	243678	236603	480281
13-17	67463	68031	135494	67463	68031	135494	67463	68031	135494	67463	68031	135494
18-64	231789	386579	618368	231789	386579	618368	231789	386579	618368	231789	386579	618368
65+	214	381	595	214	381	595	214	381	595	214	381	595
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	2425	11.94%	45	0.22%	33	0.16%	2424	11.94%
	F	1613	8.18%	29	0.15%	19	0.10%	1610	8.17%
	<b>Total</b>	<b>4038</b>	<b>10.09%</b>	<b>74</b>	<b>0.18%</b>	<b>52</b>	<b>0.13%</b>	<b>4034</b>	<b>10.08%</b>
13-17	M	1279	22.75%	75	1.33%	31	0.55%	1275	22.68%
	F	1360	23.99%	130	2.29%	40	0.71%	1349	23.80%
	<b>Total</b>	<b>2639</b>	<b>23.37%</b>	<b>205</b>	<b>1.82%</b>	<b>71</b>	<b>0.63%</b>	<b>2624</b>	<b>23.24%</b>
18-64	M	3858	19.97%	309	1.60%	168	0.87%	3810	19.72%
	F	7700	23.90%	448	1.39%	287	0.89%	7645	23.73%
	<b>Total</b>	<b>11558</b>	<b>22.43%</b>	<b>757</b>	<b>1.47%</b>	<b>455</b>	<b>0.88%</b>	<b>11455</b>	<b>22.23%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	5	15.75%	1	3.15%	0	0.00%	4	12.60%
	<b>Total</b>	<b>5</b>	<b>10.08%</b>	<b>1</b>	<b>2.02%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>8.07%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>7562</b>	<b>16.71%</b>	<b>429</b>	<b>0.95%</b>	<b>232</b>	<b>0.51%</b>	<b>7509</b>	<b>16.59%</b>
	<b>F</b>	<b>10678</b>	<b>18.53%</b>	<b>608</b>	<b>1.05%</b>	<b>346</b>	<b>0.60%</b>	<b>10608</b>	<b>18.41%</b>
	<b>Total</b>	<b>18240</b>	<b>17.73%</b>	<b>1037</b>	<b>1.01%</b>	<b>578</b>	<b>0.56%</b>	<b>18117</b>	<b>17.61%</b>

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Board Certification

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### MSHO

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	3353	2921	87.12%
Internal Medicine	3146	2803	89.10%
Geriatricians	148	146	98.65%
Other practitioner Specialists	6588	5877	89.21%

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Board Certification

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	3353	2921	87.12%
Internal Medicine	3146	2803	89.10%
Geriatricians	148	146	98.65%
Other practitioner Specialists	6588	5877	89.21%

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Commercial

	Member Months		
	Male	Female	Total
<1	2991	2510	5501
1-4	12461	10966	23427
5-9	15951	15029	30980
10-14	17846	16434	34280
15-17	11085	10541	21626
18-19	7461	7330	14791
<b>0-19 Subtotal</b>	<b>67795</b>	<b>62810</b>	<b>130605</b>
<b>0-19 Subtotal: %</b>	<b>30.48%</b>	<b>25.05%</b>	<b>27.60%</b>
20-24	14882	17066	31948
25-29	12612	17312	29924
30-34	14183	17622	31805
35-39	15730	18532	34262
40-44	18184	22368	40552
<b>20-44 Subtotal</b>	<b>75591</b>	<b>92900</b>	<b>168491</b>
<b>20-44 Subtotal: %</b>	<b>33.99%</b>	<b>37.06%</b>	<b>35.61%</b>
45-49	21296	25464	46760
50-54	21019	25387	46406
55-59	18910	23896	42806
60-64	14983	17846	32829
<b>45-64 Subtotal</b>	<b>76208</b>	<b>92593</b>	<b>168801</b>
<b>45-64 Subtotal: %</b>	<b>34.26%</b>	<b>36.93%</b>	<b>35.68%</b>
65-69	2249	1973	4222
70-74	448	341	789
75-79	75	66	141
80-84	48	18	66
85-89	0	3	3
>=90	5	0	5
<b>&gt;=65 Subtotal</b>	<b>2825</b>	<b>2401</b>	<b>5226</b>
<b>&gt;=65 Subtotal: %</b>	<b>1.27%</b>	<b>0.96%</b>	<b>1.10%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>222419</b>	<b>250704</b>	<b>473123</b>

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Medicare Advantage

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

MSHO

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
<b>20-44 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>20-44 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	1	6	7
<b>45-64 Subtotal</b>	<b>1</b>	<b>6</b>	<b>7</b>
<b>45-64 Subtotal: %</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.01%</b>
65-69	5382	9513	14895
70-74	6248	10338	16586
75-79	5478	11977	17455
80-84	5392	14980	20372
85-89	4731	16791	21522
>=90	3347	20689	24036
<b>&gt;=65 Subtotal</b>	<b>30578</b>	<b>84288</b>	<b>114866</b>
<b>&gt;=65 Subtotal: %</b>	<b>100.00%</b>	<b>99.99%</b>	<b>99.99%</b>
Age Unknown	0	0	0
<b>Total</b>	<b>30579</b>	<b>84294</b>	<b>114873</b>



# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### SNBC

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	49	74	123
<b>0-19 Subtotal</b>	<b>49</b>	<b>74</b>	<b>123</b>
<b>0-19 Subtotal: %</b>	<b>0.76%</b>	<b>0.78%</b>	<b>0.77%</b>
20-24	417	553	970
25-29	516	477	993
30-34	491	701	1192
35-39	490	888	1378
40-44	705	1065	1770
<b>20-44 Subtotal</b>	<b>2619</b>	<b>3684</b>	<b>6303</b>
<b>20-44 Subtotal: %</b>	<b>40.67%</b>	<b>38.96%</b>	<b>39.65%</b>
45-49	1023	1459	2482
50-54	1266	1510	2776
55-59	801	1571	2372
60-64	623	1094	1717
<b>45-64 Subtotal</b>	<b>3713</b>	<b>5634</b>	<b>9347</b>
<b>45-64 Subtotal: %</b>	<b>57.66%</b>	<b>59.57%</b>	<b>58.80%</b>
65-69	59	65	124
70-74	0	0	0
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>59</b>	<b>65</b>	<b>124</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.92%</b>	<b>0.69%</b>	<b>0.78%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>6440</b>	<b>9457</b>	<b>15897</b>

# Health Plan Descriptive Information

# Blue Plus (HMO Minnesota)

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Jan 6, 2011 10:08 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

	Member Months		
	Male	Female	Total
<1	30836	29544	60380
1-4	84452	81250	165702
5-9	84994	82682	167676
10-14	71157	69601	140758
15-17	39702	41557	81259
18-19	20584	26377	46961
<b>0-19 Subtotal</b>	<b>331725</b>	<b>331011</b>	<b>662736</b>
<b>0-19 Subtotal: %</b>	<b>61.07%</b>	<b>47.86%</b>	<b>53.67%</b>
20-24	31001	68789	99790
25-29	30395	68228	98623
30-34	25719	47665	73384
35-39	24022	40096	64118
40-44	24645	36740	61385
<b>20-44 Subtotal</b>	<b>135782</b>	<b>261518</b>	<b>397300</b>
<b>20-44 Subtotal: %</b>	<b>25.00%</b>	<b>37.81%</b>	<b>32.18%</b>
45-49	26711	36154	62865
50-54	22374	27867	50241
55-59	16335	19341	35676
60-64	10003	15322	25325
<b>45-64 Subtotal</b>	<b>75423</b>	<b>98684</b>	<b>174107</b>
<b>45-64 Subtotal: %</b>	<b>13.89%</b>	<b>14.27%</b>	<b>14.10%</b>
65-69	106	168	274
70-74	42	60	102
75-79	32	31	63
80-84	23	44	67
85-89	0	41	41
>=90	11	37	48
<b>&gt;=65 Subtotal</b>	<b>214</b>	<b>381</b>	<b>595</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.04%</b>	<b>0.06%</b>	<b>0.05%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>543144</b>	<b>691594</b>	<b>1234738</b>