

Blue Plus (HMO Minnesota)

HEDIS 2014 (Reporting Year 2013)

Data Last Refreshed: 7/6/2015

General Info		Page
Disclaimers		2

Code	Effectiveness of Care Measures	Page
Prevention and Screening		
ABA	Adult BMI Assessment	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	4
CIS	Childhood Immunization Status	7
IMA	Immunizations for Adolescents	13
BCS	Breast Cancer Screening	16
CCS	Cervical Cancer Screening	17
COL	Colorectal Cancer Screening	18
CHL	Chlamydia Screening in Women	19
GSO	Glaucoma Screening in Older Adults	22
HPV	Human Papillomavirus Vaccine for Female Adolescents	23
COA	Care for Older Adults	24
Respiratory Conditions		
PCE	Pharmacotherapy Management of COPD Exacerbation	25
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	29
ASM	Use of Appropriate Medications for People with Asthma	30
Cardiovascular		
CMC	Cholesterol Management for Patients with Cardiovascular Conditions	33
CBP	Controlling High Blood Pressure	37
PBH	Persistence of Beta Blocker Treatment After Heart Attack	38
Diabetes		
CDC	Comprehensive Diabetes Care	39
Musculoskeletal		
ART	Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis	46
OMW	Osteoporosis Management in Women Who had a Fracture	47
Behavioral Health		
AMM	Antidepressant Medication Management	48
ADD	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	55
FUH	Follow-up After Hospitalization for Mental Illness	58

Code	Effectiveness of Care Measures	Page
Medication Management		
MPM	Annual Monitoring for Patients on Persistent Medications	62
MRP	Medication Reconciliation Post Discharge	69
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly	70
DAE	Use of High Risk Medications in the Elderly	72

Code	Access / Availability of Care Measures	Page
AAP	Adult's Access to Preventive/Ambulatory Health Services	74
CAP	Children's and Adolescents' Access to Primary Care Practitioners	81
IET	Initiation/Engagement of Alcohol & Other Drug Dependence Treatment	84
PPC	Prenatal and Postpartum Care	91

Code	Use of Services Measures	Page
W15	Well Child Visits in the First 15 Months of Life	94
W34	Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life	97
AWC	Adolescent Well-Care Visits	98
AMB	Ambulatory Care	99
IPU	Inpatient Utilization - General Hospital/Acute Care	106
IAD	Identification of Alcohol and Other Drug Services	113
MPT	Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service	120
PCR	Plan All-Cause Readmissions	127

Code	Health Plan Descriptive Information Measures	Page
BCR	Board Certification	131
ENP	Enrollment by Product Line (Age & Sex)	134

(this page left blank intentionally)

Effectiveness of Care

Blue Plus (HMO Minnesota)

Adult BMI Assessment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	Medicare Advantage	MA Expand F& C	MN Care
Measurement Year	2013		2013	2013
Data Collection Methodology	A		H	H
Eligible Member Population	8617		8017	10685
Numerator Events by Admin Data on Eligible Population (before exclusions)			434	379
Current Year's Admin Rate	NR	NR	5.41%	3.55%
Minimum Required Sample Size			411	411
Oversampling Rate			5.00%	5.00%
Final Sample Size (FSS)			432	432
Numerator events by admin data in FSS			26	14
Admin Rate on FSS	NR	NR	6.02%	3.24%
Number of Records Excluded Because of Valid Data Errors			0	0
Number of administrative data records excluded			0	0
Number of medical record data records excluded			0	0
Number of employee/dependent medical records excluded			0	0
Records Added from the Oversample List			0	0
Denominator			432	432
Numerator Events by Admin Data	219		26	14
Numerator Events by Medical Record			335	321
Reported Rate	2.54%	NR	83.56%	77.55%
Lower 95% Confidence Interval	2.20%	NR	79.95%	73.50%
Upper 95% Confidence Interval	2.88%	NR	87.18%	81.60%

Commercial

Data Elements	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity					
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2013				2013				2013			
Data Collection Methodology	A				A				A			
Eligible Member Population		2063	1348	3411		2063	1348	3411		2063	1348	3411
Numerator events by admin data in eligible population												
Current Year's Administrative Rate		NR	NR	NR		NR	NR	NR		NR	NR	NR
Minimum Required Sample Size												
Oversampling Rate												
Final Sample Size (FSS)												
Numerator events by admin data in FSS												
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors												
Number of administrative data records excluded												
Number of medical records excluded												
Number of employee/dependent records excluded												
Records Added from the Oversample List												
Denominator												
Numerator Events by Admin Data		102	42	144		7	13	20		0	0	0
Numerator Events by Medical Record												
Reported Rate		4.94%	3.12%	4.22%		0.34%	0.96%	0.59%		0.00%	0.00%	0.00%
Lower 95% Confidence Interval		3.98%	2.15%	3.53%		0.06%	0.41%	0.32%		0.00%	0.00%	0.00%
Upper 95% Confidence Interval		5.90%	4.08%	4.91%		0.61%	1.52%	0.86%		0.02%	0.04%	0.01%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year					2013				2013			
Data Collection Methodology					H				H			
Eligible Member Population		10561	5010	15571		10561	5010	15571		10561	5010	15571
Numerator events by admin data in eligible population		204	99	303		73	72	145		2	3	5
Current Year's Administrative Rate		1.93%	1.98%	1.95%		0.69%	1.44%	0.93%		0.02%	0.06%	0.03%
Minimum Required Sample Size					411				411			
Oversampling Rate					5.00%				5.00%			
Final Sample Size (FSS)					432				432			
Numerator events by admin data in FSS		7	1	8		1	3	4		0	0	0
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors					0				0			
Number of administrative data records excluded					0				0			
Number of medical records excluded					0				0			
Number of employee/dependent records excluded					0				0			
Records Added from the Oversample List					0				0			
Denominator		283	149	432		283	149	432		283	149	432
Numerator Events by Admin Data		7	1	8		1	3	4		0	0	0
Numerator Events by Medical Record		95	52	147		151	53	204		114	59	173
Reported Rate		36.04%	35.57%	35.88%		53.71%	37.58%	48.15%		40.28%	39.60%	40.05%
Lower 95% Confidence Interval		30.27%	27.55%	31.24%		47.72%	29.47%	43.32%		34.39%	31.41%	35.31%
Upper 95% Confidence Interval		41.81%	43.59%	40.52%		59.70%	45.70%	52.98%		46.17%	47.79%	44.78%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	BMI Percentile				Counseling for Nutrition				Counseling for Physical Activity			
	General	Ages 3-11	Ages 12-17	Total	General	Ages 3-11	Ages 12-17	Total	General	Ages 3-11	Ages 12-	Total
Measurement Year	2013				2013				2013			
Data Collection Methodology	H				H				H			
Eligible Member Population		5037	3520	8557		5037	3520	8557		5037	3520	8557
Numerator events by admin data in eligible		77	40	117		24	35	59		1	0	1
Current Year's Administrative Rate		1.53%	1.14%	1.37%		0.48%	0.99%	0.69%		0.02%	0.00%	0.01%
Minimum Required Sample Size	411				411				411			
Oversampling Rate	5.00%				5.00%				5.00%			
Final Sample Size (FSS)	432				432				432			
Numerator events by admin data in FSS		1	0	1		1	1	2		0	0	0
Admin rate on FSS		0.23%	0.00%	0.23%		0.23%	0.23%	0.46%		0.00%	0.00%	0.00%
Number of Records Excluded Because of	0				0				0			
Number of administrative data records	0				0				0			
Number of medical records excluded	0				0				0			
Number of employee/dependent records	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		271	161	432		271	161	432		271	161	432
Numerator Events by Admin Data		1	0	1		1	1	2		0	0	0
Numerator Events by Medical Record		92	63	155		137	61	198		124	56	180
Reported Rate		34.32%	39.13%	36.11%		50.92%	38.51%	46.30%		45.76%	34.78%	41.67%
Lower 95% Confidence Interval		28.48%	31.28%	31.47%		44.79%	30.68%	41.48%		39.64%	27.11%	36.90%
Upper 95% Confidence Interval		40.15%	46.98%	40.76%		57.06%	46.34%	51.11%		51.87%	42.45%	46.43%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2013										
Data Collection Methodology	A										
Eligible Member Population	212										
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data		179	196	195	201	179	190	182	168	172	157
Numerator Events by Medical Record											
Reported Rate		84.43%	92.45%	91.98%	94.81%	84.43%	89.62%	85.85%	79.25%	81.13%	74.06%
Lower 95% Confidence Interval		79.32%	88.66%	88.09%	91.59%	79.32%	85.28%	80.92%	73.55%	75.63%	67.92%
Upper 95% Confidence Interval		89.55%	96.24%	95.87%	98.03%	89.55%	93.96%	90.78%	84.94%	86.63%	80.19%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2013										
Data Collection Methodology	A										
Eligible Member Population	212										
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data		179	158	153	134	137	130	124	114	118	106
Numerator Events by Medical Record											
Reported Rate		84.43%	74.53%	72.17%	63.21%	64.62%	61.32%	58.49%	53.77%	55.66%	50.00%
Lower 95% Confidence Interval		79.32%	68.43%	65.90%	56.48%	57.95%	54.53%	51.62%	46.83%	48.74%	43.03%
Upper 95% Confidence Interval		89.55%	80.63%	78.44%	69.93%	71.29%	68.11%	65.36%	60.72%	62.58%	56.97%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2013										
Data Collection Methodology	H										
Eligible Member Population	1813										
Numerator events by admin data in eligible population		1492	1677	1638	1681	1570	1635	1514	1330	1312	1074
Current Year's Administrative Rate		82.29%	92.50%	90.35%	92.72%	86.60%	90.18%	83.51%	73.36%	72.37%	59.24%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		349	403	398	400	376	395	364	316	316	255
Admin rate on FSS		80.79%	93.29%	92.13%	92.59%	87.04%	91.44%	84.26%	73.15%	73.15%	59.03%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	432										
Numerator Events by administrative Data		349	403	398	400	376	395	364	316	316	255
Numerator Events by Medical Record		10	6	1	8	26	0	9	4	11	7
Reported Rate		83.10%	94.68%	92.36%	94.44%	93.06%	91.44%	86.34%	74.07%	75.69%	60.65%
Lower 95% Confidence Interval		79.45%	92.44%	89.74%	92.17%	90.54%	88.68%	82.99%	69.83%	71.53%	55.93%
Upper 95% Confidence Interval		86.75%	96.91%	94.98%	96.72%	95.57%	94.19%	89.70%	78.32%	79.86%	65.37%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2013										
Data Collection Methodology	H										
Eligible Member Population	1813										
Numerator events by admin data in eligible population		1492	1324	1276	1045	1039	865	890	741	735	649
Current Year's Administrative Rate		82.29%	73.03%	70.38%	57.64%	57.31%	47.71%	49.09%	40.87%	40.54%	35.80%
Minimum Required Sample Size	411										
Oversampling Rate	0.05										
Final Sample Size (FSS)	432										
Numerator events by admin data in FSS		349	317	310	249	255	205	219	172	174	152
Admin rate on FSS		80.79%	73.38%	71.76%	57.64%	59.03%	47.45%	50.69%	39.81%	40.28%	35.19%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	432										
Numerator Events by administrative Data		349	317	310	249	255	205	219	172	174	152
Numerator Events by Medical Record		10	27	28	27	29	27	25	27	25	23
Reported Rate		83.10%	79.63%	78.24%	63.89%	65.74%	53.70%	56.48%	46.06%	46.06%	40.51%
Lower 95% Confidence Interval		79.45%	75.72%	74.23%	59.24%	61.15%	48.89%	51.69%	41.25%	41.25%	35.76%
Upper 95% Confidence Interval		86.75%	83.54%	82.25%	68.53%	70.33%	58.52%	61.27%	50.88%	50.88%	45.25%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2013										
Data Collection Methodology	H										
Eligible Member Population	351										
Numerator events by admin data in eligible population		265	304	297	307	294	281	282	235	240	183
Current Year's Administrative Rate		75.50%	86.61%	84.62%	87.46%	83.76%	80.06%	80.34%	66.95%	68.38%	52.14%
Minimum Required Sample Size	350										
Oversampling Rate	0										
Final Sample Size (FSS)	350										
Numerator events by admin data in FSS		265	304	297	307	294	281	283	235	240	183
Admin rate on FSS		75.71%	86.86%	84.86%	87.71%	84.00%	80.29%	80.86%	67.14%	68.57%	52.29%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	350										
Numerator Events by administrative Data		265	304	297	307	294	281	283	235	240	183

Effectiveness of Care

Blue Plus (HMO Minnesota)

Childhood Immunization Status

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2013										
Data Collection Methodology	H										
Eligible Member Population	351										
Numerator events by admin data in eligible population		265	242	237	197	192	162	176	144	142	131
Current Year's Administrative Rate		75.50%	68.95%	67.52%	56.13%	54.70%	46.15%	50.14%	41.03%	40.46%	37.32%
Minimum Required Sample Size	350										
Oversampling Rate	0										
Final Sample Size (FSS)	350										
Numerator events by admin data in FSS		265	242	238	197	193	162	176	144	142	131
Admin rate on FSS		75.71%	69.14%	68.00%	56.29%	55.14%	46.29%	50.29%	41.14%	40.57%	37.43%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	350										
Numerator Events by administrative Data		265	242	238	197	193	162	176	144	142	131

Effectiveness of Care

Blue Plus (HMO Minnesota)

Immunizations for Adolescents

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2013			
Data Collection Methodology	A			
Eligible Member Population	244			
Numerator Events by Admin Data on Eligible Population (before exclusions)				
Current Year's Admin Rate		NR	NR	NR
Minimum Required Sample Size				
Oversampling Rate				
Final Sample Size (FSS)				
Numerator events by admin data in FSS				
Admin Rate on FSS		NR	NR	NR
Records Excluded because of Valid Data Errors				
Number of administrative data records excluded				
Number of medical data records excluded				
Number of employee/dependent medical records excluded				
Records Added from the Oversample List				
Denominator				
Numerator Events by Admin Data		148	220	144
Numerator Events by Medical Record				
Reported Rate		60.66%	90.16%	59.02%
Lower 95% Confidence Interval		54.32%	86.22%	52.64%
Upper 95% Confidence Interval		66.99%	94.11%	65.39%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Immunizations for Adolescents

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA-Expand)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2013			
Data Collection Methodology	H			
Eligible Member Population	1174			
Numerator Events by Admin Data on Eligible Population (before exclusions)		638	988	629
Current Year's Admin Rate		54.34%	84.16%	53.58%
Minimum Required Sample Size	411			
Oversampling Rate	5.00%			
Final Sample Size (FSS)	432			
Numerator events by admin data in FSS		254	374	251
Admin Rate on FSS		58.80%	86.57%	58.10%
Records Excluded because of Valid Data Errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records Added from the Oversample List	0			
Denominator	432			
Numerator Events by Admin Data		254	374	251
Numerator Events by Medical Record		0	1	1
Reported Rate		58.80%	86.81%	58.33%
Lower 95% Confidence Interval		54.04%	83.50%	53.57%
Upper 95% Confidence Interval		63.55%	90.11%	63.10%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2013			
Data Collection Methodology	H			
Eligible Member Population	671			
Numerator Events by Admin Data on Eligible		314	568	311
Current Year's Admin Rate		46.80%	84.65%	46.35%
Minimum Required Sample Size	411			
Oversampling Rate	5.00%			
Final Sample Size (FSS)	432			
Numerator events by admin data in FSS		203	370	203
Admin Rate on FSS		46.99%	85.65%	46.99%
Records Excluded because of Valid Data Errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records	0			
Records Added from the Oversample List	0			
Denominator	432			
Numerator Events by Admin Data		203	370	203
Numerator Events by Medical Record		3	1	3
Reported Rate		47.69%	85.88%	47.69%
Lower 95% Confidence Interval		42.86%	82.48%	42.86%
Upper 95% Confidence Interval		52.51%	89.28%	52.51%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Breast Cancer Screening

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	Medicare Advantage	MSHO	MA Expand F& C	MN Care	SNBC SNP	SNBC Non SNP
Measurement Year	2013		2013	2013	2013		
Data Collection Methodology	A		A	A	A		
Eligible Member Population	2286		1022	614	1954		
Numerator Events by Admin Data	1724		596	363	1294		
Reported Rate	75.42%	NR	58.32%	59.12%	66.22%	NR	NR
Lower 95% Confidence Interval	73.63%	NR	55.25%	55.15%	64.10%	NR	NR
Upper 95% Confidence Interval	77.20%	NR	61.39%	63.09%	68.35%	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Cervical Cancer Screening

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	MA Expand F& C	MN Care
Measurement Year	2013	2013	2013
Data Collection Methodology	A	H	H
Eligible Member Population	3979	8822	9563
Numerator Events by Admin Data on Eligible Population (before exclusions)		5521	5757
Current Year's Admin Rate	NR	62.58%	60.20%
Minimum Required Sample Size		411	411
Oversampling Rate		5.00%	5.00%
Final Sample Size (FSS)		432	432
Numerator events by admin data in FSS		271	280
Admin Rate on FSS	NR	62.73%	64.81%
Records Excluded because of Valid Data Errors		0	0
Number of administrative data records excluded		0	0
Number of medical record data records excluded		7	14
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		425	418
Numerator Events by Admin Data	2679	271	280
Numerator Events by Medical Record		32	15
Reported Rate	67.33%	71.29%	70.57%
Lower 95% Confidence Interval	65.86%	66.88%	66.09%
Upper 95% Confidence Interval	68.80%	75.71%	75.06%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Colorectal Cancer Screening

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP
Measurement Year	2013		2013		
Data collection methodology (administrative or hybrid)	A		H		
Eligible population	4414		1901		
Number of numerator events by administrative data in eligible population (before exclusions)			1070		
Current year's administrative rate (before exclusions)	NR	NR	56.29%	NR	NR
Minimum required sample size (MRSS) or other sample size			411		
Oversampling rate			10.00%		
Final sample size (FSS)			453		
Number of numerator events by administrative data in FSS			263		
Administrative rate on FSS	NR	NR	58.06%	NR	NR
Number of original sample records excluded because of valid data errors			0		
Number of administrative data records excluded			0		
Number of medical record data records excluded			0		
Number of employee/dependent medical records excluded			0		
Records added from the oversample list			0		
Denominator			453		
Numerator events by administrative data	3093		263		
Numerator events by medical records			20		
Reported rate	70.07%	NR	62.47%	NR	NR
Lower 95% confidence interval	68.71%	NR	57.90%	NR	NR
Upper 95% confidence interval	71.43%	NR	67.04%	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2013			
Data Collection Methodology	A			
Eligible Member Population		313	410	723
Numerator Events by Admin Data		111	217	328
Reported Rate		35.46%	52.93%	45.37%
Lower 95% Confidence Interval		30.00%	47.97%	41.67%
Upper 95% Confidence Interval		40.92%	57.88%	49.06%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2013			
Data Collection Methodology	A			
Eligible Member Population		906	949	1855
Numerator Events by Admin Data		425	527	952
Reported Rate		46.91%	55.53%	51.32%
Lower 95% Confidence Interval		43.60%	52.32%	49.02%
Upper 95% Confidence Interval		50.21%	58.75%	53.62%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Chlamydia Screening in Women

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Ages 16-20	Ages 21-24	Total
Measurement Year	2013			
Data Collection Methodology	A			
Eligible Member Population		1001	458	1459
Numerator Events by Admin Data		377	224	601
Reported Rate		37.66%	48.91%	41.19%
Lower 95% Confidence Interval		34.61%	44.22%	38.63%
Upper 95% Confidence Interval		40.71%	53.60%	43.75%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Glaucoma Screening in Older Adults

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2013
Data Collection Methodology		A
Eligible Member Population		6326
Numerator Events by Admin Data		4786
Reported Rate	NR	75.66%
Lower 95% Confidence Interval	NR	74.59%
Upper 95% Confidence Interval	NR	76.72%

Human Papillomavirus Vaccine for Female Adolescents

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	MA Expand F & C	MN Care
Measurement Year	2013	2013	2013
Data Collection Methodology	A	H	H
Eligible Member Population	113	582	313
Numerator Events by Admin Data on Eligible Population (before exclusions)		77	34
Current Year's Admin Rate	NR	13.23%	10.86%
Minimum Required Sample Size		411	313
Oversampling Rate		5.00%	0.00%
Final Sample Size (FSS)		432	313
Numerator events by admin data in FSS		47	34
Admin Rate on FSS	NR	10.88%	10.86%
Records Excluded because of Valid Data Errors		0	0
Number of administrative data records excluded		0	0
Number of medical record data records excluded		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		432	313
Numerator Events by Admin Data	15	47	34
Numerator Events by Medical Record		5	0
Reported Rate	13.27%	12.04%	10.86%
Lower 95% Confidence Interval	6.58%	8.85%	7.26%
Upper 95% Confidence Interval	19.97%	15.22%	14.47%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Care for Older Adults

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Data Elements	General Measure Data	Advance Care Planning	Medication Review	Functional Status Assessment	Pain Screening
Measurement Year	2013				
Data Collection Methodology	H				
Eligible Member Population	7590				
Numerator Events by Admin Data on Eligible Population (before exclusions)		164	2282	2255	2260
Current Year's Admin Rate		2.16%	30.07%	29.71%	29.78%
Minimum Required Sample Size	411				
Oversampling Rate	10.00%				
Final Sample Size (FSS)	453				
Numerator events by admin data in FSS		9	140	139	139
Admin Rate on FSS		1.99%	30.91%	30.68%	30.68%
Records Excluded because of Valid Data Errors	0				
Number of employee/dependent medical records excluded	0				
Records Added from the Oversample List	0				
Denominator	453				
Numerator Events by Admin Data		9	140	139	139
Numerator Events by Medical Record		270	212	272	240
Reported Rate		61.59%	77.70%	90.73%	83.66%
Lower 95% Confidence Interval		57.00%	73.76%	87.95%	80.15%
Upper 95% Confidence Interval		66.18%	81.65%	93.51%	87.18%

Medicare Advantage

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	234		
Numerator Events by Admin Data		152	197
Reported Rate		64.96%	84.19%
Lower 95% Confidence Interval		58.63%	79.30%
Upper 95% Confidence Interval		71.28%	89.08%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP
Measurement Year		2013		
Data Collection Methodology		A		
Eligible Member Population		248		
Numerator Events by Admin Data		53		
Reported Rate	NR	21.37%	NR	NR
Lower 95% Confidence Interval	NR	16.07%	NR	NR
Upper 95% Confidence Interval	NR	26.67%	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		17	12	66	47	142
Numerator Events by Admin Data		17	11	62	44	134
Number of required exclusions		0	1	1	18	20
Reported Rate		NA	NA	93.94%	93.62%	94.37%
Lower 95% Confidence Interval		NA	NA	87.43%	85.56%	90.22%
Upper 95% Confidence Interval		NA	NA	100.00%	100.00%	98.51%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		173	144	241	70	628
Numerator Events by Admin Data		161	126	196	54	537
Number of required exclusions		13	5	69	63	150
Reported Rate		93.06%	87.50%	81.33%	77.14%	85.51%
Lower 95% Confidence Interval		88.99%	81.75%	76.20%	66.59%	82.68%
Upper 95% Confidence Interval		97.14%	93.25%	86.46%	87.69%	88.34%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Ages 5-11	Ages 12-18	Ages 19-50	Ages 51-64	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		93	92	192	113	490
Numerator Events by Admin Data		89	85	167	90	431
Number of required exclusions		4	3	39	152	198
Reported Rate		95.70%	92.39%	86.98%	79.65%	87.96%
Lower 95% Confidence Interval		91.04%	86.43%	81.96%	71.78%	84.98%
Upper 95% Confidence Interval		100.00%	98.35%	92.00%	87.51%	90.94%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Cholesterol Management for Patients with Cardiovascular Conditions

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	136		
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data		120	0
Numerator Events by Medical Record			
Reported Rate		88.24%	0.00%
Lower 95% Confidence Interval		82.45%	0.00%
Upper 95% Confidence Interval		94.02%	0.37%

Medicare Advantage

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2013		
Data Collection Methodology	H		
Eligible Member Population	110		
Numerator Events by Admin Data on Eligible Population		94	0
Current Year's Admin Rate		85.45%	0.00%
Minimum Required Sample Size	110		
Oversampling Rate	0.00%		
Final Sample Size (FSS)	110		
Numerator events by admin data in FSS		97	0
Admin rate on FSS		88.18%	0.00%
Records Excluded because of Valid Data Errors	0		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	110		
Numerator Events by Admin Data		97	0
Numerator Events by Medical Record		2	60
Reported Rate		90.00%	54.55%
Lower 95% Confidence Interval		83.94%	44.79%
Upper 95% Confidence Interval		96.06%	64.31%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Cholesterol Management for Patients with Cardiovascular Conditions

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2013		
Data Collection Methodology	H		
Eligible Member Population	185		
Numerator Events by Admin Data on Eligible Population		156	0
Current Year's Admin Rate		84.32%	0.00%
Minimum Required Sample Size	185		
Oversampling Rate	0.00%		
Final Sample Size (FSS)	185		
Numerator events by admin data in FSS		158	0
Admin rate on FSS		85.41%	0.00%
Records Excluded because of Valid Data Errors	0		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	185		
Numerator Events by Admin Data		158	0
Numerator Events by Medical Record		5	98
Reported Rate		88.11%	52.97%
Lower 95% Confidence Interval		83.17%	45.51%
Upper 95% Confidence Interval		93.04%	60.44%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Controlling High Blood Pressure

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC-SNP	SNBC Non SNP	MA Expand F&C	MN Care
Measurement Year	2013		2013			2013	2013
Data Collection Methodology (Hybrid)	H		H			H	H
Eligible Member Population	1173		1705			1374	2005
Numerator Events by Admin Data on Eligible Population (before exclusions)	0		0			0	0
Current Year's Admin Rate	0.00%	NR	0.00%	NR	NR	0.00%	0.00%
Minimum Required Sample Size	335		411			411	411
Oversampling Rate	10.00%		10.00%			10.00%	10.00%
Final Sample Size (FSS)	369		453			453	453
Numerator events by admin data in FSS	0		0			0	0
Admin rate on FSS	0.00%	NR	0.00%	NR	NR	0.00%	0.00%
Records Excluded because of Valid Data Errors	1		4			8	2
Number of records excluded because of false positive diagnoses	1		4			8	2
Number of administrative data records excluded	0		2			2	0
Number of medical record data records excluded	0		0			0	0
Number of employee/dependent medical records excluded	0		0			0	0
Records Added from the OverSample List	0		0			0	0
Denominator	368		447			443	451
Numerator Events by Admin Data	0		0			0	0
Numerator Events by Medical Record	299		315			297	313
Reported Rate	81.25%	NR	70.47%	NR	NR	67.04%	69.40%
Lower 95% Confidence Interval	77.13%	NR	66.13%	NR	NR	62.55%	65.04%
Upper 95% Confidence Interval	85.37%	NR	74.81%	NR	NR	71.53%	73.77%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC SNP	SNBC Non SNP	MA Expand F&C	MN Care
Measurement Year	2013		2013			2013	2013
Data Collection Methodology	A		A			A	A
Eligible Member Population	8		68			21	15
Numerator Events by Admin Data on Eligible Population	7		64			19	12
Reported Rate	NA	NR	94.12%	NR	NR	NA	NA
Lower 95% Confidence Interval	NA	NR	87.79%	NR	NR	NA	NA
Upper 95% Confidence Interval	NA	NR	100.00%	NR	NR	NA	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	HbA1c Testing	Poor HbA1c Control (>9.0%)	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2013				2013	2013		2013		
Data Collection Methodology	A				A	A		A		
Eligible Member Population	648				648	648		648		
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of HbA1c < 7 required administrative data records excluded										
Number of HbA1c < 7 required medical records excluded										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data	586				350	551		517		
Numerator Events by Medical Record										
Reported Rate	90.43%	NR	NR	NR	54.01%	85.03%	NR	79.78%	NR	NR
Lower 95% Confidence Interval	88.09%	NR	NR	NR	50.10%	82.21%	NR	76.61%	NR	NR
Upper 95% Confidence Interval	92.77%	NR	NR	NR	57.93%	87.86%	NR	82.95%	NR	NR

Medicare Advantage

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2013	2013		2013	2013	2013	2013	2013	2013	2013
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	808	808		808	808	808	808	808	808	808
Numerator events by admin data in eligible population	737	794		11	553	662	19	697	4	4
Current Year's Administrative Rate	91.21%	98.27%	NR	1.36%	68.44%	81.93%	2.35%	86.26%	0.50%	0.50%
Minimum Required Sample Size	548	548		548	548	548	548	548	548	548
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	603	603		603	603	603	603	603	603	603
Numerator events by admin data in FSS	554	594		8	418	511	14	525	1	1
Admin rate on FSS	91.87%	98.51%	NR	1.33%	69.32%	84.74%	2.32%	87.06%	0.17%	0.17%
Number of Records Excluded Because of Valid Data Errors	0	0		0	0	0	0	0	0	0
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	603	603		603	603	603	603	603	603	603
Numerator Events by Admin Data	554	188		8	418	511	14	525	1	1
Numerator Events by Medical Record	3	16		356	52	2	295	8	422	381
Reported Rate	92.37%	33.83%	NR	60.36%	77.94%	85.07%	51.24%	88.39%	70.15%	63.35%
Lower 95% Confidence Interval	90.17%	29.97%	NR	56.38%	74.55%	82.15%	47.17%	85.75%	66.41%	59.42%
Upper 95% Confidence Interval	94.57%	37.69%	NR	64.35%	81.34%	88.00%	55.32%	91.03%	73.88%	67.28%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC - SNP

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC - Non SNP

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <140/80 mm Hg
Measurement Year	2013	2013		2013	2013	2013	2013	2013	2013	2013
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	1156	1156		1156	1156	1156	1156	1156	1156	1156
Numerator events by admin data in eligible population	994	1156		0	614	878	0	858	2	1
Current Year's Administrative Rate	85.99%	100.00%	NR	0.00%	53.11%	75.95%	0.00%	74.22%	0.17%	0.09%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	404	453		0	251	363	0	346	0	0
Admin rate on FSS	89.18%	100.00%	NR	0.00%	55.41%	80.13%	0.00%	76.38%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0	0		0	0	0	0	0	0	0
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	453	453		453	453	453	453	453	453	453
Numerator Events by Admin Data	404	121		0	251	363	0	346	0	0
Numerator Events by Medical Record	3	79		205	45	7	176	10	327	227
Reported Rate	89.85%	44.15%	NR	45.25%	65.34%	81.68%	38.85%	78.59%	72.19%	50.11%
Lower 95% Confidence Interval	86.95%	39.47%	NR	40.56%	60.85%	78.00%	34.25%	74.70%	67.95%	45.40%
Upper 95% Confidence Interval	92.74%	48.83%	NR	49.95%	69.83%	85.35%	43.45%	82.48%	76.42%	54.83%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	HbA1c	Poor HbA1c	Good HbA1c	Adequate	Eye Exam	LDL-C	LDL-C Level	Monitoring for	Blood	Blood
Measurement Year	2013	2013		2013	2013	2013	2013	2013	2013	2013
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	1429	1429		1429	1429	1429	1429	1429	1429	1429
Numerator events by admin data in eligible	1305	1429		0	808	1177	0	1190	0	0
Current Year's Administrative Rate	91.32%	100.00%	NR	0.00%	56.54%	82.37%	0.00%	83.28%	0.00%	0.00%
Minimum Required Sample Size	411	411		411	411	411	411	411	411	411
Oversampling Rate	10%	10%		10%	10%	10%	10%	10%	10%	10%
Final Sample Size (FSS)	453	453		453	453	453	453	453	453	453
Numerator events by admin data in FSS	422	453		0	275	378	0	377	0	0
Admin rate on FSS	93.16%	100.00%	NR	0.00%	60.71%	83.44%	0.00%	83.22%	0.00%	0.00%
Number of Records Excluded Because of	0	0		0	0	0	0	0	0	0
Number of administrative data records	0	0		0	0	0	0	0	0	0
Number of medical record data records	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the	0	0		0	0	0	0	0	0	0
Denominator	453	453		453	453	453	453	453	453	453
Numerator Events by Admin Data	422	129		0	275	378	0	377	0	0
Numerator Events by Medical Record	6	39		232	38	6	201	12	311	241
Reported Rate	94.48%	37.09%	NR	51.21%	69.09%	84.77%	44.37%	85.87%	68.65%	53.20%
Lower 95% Confidence Interval	92.27%	32.53%	NR	46.50%	64.73%	81.35%	39.69%	82.55%	64.27%	48.50%
Upper 95% Confidence Interval	96.69%	41.64%	NR	55.93%	73.46%	88.19%	49.06%	89.19%	73.04%	57.91%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Medicare Advantage
Measurement Year	
Data Collection Methodology	
Eligible Member Population	
Numerator Events by Admin Data	
Reported Rate	NR
Lower 95% Confidence Interval	NR
Upper 95% Confidence Interval	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Medicare Advantage	MSHO
Measurement Year		2013
Data Collection Methodology		A
Eligible Member Population		336
Numerator Events by Admin Data		36
Reported Rate	NR	10.71%
Lower 95% Confidence Interval	NR	7.26%
Upper 95% Confidence Interval	NR	14.17%

Commercial

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	183		
Numerator Events by Admin Data		149	113
Reported Rate		81.42%	61.75%
Lower 95% Confidence Interval		75.51%	54.43%
Upper 95% Confidence Interval		87.33%	69.06%

Medicare Advantage

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	182		
Numerator Events by Admin Data		126	116
Reported Rate		69.23%	63.74%
Lower 95% Confidence Interval		62.25%	56.48%
Upper 95% Confidence Interval		76.21%	71.00%

SNBC-SNP

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

SNBC-Non SNP

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	1344		
Numerator Events by Admin Data		671	488
Reported Rate		49.93%	36.31%
Lower 95% Confidence Interval		47.22%	33.70%
Upper 95% Confidence Interval		52.64%	38.92%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Effective Acute	Effective
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	616		
Numerator Events by Admin Data		368	270
Reported Rate		59.74%	43.83%
Lower 95% Confidence Interval		55.79%	39.83%
Upper 95% Confidence Interval		63.69%	47.83%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population		45	14
Numerator Events by Admin Data		20	4
Reported Rate		44.44%	NA
Lower 95% Confidence Interval		28.81%	NA
Upper 95% Confidence Interval		60.07%	NA

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population		475	120
Numerator Events by Admin Data		184	52
Reported Rate		38.74%	43.33%
Lower 95% Confidence Interval		34.25%	34.05%
Upper 95% Confidence Interval		43.22%	52.62%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Initiation	Continuation
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population		103	27
Numerator Events by Admin Data		45	9
Reported Rate		43.69%	NA
Lower 95% Confidence Interval		33.62%	NA
Upper 95% Confidence Interval		53.75%	NA

Medicare Advantage

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	40		
Numerator Events by Admin Data		29	17
Reported Rate		72.50%	42.50%
Lower 95% Confidence Interval		57.41%	25.93%
Upper 95% Confidence Interval		87.59%	59.07%

SNBC - SNP

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

SNBC-Non SNP

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		836	3	585	37	1461
Numerator Events by Admin Data		671	3	469	22	1165
Reported Rate		80.26%	NA	80.17%	59.46%	79.74%
Lower 95% Confidence Interval		77.51%	NA	76.85%	42.29%	77.64%
Upper 95% Confidence Interval		83.02%	NA	83.49%	76.63%	81.84%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		3205	322	3495	405	7427
Numerator Events by Admin Data		3033	301	3326	324	6984
Reported Rate		94.63%	93.48%	95.16%	80.00%	94.04%
Lower 95% Confidence Interval		93.84%	90.63%	94.44%	75.98%	93.49%
Upper 95% Confidence Interval		95.43%	96.33%	95.89%	84.02%	94.58%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		1170	9	908	151	2238
Numerator Events by Admin Data		995	9	783	105	1892
Reported Rate		85.04%	NA	86.23%	69.54%	84.54%
Lower 95% Confidence Interval		82.96%	NA	83.94%	61.86%	83.02%
Upper 95% Confidence Interval		87.13%	NA	88.53%	77.21%	86.06%

Effectiveness of Care

Blue Plus (HMO Minnesota)

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	Annual Monitoring for Members on				
		ACE Inhibitors	Digoxin	Diuretics	Anti-	Total
Measurement Year	2013					
Data Collection Methodology	A					
Eligible Member Population		2034	20	1467	132	3653
Numerator Events by Admin Data		1709	18	1233	86	3046
Lower 95% Confidence Interval		82.40%	NA	82.14%	56.64%	82.16%
Upper 95% Confidence Interval		85.64%	NA	85.96%	73.66%	84.60%

Medication Reconciliation Post Discharge

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	MSHO
Measurement Year	
Data collection methodology (Administrative or Hybrid)	H
Eligible member population	
Number of numerator events by administrative data in eligible population (before exclusions)	
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	
Oversampling rate	
Final sample size (FSS)	
Number of numerator events by administrative data in FSS	
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	
Number of employee/dependent medical records excluded	
Records added from the oversample list	
Denominator	
Numerator events by administrative data	
Numerator events by medical record	
Reported rate	NR
Lower 95% confidence interval	NR
Upper 95% confidence interval	NR

Medicare Advantage

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year					
Data Collection Methodology					
Eligible Member Population					
Numerator Events by Admin Data					
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2013				
Data Collection Methodology	A				
Eligible Member Population		493	1380	328	2201
Numerator Events by Admin Data		308	788	28	1124
Reported Rate		62.47%	57.10%	8.54%	51.07%
Lower 95% Confidence Interval		58.10%	54.45%	5.36%	48.96%
Upper 95% Confidence Interval		66.85%	59.75%	11.71%	53.18%

Medicare Advantage

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

MSHO

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2013		
Data Collection Methodology	A		
Eligible Member Population	7590		
Numerator Events by Admin Data		1362	231
Reported Rate		17.94%	3.04%
Lower 95% Confidence Interval		17.07%	2.65%
Upper 95% Confidence Interval		18.81%	3.44%

Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		3266	4587	217	8070
Numerator events by administrative data		3009	4337	200	7546
Reported rate		92.13%	94.55%	92.17%	93.51%
Lower 95% confidence interval		91.19%	93.88%	88.36%	92.96%
Upper 95% confidence interval		93.07%	95.22%	95.97%	94.05%

Medicare Advantage

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

MSHO

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		0	0	7604	7604
Numerator events by administrative data		0	0	7497	7497
Reported rate		NA	NA	98.59%	98.59%
Lower 95% confidence interval		NA	NA	98.32%	98.32%
Upper 95% confidence interval		NA	NA	98.86%	98.86%

SNBC-SNP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

SNBC-Non SNP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		10627	4395	4	15026
Numerator events by administrative data		9582	3908	3	13493
Reported rate		90.17%	88.92%	NA	89.80%
Lower 95% confidence interval		89.60%	87.98%	NA	89.31%
Upper 95% confidence interval		90.74%	89.86%	NA	90.28%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2013				
Data collection methodology	A				
Eligible member population (i.e. members)		8657	8560	24	17241
Numerator events by administrative data		7552	7769	22	15343
Reported rate		87.24%	90.76%	NA	88.99%
Lower 95% confidence interval		86.53%	90.14%	NA	88.52%
Upper 95% confidence interval		87.94%	91.38%	NA	89.46%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population		306	1367	940	1695
Numerator events by administrative data		287	1207	814	1481
Reported rate		93.79%	88.30%	86.60%	87.37%
Lower 95% confidence interval		90.92%	86.55%	84.36%	85.76%
Upper 95% confidence interval		96.66%	90.04%	88.83%	88.99%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population		2573	7399	4566	5001
Numerator events by administrative data		2514	6669	4212	4629
Reported rate		97.71%	90.13%	92.25%	92.56%
Lower 95% confidence interval		97.11%	89.45%	91.46%	91.82%
Upper 95% confidence interval		98.30%	90.82%	93.03%	93.30%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General Measure	12-24 months	25 months -	7-11 yrs.	12-19 yrs.
Measurement Year	2013				
Data collection methodology (Administrative only)	A				
Eligible member population		407	3061	2548	4487
Numerator events by administrative data		389	2709	2346	4152
Reported rate		95.58%	88.50%	92.07%	92.53%
Lower 95% confidence interval		93.46%	87.35%	91.00%	91.75%
Upper 95% confidence interval		97.70%	89.65%	93.14%	93.31%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2013						
Data collection methodology (Administrative only)	A						
Eligible member population		12		179		191	
Numerator events by administrative data		4	2	47	18	51	20
Reported rate		NA	NA	26.26%	10.06%	26.70%	10.47%
Lower 95% confidence interval		NA	NA	19.53%	5.37%	20.17%	5.87%
Upper 95% confidence interval		NA	NA	32.98%	14.74%	33.24%	15.08%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2013						
Data collection methodology (Administrative only)	A						
Eligible member population		0		80		80	
Numerator events by administrative data		0	0	37	3	37	3
Reported rate		NA	NA	46.25%	3.75%	46.25%	3.75%
Lower 95% confidence interval		NA	NA	34.70%	0.00%	34.70%	0.00%
Upper 95% confidence interval		NA	NA	57.80%	8.54%	57.80%	8.54%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2013						
Data collection methodology (Administrative only)	A						
Eligible member population		182		1877		2059	
Numerator events by administrative data		82	27	670	234	752	261
Reported rate		45.05%	14.84%	35.70%	12.47%	36.52%	12.68%
Lower 95% confidence interval		37.55%	9.40%	33.50%	10.95%	34.42%	11.21%
Upper 95% confidence interval		52.56%	20.27%	37.89%	13.99%	38.63%	14.14%

Access/Availability of Care

Blue Plus (HMO Minnesota)

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of	Engagement	Initiation of	Engagement	Initiation of	Engagement
Measurement Year	2013						
Data collection methodology (Administrative only)	A						
Eligible member population		53		675		728	
Numerator events by administrative data		18	11	227	80	245	91
Reported rate		33.96%	20.75%	33.63%	11.85%	33.65%	12.50%
Lower 95% confidence interval		20.27%	8.89%	29.99%	9.34%	30.15%	10.03%
Upper 95% confidence interval		47.66%	32.62%	37.27%	14.36%	37.16%	14.97%

Commercial

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2013	2013
Data collection methodology (Administrative or Hybrid)	A	A
Eligible member population	358	358
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	NR	NR
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data	248	179
Numerator events by medical record		
Reported rate	69.27%	50.00%
Lower 95% confidence interval	64.35%	44.68%
Upper 95% confidence interval	74.19%	55.32%

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2013	2013
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	3005	3005
Number of numerator events by administrative data in eligible population (before exclusions)	1554	1387
Current year's administrative rate (before exclusions)	51.71%	46.16%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	10.00%	10.00%
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	225	206
Administrative rate on FSS	49.67%	45.47%
Number of original sample records excluded because of valid data errors	0	0
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	453	453
Numerator events by administrative data	225	206
Numerator events by medical record	147	
Reported rate	82.12%	45.47%
Lower 95% confidence interval	78.48%	40.78%
Upper 95% confidence interval	85.76%	50.17%

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	Timeliness of	Postpartum
Measurement Year	2013	2013
Data collection methodology (Administrative or Hybrid)	H	H
Eligible member population	424	424
Number of numerator events by administrative data in eligible	305	202
Current year's administrative rate (before exclusions)	71.93%	47.64%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	10.00%	10.00%
Final sample size (FSS)	424	424
Number of numerator events by administrative data in FSS	314	210
Administrative rate on FSS	74.06%	49.53%
Number of original sample records excluded because of valid	0	0
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	424	424
Numerator events by administrative data	314	210
Numerator events by medical record	59	91
Reported rate	87.97%	70.99%
Lower 95% confidence interval	84.76%	66.55%
Upper 95% confidence interval	91.19%	75.43%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2013							
Data Collection Methodology	A							
Eligible Member Population	181							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		17	1	1	1	4	21	136
Numerator Events by Medical Record								
Reported Rate		9.39%	0.55%	0.55%	0.55%	2.21%	11.60%	75.14%
Lower 95% Confidence Interval		4.87%	0.00%	0.00%	0.00%	0.00%	6.66%	68.57%
Upper 95% Confidence Interval		13.92%	1.91%	1.91%	1.91%	4.63%	16.54%	81.71%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2013							
Data Collection Methodology	H							
Eligible Member Population	2394							
Numerator events by admin data in eligible population		38	48	99	120	289	540	1260
Current Year's Administrative Rate		1.59%	2.01%	4.14%	5.01%	12.07%	22.56%	52.63%
Minimum Required Sample Size	411							
Oversampling Rate	5.00%							
Final sample size (FSS)	432							
Numerator events by admin data in FSS		5	11	14	25	41	92	244
Administrative rate on FSS		1.16%	2.55%	3.24%	5.79%	9.49%	21.30%	56.48%
Number of Records Excluded Because of Valid Data Errors	0							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Oversample List	0							
Denominator	432							
Numerator Events by Admin Data		4	9	12	18	28	55	243
Numerator Events by Medical Record		0	0	0	0	6	9	48
Reported Rate		0.93%	2.08%	2.78%	4.17%	7.87%	14.81%	67.36%
Lower 95% Confidence Interval		0.00%	0.62%	1.11%	2.17%	5.22%	11.35%	62.82%
Upper 95% Confidence Interval		1.94%	3.55%	4.44%	6.17%	10.53%	18.28%	71.90%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Data Elements	General	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more
Measurement Year	2013							
Data Collection Methodology	H							
Eligible Member Population	354							
Numerator events by admin data in eligible		12	12	12	13	25	57	223
Current Year's Administrative Rate		3.39%	3.39%	3.39%	3.67%	7.06%	16.10%	62.99%
Minimum Required Sample Size	354							
Oversampling Rate	0.00%							
Final sample size (FSS)	354							
Numerator events by admin data in FSS		12	12	12	13	25	57	223
Administrative rate on FSS		3.39%	3.39%	3.39%	3.67%	7.06%	16.10%	62.99%
Number of Records Excluded Because of	0							
Number of employee/dependent medical	0							
Additional Records Added from the	0							
Denominator	354							
Numerator Events by Admin Data		10	8	10	7	11	35	222
Numerator Events by Medical Record		0	2	0	2	3	15	29
Reported Rate		2.82%	2.82%	2.82%	2.54%	3.95%	14.12%	70.90%
Lower 95% Confidence Interval		0.96%	0.96%	0.96%	0.76%	1.78%	10.36%	66.03%
Upper 95% Confidence Interval		4.69%	4.69%	4.69%	4.32%	6.13%	17.89%	75.78%

Use of Services

Blue Plus (HMO Minnesota)

Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	MA Expand F&C	MN Care
Measurement Year	2013	2013	2013
Data Collection Methodology	A	H	H
Eligible Member Population	1101	5943	2635
Numerator events by admin data in eligible population		3620	1603
Current Year's Admin Rate	NR	60.91%	60.83%
Minimum Required Sample Size		411	411
Oversampling Rate		5.00%	5.00%
Final sample size (FSS)		432	432
Numerator events by admin data in FSS		286	276
Administrative rate on FSS	NR	66.20%	63.89%
Records Excluded because of Valid Data Errors		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		432	432
Numerator Events by Admin Data	780	286	276
Numerator Events by Medical Record		7	11
Reported Rate	70.84%	67.82%	66.44%
Lower 95% Confidence Interval	68.11%	63.30%	61.87%
Upper 95% Confidence Interval	73.57%	72.35%	71.00%

Use of Services

Blue Plus (HMO Minnesota)

Adolescent Well-Care Visits

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Data Elements	Commercial	MA Expand F&C	MN Care
Measurement Year	2013	2013	2013
Data Collection Methodology	A	H	H
Eligible Member Population	3036	8011	6897
Numerator events by admin data in eligible population		2612	2112
Current Year's Admin Rate	NR	32.61%	30.62%
Minimum Required Sample Size		411	411
Oversampling Rate		5.00%	5.00%
Final sample size (FSS)		432	432
Numerator events by admin data in FSS		152	140
Administrative rate on FSS	NR	35.19%	32.41%
Records Excluded because of Valid Data Errors		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		432	432
Numerator Events by Admin Data	983	152	140
Numerator Events by Medical Record		44	23
Reported Rate	32.38%	45.37%	37.73%
Lower 95% Confidence Interval	30.70%	40.56%	33.04%
Upper 95% Confidence Interval	34.06%	50.18%	42.42%

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Age	Member Months
<1	4219
1-9	38116
10-19	46253
20-44	108833
45-64	104592
65-74	3732
75-84	199
85+	24
Unknown	0
Total	305968

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	3361	796.63	110	26.07
1-9	10673	280.01	667	17.50
10-19	10225	221.07	602	13.02
20-44	25598	235.20	1417	13.02
45-64	34937	334.03	1204	11.51
65-74	1824	488.75	63	16.88
75-84	99	497.49	6	30.15
85+	9	375.00	1	41.67
Unknown	0		0	
Total	86726	283.45	4070	13.30

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	9
65-74	28071
75-84	34625
85+	43443
Unknown	0
Total	106148

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	0	NA	0	NA
20-44	0	NA	0	NA
45-64	7	777.78	0	0.00
65-74	27764	989.06	1669	59.46
75-84	32859	949.00	2020	58.34
85+	35913	826.67	2130	49.03
Unknown	0		0	
Total	96543	909.51	5819	54.82

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months
<1	51034
1-9	288127
10-19	195568
20-44	280263
45-64	86110
65-74	23
75-84	0
85+	0
Unknown	0
Total	901125

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	42091	824.76	4827	94.58
1-9	95978	333.11	13663	47.42
10-19	54190	277.09	7147	36.54
20-44	135328	482.86	22432	80.04
45-64	51394	596.84	4292	49.84
65-74	6	260.87	1	43.48
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	378987	420.57	52362	58.11

Use of Services

Blue Plus (HMO Minnesota)

Ambulatory Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months
<1	5236
1-9	86590
10-19	107871
20-44	163094
45-64	139468
65-74	277
75-84	40
85+	20
Unknown	0
Total	502596

Age	Outpatient Visits (Excludes)		Emergency Room Visits	
	Visits	Visits/ 1,000	Visits	Visits/ 1,000
<1	4308	822.77	266	50.80
1-9	26306	303.80	2659	30.71
10-19	30778	285.32	2717	25.19
20-44	65873	403.90	6198	38.00
45-64	74565	534.64	4408	31.61
65-74	166	599.28	14	50.54
75-84	19	475.00	0	0.00
85+	15	750.00	1	50.00
Unknown	0		0	
Total	202030	401.97	16263	32.36

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Age	Member Months
<1	4219
1-9	38116
10-19	46253
20-44	108833
45-64	104592
65-74	3732
75-84	199
85+	24
Unknown	0
Total	305968

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	40	9.48	267	63.29	6.68
1-9	56	1.47	145	3.80	2.59
10-19	59	1.28	152	3.29	2.58
20-44	595	5.47	1492	13.71	2.51
45-64	525	5.02	1938	18.53	3.69
65-74	36	9.65	114	30.55	3.17
75-84	3	15.08	13	65.33	4.33
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	1314	4.29	4121	13.47	3.14
Medicine					
<1	35	8.30	246	58.31	7.03
1-9	43	1.13	114	2.99	2.65
10-19	29	0.63	76	1.64	2.62
20-44	87	0.80	279	2.56	3.21
45-64	215	2.06	819	7.83	3.81
65-74	15	4.02	45	12.06	3.00
75-84	1	5.03	1	5.03	1.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	425	1.39	1580	5.16	3.72
Surgery					
<1	5	1.19	21	4.98	4.20
1-9	13	0.34	31	0.81	2.38
10-19	22	0.48	56	1.21	2.55
20-44	92	0.85	202	1.86	2.20
45-64	310	2.96	1119	10.70	3.61
65-74	21	5.63	69	18.49	3.29
75-84	2	10.05	12	60.30	6.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	465	1.52	1510	4.94	3.25
Maternity					
10-19	8	0.17	20	0.43	2.50
20-44	415	3.81	1010	9.28	2.43
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	423	1.63	1030	3.97	2.43

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	9
65-74	28071
75-84	34625
85+	43443
Unknown	0
Total	106148

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	1091	38.87	5139	183.07	4.71
75-84	1539	44.45	7424	214.41	4.82
85+	1666	38.35	7104	163.52	4.26
Unknown	0		0		NA
Total	4296	40.47	19667	185.28	4.58
Medicine					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	840	29.92	3731	132.91	4.44
75-84	1280	36.97	5930	171.26	4.63
85+	1448	33.33	5905	135.93	4.08
Unknown	0		0		NA
Total	3568	33.61	15566	146.64	4.36
Surgery					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	250	8.91	1405	50.05	5.62
75-84	256	7.39	1480	42.74	5.78
85+	216	4.97	1192	27.44	5.52
Unknown	0		0		NA
Total	722	6.80	4077	38.41	5.65
Maternity					
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	0	0.00	0	0.00	NA

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months
<1	51034
1-9	288127
10-19	195568
20-44	280263
45-64	86110
65-74	23
75-84	0
85+	0
Unknown	0
Total	901125

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	478	9.37	2230	43.70	4.67
1-9	467	1.62	1230	4.27	2.63
10-19	630	3.22	1860	9.51	2.95
20-44	4786	17.08	12871	45.92	2.69
45-64	997	11.58	3712	43.11	3.72
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	7358	8.17	21903	24.31	2.98
Medicine					
<1	410	8.03	1565	30.67	3.82
1-9	400	1.39	983	3.41	2.46
10-19	169	0.86	511	2.61	3.02
20-44	917	3.27	2893	10.32	3.15
45-64	602	6.99	2075	24.10	3.45
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	2498	2.77	8027	8.91	3.21
Surgery					
<1	68	1.33	665	13.03	9.78
1-9	67	0.23	247	0.86	3.69
10-19	95	0.49	370	1.89	3.89
20-44	527	1.88	1859	6.63	3.53
45-64	392	4.55	1632	18.95	4.16
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1149	1.28	4773	5.30	4.15
Maternity					
10-19	366	1.87	979	5.01	2.67
20-44	3340	11.92	8117	28.96	2.43
45-64	3	0.03	5	0.06	1.67
Unknown	0		0		NA
Total	3709	6.60	9101	16.20	2.45

Use of Services

Blue Plus (HMO Minnesota)

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months
<1	5236
1-9	86590
10-19	107871
20-44	163094
45-64	139468
65-74	277
75-84	40
85+	20
Unknown	0
Total	502596

Age	Discharges	Discharges /	Days	Days / 1,000	Average
Total Inpatient					
<1	40	7.64	153	29.22	3.83
1-9	101	1.17	320	3.70	3.17
10-19	190	1.76	586	5.43	3.08
20-44	771	4.73	1890	11.59	2.45
45-64	315	2.26	1043	7.48	3.31
65-74	2	7.22	8	28.88	4.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	1419	2.82	4000	7.96	2.82
Medicine					
<1	30	5.73	82	15.66	2.73
1-9	71	0.82	223	2.58	3.14
10-19	102	0.95	304	2.82	2.98
20-44	142	0.87	371	2.27	2.61
45-64	163	1.17	501	3.59	3.07
65-74	1	3.61	1	3.61	1.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	509	1.01	1482	2.95	2.91
Surgery					
<1	10	1.91	71	13.56	7.10
1-9	30	0.35	97	1.12	3.23
10-19	59	0.55	210	1.95	3.56
20-44	165	1.01	424	2.60	2.57
45-64	152	1.09	542	3.89	3.57
65-74	1	3.61	7	25.27	7.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	417	0.83	1351	2.69	3.24
Maternity					
10-19	29	0.27	72	0.67	2.48
20-44	464	2.84	1095	6.71	2.36
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	493	1.20	1167	2.84	2.37

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	29028	26538	55566	29028	26538	55566	29028	26538	55566	29028	26538	55566
13-17	11930	11322	23252	11930	11322	23252	11930	11322	23252	11930	11322	23252
18-24	16874	17703	34577	16874	17703	34577	16874	17703	34577	16874	17703	34577
25-34	14957	23956	38913	14957	23956	38913	14957	23956	38913	14957	23956	38913
35-64	62898	86807	149705	62898	86807	149705	62898	86807	149705	62898	86807	149705
65+	2123	1832	3955	2123	1832	3955	2123	1832	3955	2123	1832	3955
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	137810	168158	305968	137810	168158	305968	137810	168158	305968	137810	168158	305968

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
13-17	M	17	1.71%	4	0.40%	2	0.20%	16	1.61%
	F	4	0.42%	1	0.11%	0	0.00%	4	0.42%
	Total	21	1.08%	5	0.26%	2	0.10%	20	1.03%
18-24	M	63	4.48%	16	1.14%	0	0.00%	59	4.20%
	F	26	1.76%	7	0.47%	1	0.07%	23	1.56%
	Total	89	3.09%	23	0.80%	1	0.03%	82	2.85%
25-34	M	32	2.57%	4	0.32%	1	0.08%	31	2.49%
	F	11	0.55%	3	0.15%	0	0.00%	9	0.45%
	Total	43	1.33%	7	0.22%	1	0.03%	40	1.23%
35-64	M	107	2.04%	20	0.38%	2	0.04%	99	1.89%
	F	58	0.80%	14	0.19%	0	0.00%	52	0.72%
	Total	165	1.32%	34	0.27%	2	0.02%	151	1.21%
65+	M	2	1.13%	0	0.00%	0	0.00%	2	1.13%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	2	0.61%	0	0.00%	0	0.00%	2	0.61%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	221	1.92%	44	0.38%	5	0.04%	207	1.80%
	F	99	0.71%	25	0.18%	1	0.01%	88	0.63%
	Total	320	1.26%	69	0.27%	6	0.02%	295	1.16%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0	0	0
35-64	3	6	9	3	6	9	3	6	9	3	6	9
65+	27459	78680	106139	27459	78680	106139	27459	78680	106139	27459	78680	106139
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	27462	78686	106148	27462	78686	106148	27462	78686	106148	27462	78686	106148

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
18-24	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
25-34	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
35-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
65+	M	84	3.67%	34	1.49%	1	0.04%	68	2.97%
	F	82	1.25%	34	0.52%	0	0.00%	64	0.98%
	Total	166	1.88%	68	0.77%	1	0.01%	132	1.49%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	84	3.67%	34	1.49%	1	0.04%	68	2.97%
	F	82	1.25%	34	0.52%	0	0.00%	64	0.98%
	Total	166	1.88%	68	0.77%	1	0.01%	132	1.49%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	208869	203254	412123	208869	203254	412123	208869	203254	412123	208869	203254	412123
13-17	48655	48511	97166	48655	48511	97166	48655	48511	97166	48655	48511	97166
18-24	29761	57449	87210	29761	57449	87210	29761	57449	87210	29761	57449	87210
25-34	41980	93461	135441	41980	93461	135441	41980	93461	135441	41980	93461	135441
35-64	74400	94762	169162	74400	94762	169162	74400	94762	169162	74400	94762	169162
65+	12	11	23	12	11	23	12	11	23	12	11	23
Total	403677	497448	901125	403677	497448	901125	403677	497448	901125	403677	497448	901125

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	15	0.09%	3	0.02%	0	0.00%	12	0.07%
	Total	15	0.04%	3	0.01%	0	0.00%	12	0.03%
13-17	M	274	6.76%	92	2.27%	21	0.52%	260	6.41%
	Total	274	3.38%	92	1.14%	21	0.26%	260	3.21%
18-24	M	550	22.18%	175	7.06%	13	0.52%	529	21.33%
	Total	550	7.57%	175	2.41%	13	0.18%	529	7.28%
25-34	M	1053	30.10%	353	10.09%	12	0.34%	1020	29.16%
	Total	1053	9.33%	353	3.13%	12	0.11%	1020	9.04%
35-64	M	1548	24.97%	491	7.92%	17	0.27%	1467	23.66%
	Total	1548	10.98%	491	3.48%	17	0.12%	1467	10.41%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M	0	NR	0	NR	0	NR	0	NR
	Total	0	NR	0	NR	0	NR	0	NR
Total	M	3440	10.23%	1114	3.31%	63	0.19%	3288	9.77%
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	3440	4.58%	1114	1.48%	63	0.08%	3288	4.38%

Use of Services

Blue Plus (HMO Minnesota)

Identification of Alcohol and Other Drug Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	63702	60152	123854	63702	60152	123854	63702	60152	123854	63702	60152	123854
13-17	26943	26115	53058	26943	26115	53058	26943	26115	53058	26943	26115	53058
18-24	23310	30325	53635	23310	30325	53635	23310	30325	53635	23310	30325	53635
25-34	28091	40901	68992	28091	40901	68992	28091	40901	68992	28091	40901	68992
35-64	82765	119955	202720	82765	119955	202720	82765	119955	202720	82765	119955	202720
65+	169	168	337	169	168	337	169	168	337	169	168	337
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	224980	277616	502596	224980	277616	502596	224980	277616	502596	224980	277616	502596

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	2	0.04%	1	0.02%	0	0.00%	1	0.02%
	F	2	0.04%	1	0.02%	0	0.00%	2	0.04%
	Total	4	0.04%	2	0.02%	0	0.00%	3	0.03%
13-17	M	59	2.63%	21	0.94%	3	0.13%	58	2.58%
	F	62	2.85%	22	1.01%	4	0.18%	57	2.62%
	Total	121	2.74%	43	0.97%	7	0.16%	115	2.60%
18-24	M	132	6.80%	26	1.34%	3	0.15%	124	6.38%
	F	85	3.36%	15	0.59%	0	0.00%	82	3.24%
	Total	217	4.86%	41	0.92%	3	0.07%	206	4.61%
25-34	M	241	10.30%	35	1.50%	4	0.17%	239	10.21%
	F	147	4.31%	18	0.53%	4	0.12%	145	4.25%
	Total	388	6.75%	53	0.92%	8	0.14%	384	6.68%
35-64	M	510	7.39%	70	1.01%	9	0.13%	498	7.22%
	F	430	4.30%	52	0.52%	4	0.04%	421	4.21%
	Total	940	5.56%	122	0.72%	13	0.08%	919	5.44%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	944	5.04%	153	0.82%	19	0.10%	920	4.91%
	F	726	3.14%	108	0.47%	12	0.05%	707	3.06%
	Total	1670	3.99%	261	0.62%	31	0.07%	1627	3.88%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	29028	26538	55566	29028	26538	55566	29028	26538	55566	29028	26538	55566
13-17	11930	11322	23252	11930	11322	23252	11930	11322	23252	11930	11322	23252
18-64	94729	128466	223195	94729	128466	223195	94729	128466	223195	94729	128466	223195
65+	2123	1832	3955	2123	1832	3955	2123	1832	3955	2123	1832	3955
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	137810	168158	305968	137810	168158	305968	137810	168158	305968	137810	168158	305968

Age	Any Services			Inpatient		Intensive Outpatient/Partial Hospitalization			Outpatient/ED	
	Sex	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
0-12	M	189	7.81%	3	0.12%	6	0.25%	189	7.81%	
	F	86	3.89%	0	0.00%	0	0.00%	86	3.89%	
	Total	275	5.94%	3	0.06%	6	0.13%	275	5.94%	
13-17	M	119	11.97%	13	1.31%	9	0.91%	119	11.97%	
	F	135	14.31%	10	1.06%	6	0.64%	135	14.31%	
	Total	254	13.11%	23	1.19%	15	0.77%	254	13.11%	
18-64	M	546	6.92%	21	0.27%	10	0.13%	543	6.88%	
	F	1060	9.90%	21	0.20%	20	0.19%	1059	9.89%	
	Total	1606	8.63%	42	0.23%	30	0.16%	1602	8.61%	
65+	M	9	5.09%	0	0.00%	0	0.00%	9	5.09%	
	F	4	2.62%	0	0.00%	0	0.00%	4	2.62%	
	Total	13	3.94%	0	0.00%	0	0.00%	13	3.94%	
Unknown	M	0	NA	0	NA	0	NA	0	NA	
	F	0	NA	0	NA	0	NA	0	NA	
	Total	0	NA	0	NA	0	NA	0	NA	
Total	M	863	7.51%	37	0.32%	25	0.22%	860	7.49%	
	F	1285	9.17%	31	0.22%	26	0.19%	1284	9.16%	
	Total	2148	8.42%	68	0.27%	51	0.20%	2144	8.41%	

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	3	6	9	3	6	9	3	6	9	3	6	9
65+	27459	78680	106139	27459	78680	106139	27459	78680	106139	27459	78680	106139
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	27462	78686	106148	27462	78686	106148	27462	78686	106148	27462	78686	106148

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
18-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
65+	M	298	13.02%	79	3.45%	5	0.22%	244	10.66%
	F	802	12.23%	184	2.81%	3	0.05%	672	10.25%
	Total	1100	12.44%	263	2.97%	8	0.09%	916	10.36%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	298	13.02%	79	3.45%	5	0.22%	244	10.66%
	F	802	12.23%	184	2.81%	3	0.05%	672	10.25%
	Total	1100	12.44%	263	2.97%	8	0.09%	916	10.36%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

SNBC-SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

SNBC-Non SNP

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care(MA Expand F&C)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	208869	203254	412123	208869	203254	412123	208869	203254	412123	208869	203254	412123
13-17	48655	48511	97166	48655	48511	97166	48655	48511	97166	48655	48511	97166
18-64	146141	245672	391813	146141	245672	391813	146141	245672	391813	146141	245672	391813
65+	12	11	23	12	11	23	12	11	23	12	11	23
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	403677	497448	901125	403677	497448	901125	403677	497448	901125	403677	497448	901125

Age	Any Services			Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
	Sex	Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	2581	14.83%	67	0.38%	166	0.95%	2566	14.74%
	F	1796	10.60%	32	0.19%	88	0.52%	1786	10.54%
	Total	4377	12.74%	99	0.29%	254	0.74%	4352	12.67%
13-17	M	1050	25.90%	70	1.73%	81	2.00%	1038	25.60%
	F	1232	30.48%	167	4.13%	106	2.62%	1212	29.98%
	Total	2282	28.18%	237	2.93%	187	2.31%	2250	27.79%
18-64	M	3483	28.60%	306	2.51%	138	1.13%	3403	27.94%
	F	6223	30.40%	355	1.73%	293	1.43%	6152	30.05%
	Total	9706	29.73%	661	2.02%	431	1.32%	9555	29.26%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	Total	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	7114	21.15%	443	1.32%	385	1.14%	7007	20.83%
	F	9251	22.32%	554	1.34%	487	1.17%	9150	22.07%
	Total	16365	21.79%	997	1.33%	872	1.16%	16157	21.52%

Use of Services

Blue Plus (HMO Minnesota)

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:

Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care(MN Care)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	63702	60152	123854	63702	60152	123854	63702	60152	123854	63702	60152	123854
13-17	26943	26115	53058	26943	26115	53058	26943	26115	53058	26943	26115	53058
18-64	134166	191181	325347	134166	191181	325347	134166	191181	325347	134166	191181	325347
65+	169	168	337	169	168	337	169	168	337	169	168	337
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	224980	277616	502596	224980	277616	502596	224980	277616	502596	224980	277616	502596

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	515	9.70%	4	0.08%	15	0.28%	513	9.66%
	F	322	6.42%	6	0.12%	5	0.10%	322	6.42%
	Total	837	8.11%	10	0.10%	20	0.19%	835	8.09%
13-17	M	330	14.70%	13	0.58%	22	0.98%	328	14.61%
	F	399	18.33%	42	1.93%	28	1.29%	396	18.20%
	Total	729	16.49%	55	1.24%	50	1.13%	724	16.37%
18-64	M	1355	12.12%	24	0.21%	26	0.23%	1348	12.06%
	F	2874	18.04%	59	0.37%	71	0.45%	2854	17.91%
	Total	4229	15.60%	83	0.31%	97	0.36%	4202	15.50%
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	1	7.14%	0	0.00%	0	0.00%	1	7.14%
	Total	1	3.56%	0	0.00%	0	0.00%	1	3.56%
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA
Total	M	2200	11.73%	41	0.22%	63	0.34%	2189	11.68%
	F	3596	15.54%	107	0.46%	104	0.45%	3573	15.44%
	Total	5796	13.84%	148	0.35%	167	0.40%	5762	13.76%

Medicare Advantage

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
18-44	M					
	F					
	Total	NR	NR	NR	NR	NR
45-54	M					
	F					
	Total	NR	NR	NR	NR	NR
55-64	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
65-74	M					
	F					
	Total	NR	NR	NR	NR	NR
75-84	M					
	F					
	Total	NR	NR	NR	NR	NR
85+	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
18-44	M	0	0	0.00%	0.00%	0.00%
	F	0	0	0.00%	0.00%	0.00%
	Total	0	0	NA	0.00%	0.00%
45-54	M	0	0	0.00%	0.00%	0.00%
	F	0	0	0.00%	0.00%	0.00%
	Total	0	0	NA	0.00%	0.00%
55-64	M	0	0	0.00%	0.00%	0.00%
	F	0	0	0.00%	0.00%	0.00%
	Total	0	0	NA	0.00%	0.00%
Total	M	0	0	0	0.00%	0.00%
	F	0	0	0	0.00%	0.00%
	Total	0	0	0	0.00%	0.00%

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
65-74	M	219	37	16.89%	16.42%	2893.04%
	F	438	79	18.04%	16.58%	5754.70%
	Total	657	116	17.66%	16.52%	8647.74%
75-84	M	267	54	20.22%	17.27%	3677.87%
	F	637	104	16.33%	16.15%	8322.21%
	Total	904	158	17.48%	16.48%	12000.08%
85+	M	183	23	12.57%	17.57%	2555.87%
	F	792	114	14.39%	14.84%	9745.35%
	Total	975	137	14.05%	15.35%	12301.22%
Total	M	669	114	17.04%	17.07%	9126.78%
	F	1867	297	15.91%	15.69%	23822.26%
	Total	2536	411	16.21%	16.06%	32949.04%

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
18-44	M					
	F					
	Total	NR	NR	NR	NR	NR
45-54	M					
	F					
	Total	NR	NR	NR	NR	NR
55-64	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
65-74	M					
	F					
	Total	NR	NR	NR	NR	NR
75-84	M					
	F					
	Total	NR	NR	NR	NR	NR
85+	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
		NR	NR	NR	NR	NR
		NR	NR	NR	NR	NR

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Age	Sex	Count of Index Stays	Count of 30-Day	Observed	Average Adjusted	Total Variance
18-44	M					
	F					
	Total	NR	NR	NR	NR	NR
45-54	M					
	F					
	Total	NR	NR	NR	NR	NR
55-64	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR
	Total	NR	NR	NR	NR	NR

Age	Sex	Count of Index Stays (Denominator)	Count of 30-Day Readmissions (Numerator)	Observed Readmission (Num/Den)	Average Adjusted Probability	Total Variance
65-74	M					
	F					
	Total	NR	NR	NR	NR	NR
75-84	M					
	F					
	Total	NR	NR	NR	NR	NR
85+	M					
	F					
	Total	NR	NR	NR	NR	NR
Total	M	NR	NR	NR	NR	NR
		NR	NR	NR	NR	NR
		NR	NR	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	706	691	97.88%
Internal Medicine	246	237	96.34%
Geriatricians	25	23	92.00%
Other practitioner Specialists	6170	5371	87.05%

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine			NR
Internal Medicine			NR
Geriatricians			NR
Other practitioner Specialists			NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Board Certification

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine			NR
Internal Medicine			NR
Geriatricians			NR
Other practitioner Specialists			NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Commercial

	Member Months		
	Male	Female	Total
<1	2187	2032	4219
1-4		8122	8122
5-9	11379	10306	21685
10-14	11944	10574	22518
15-17	7139	6826	13965
18-19	5085	4685	9770
0-19 Subtotal	37734	42545	80279
0-19 Subtotal: %	29.14%	25.30%	26.97%
20-24	11789	13018	24807
25-29	6538	11596	18134
30-34	8419	12360	20779
35-39	9024	11906	20930
40-44	10652	13531	24183
20-44 Subtotal	46422	62411	108833
20-44 Subtotal: %	35.85%	37.11%	36.56%
45-49	10312	14082	24394
50-54	11417	14996	26413
55-59	11136	16836	27972
60-64	10357	15456	25813
45-64 Subtotal	43222	61370	104592
45-64 Subtotal: %	33.38%	36.50%	35.14%
65-69	1647	1519	3166
70-74	344	222	566
75-79	120	41	161
80-84	0	38	38
85-89	12	12	24
>=90	0	0	0
>=65 Subtotal	2123	1832	3955
>=65 Subtotal: %	1.64%	1.09%	1.33%
Age Unknown	0	0	0
Total	129501	168158	297659

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Medicare Advantage

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

MSHO

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
0-19 Subtotal	0	0	0
0-19 Subtotal: %	0.00%	0.00%	0.00%
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
20-44 Subtotal	0	0	0
20-44 Subtotal: %	0.00%	0.00%	0.00%
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	3	6	9
45-64 Subtotal	3	6	9
45-64 Subtotal: %	0.01%	0.01%	0.01%
65-69	4485	7257	11742
70-74	5698	10631	16329
75-79	5371	11142	16513
80-84	4816	13296	18112
85-89	4054	15131	19185
>=90	3035	21223	24258
>=65 Subtotal	27459	78680	106139
>=65 Subtotal: %	99.99%	99.99%	99.99%
Age Unknown	0	0	0
Total	27462	78686	106148

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-SNP

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

SNBC-Non SNP

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

	Member Months		
	Male	Female	Total
<1	26219	24815	51034
1-4	70586	68207	138793
5-9	75549	73785	149334
10-14	58082	57335	115417
15-17	27088	27623	54711
18-19	11206	14234	25440
0-19 Subtotal	268730	265999	534729
0-19 Subtotal: %	66.57%	53.47%	59.34%
20-24	18555	43215	61770
25-29	20243	48924	69167
30-34	21737	44537	66274
35-39	16494	30271	46765
40-44	15115	21172	36287
20-44 Subtotal	92144	188119	280263
20-44 Subtotal: %	22.83%	37.82%	31.10%
45-49	14659	16678	31337
50-54	14326	13575	27901
55-59	9202	8755	17957
60-64	4604	4311	8915
45-64 Subtotal	42791	43319	86110
45-64 Subtotal: %	10.60%	8.71%	9.56%
65-69	12	11	23
70-74	0	0	0
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	12	11	23
>=65 Subtotal: %	0.00%	0.00%	0.00%
Age Unknown	0	0	0
Total	403677	497448	901125

Health Plan Descriptive Information

Blue Plus (HMO Minnesota)

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 6, 2015 1:00 PM

Minnesota Health Care Programs - Managed Care (MN Care)

	Member Months		
	Male	Female	Total
<1	2683	2553	5236
1-4	16560	16320	32880
5-9	27928	25782	53710
10-14	27267	25760	53027
15-17	16207	15852	32059
18-19	10986	11799	22785
0-19 Subtotal	101631	98066	199697
0-19 Subtotal: %	45.17%	35.32%	39.73%
20-24	12324	18526	30850
25-29	12572	19590	32162
30-34	15519	21311	36830
35-39	13385	17672	31057
40-44	13341	18854	32195
20-44 Subtotal	67141	95953	163094
20-44 Subtotal: %	29.84%	34.56%	32.45%
45-49	14367	22284	36651
50-54	16089	24582	40671
55-59	13852	19722	33574
60-64	11731	16841	28572
45-64 Subtotal	56039	83429	139468
45-64 Subtotal: %	24.91%	30.05%	27.75%
65-69	115	78	193
70-74	4	80	84
75-79	16	3	19
80-84	21	0	21
85-89	11	7	18
>=90	2	0	2
>=65 Subtotal	169	168	337
>=65 Subtotal: %	0.08%	0.06%	0.07%
Age Unknown	0	0	0
Total	224980	277616	502596