

Prime West

HEDIS 2014 (Reporting Year 2013)

Data Last Refreshed: 7/15/2015

| General Info | | Page |
|--------------|-------------|------|
| | Disclaimers | 2 |

| Code | Effectiveness of Care Measures | Page |
|---------------------------------|---|------|
| Prevention and Screening | | |
| ABA | Adult BMI Assessment | 3 |
| WCC | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents | 4 |
| CIS | Childhood Immunization Status | 7 |
| IMA | Immunizations for Adolescents | 13 |
| BCS | Breast Cancer Screening | 16 |
| CCS | Cervical Cancer Screening | 17 |
| COL | Colorectal Cancer Screening | 18 |
| CHL | Chlamydia Screening in Women | 19 |
| GSO | Glaucoma Screening in Older Adults | 22 |
| HPV | Human Papillomavirus Vaccine for Female Adolescents | 23 |
| COA | Care for Older Adults | 24 |
| Respiratory Conditions | | |
| PCE | Pharmacotherapy Management of COPD Exacerbation | 25 |
| SPR | Use of Spirometry Testing in the Assessment and Diagnosis of COPD | 29 |
| ASM | Use of Appropriate Medications for People with Asthma | 30 |
| Cardiovascular | | |
| CMC | Cholesterol Management for Patients with Cardiovascular Conditions | 33 |
| CBP | Controlling High Blood Pressure | 37 |
| PBH | Persistence of Beta Blocker Treatment After Heart Attack | 38 |
| Diabetes | | |
| CDC | Comprehensive Diabetes Care | 39 |
| Musculoskeletal | | |
| ART | Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis | 46 |
| OMW | Osteoporosis Management in Women Who had a Fracture | 47 |
| Behavioral Health | | |
| AMM | Antidepressant Medication Management | 48 |
| ADD | Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication | 55 |
| FUH | Follow-up After Hospitalization for Mental Illness | 58 |

| Code | Effectiveness of Care Measures | Page |
|------------------------------|--|------|
| Medication Management | | |
| MPM | Annual Monitoring for Patients on Persistent Medications | 62 |
| MRP | Medication Reconciliation Post Discharge | 69 |
| DDE | Potentially Harmful Drug-Disease Interactions in the Elderly | 70 |
| DAE | Use of High Risk Medications in the Elderly | 72 |

| Code | Access / Availability of Care Measures | Page |
|------|--|------|
| AAP | Adult's Access to Preventive/Ambulatory Health Services | 74 |
| CAP | Children's and Adolescents' Access to Primary Care Practitioners | 81 |
| IET | Initiation/Engagement of Alcohol & Other Drug Dependence Treatment | 84 |
| PPC | Prenatal and Postpartum Care | 91 |

| Code | Use of Services Measures | Page |
|------|--|------|
| W15 | Well Child Visits in the First 15 Months of Life | 94 |
| W34 | Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life | 97 |
| AWC | Adolescent Well-Care Visits | 98 |
| AMB | Ambulatory Care | 99 |
| IPU | Inpatient Utilization - General Hospital/Acute Care | 106 |
| IAD | Identification of Alcohol and Other Drug Services | 113 |
| MPT | Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Service | 120 |
| PCR | Plan All-Cause Readmissions | 127 |

| Code | Health Plan Descriptive Information Measures | Page |
|------|--|------|
| BCR | Board Certification | 131 |
| ENP | Enrollment by Product Line (Age & Sex) | 134 |

(this page left blank intentionally)

Effectiveness of Care

Prime West

Adult BMI Assessment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | Medicare Advantage | MA Expand F& C | MN Care |
|---|------------|--------------------|----------------|---------|
| Measurement Year | | | 2013 | 2013 |
| Data Collection Methodology | | | H | H |
| Eligible Member Population | | | 1546 | 523 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | 166 | 82 |
| Current Year's Admin Rate | NR | NR | 10.74% | 15.68% |
| Minimum Required Sample Size | | | 411 | 411 |
| Oversampling Rate | | | 5.00% | 5.00% |
| Final Sample Size (FSS) | | | 432 | 432 |
| Numerator events by admin data in FSS | | | 90 | 72 |
| Admin Rate on FSS | NR | NR | 20.83% | 16.67% |
| Number of Records Excluded Because of Valid Data Errors | | | 0 | 0 |
| Number of administrative data records excluded | | | 0 | 0 |
| Number of medical record data records excluded | | | 0 | 0 |
| Number of employee/dependent medical records excluded | | | 0 | 0 |
| Records Added from the Oversample List | | | 0 | 0 |
| Denominator | | | 411 | 411 |
| Numerator Events by Admin Data | | | 85 | 70 |
| Numerator Events by Medical Record | | | 235 | 248 |
| Reported Rate | NR | NR | 77.86% | 77.37% |
| Lower 95% Confidence Interval | NR | NR | 73.72% | 73.21% |
| Upper 95% Confidence Interval | NR | NR | 81.99% | 81.54% |

Commercial

| Data Elements | BMI Percentile | | | Counseling for Nutrition | | | | Counseling for Physical Activity | | | | |
|---|----------------------|-----------|------------|--------------------------|----------------------|-----------|------------|----------------------------------|----------------------|-----------|------------|-------|
| | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total |
| Measurement Year | | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | | |
| Number of medical records excluded | | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | | |
| Denominator | | | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | BMI Percentile | | | Counseling for Nutrition | | | | Counseling for Physical Activity | | | | |
|---|----------------------|-----------|------------|--------------------------|----------------------|-----------|------------|----------------------------------|----------------------|-----------|------------|--------|
| | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total | General Measure Data | Ages 3-11 | Ages 12-17 | Total |
| Measurement Year | | | | | 2013 | | | | 2013 | | | |
| Data Collection Methodology | | | | | H | | | | H | | | |
| Eligible Member Population | | 2161 | 1125 | 3286 | | 2161 | 1125 | 3286 | | 2161 | 1125 | 3286 |
| Numerator events by admin data in eligible population | | 14 | 17 | 31 | | 10 | 9 | 19 | | 0 | 0 | 0 |
| Current Year's Administrative Rate | | 0.65% | 1.51% | 0.94% | | 0.46% | 0.80% | 0.58% | | 0.00% | 0.00% | 0.00% |
| Minimum Required Sample Size | | | | | 411 | | | | 411 | | | |
| Oversampling Rate | | | | | 5.00% | | | | 5.00% | | | |
| Final Sample Size (FSS) | | | | | 432 | | | | 432 | | | |
| Numerator events by admin data in FSS | | 2 | 3 | 5 | | 3 | 2 | 5 | | 0 | 0 | 0 |
| Admin rate on FSS | | NR | NR | NR | | NR | NR | NR | | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | 0 | | | | 0 | | | |
| Number of administrative data records excluded | | | | | 0 | | | | 0 | | | |
| Number of medical records excluded | | | | | 0 | | | | 0 | | | |
| Number of employee/dependent records excluded | | | | | 0 | | | | 0 | | | |
| Records Added from the Oversample List | | | | | 0 | | | | 0 | | | |
| Denominator | | 276 | 135 | 411 | | 276 | 135 | 411 | | 276 | 135 | 411 |
| Numerator Events by Admin Data | | 1 | 3 | 4 | | 2 | 1 | 3 | | 0 | 0 | 0 |
| Numerator Events by Medical Record | | 152 | 69 | 221 | | 119 | 52 | 171 | | 109 | 65 | 174 |
| Reported Rate | | 55.43% | 53.33% | 54.74% | | 43.84% | 39.26% | 42.34% | | 39.49% | 48.15% | 42.34% |
| Lower 95% Confidence Interval | | 49.39% | 44.55% | 49.81% | | 37.81% | 30.65% | 37.44% | | 33.54% | 39.35% | 37.44% |
| Upper 95% Confidence Interval | | 61.48% | 62.12% | 59.68% | | 49.88% | 47.87% | 47.23% | | 45.44% | 56.95% | 47.23% |

Effectiveness of Care

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | BMI Percentile | | | | Counseling for Nutrition | | | | Counseling for Physical Activity | | | |
|--|----------------|-----------|------------|--------|--------------------------|-----------|------------|--------|----------------------------------|-----------|----------|--------|
| | General | Ages 3-11 | Ages 12-17 | Total | General | Ages 3-11 | Ages 12-17 | Total | General | Ages 3-11 | Ages 12- | Total |
| Measurement Year | 2013 | | | | 2013 | | | | 2013 | | | |
| Data Collection Methodology | H | | | | H | | | | H | | | |
| Eligible Member Population | | 281 | 127 | 408 | | 281 | 127 | 408 | | 281 | 127 | 408 |
| Numerator events by admin data in eligible | | 5 | 2 | 7 | | 1 | 1 | 2 | | 0 | 0 | 0 |
| Current Year's Administrative Rate | | 1.78% | 1.57% | 1.72% | | 0.36% | 0.79% | 0.49% | | 0.00% | 0.00% | 0.00% |
| Minimum Required Sample Size | 407 | | | | 407 | | | | 407 | | | |
| Oversampling Rate | 0.00% | | | | 0.00% | | | | 0.00% | | | |
| Final Sample Size (FSS) | 407 | | | | 407 | | | | 407 | | | |
| Numerator events by admin data in FSS | | 5 | 2 | 7 | | 1 | 1 | 2 | | 0 | 0 | 0 |
| Admin rate on FSS | | 1.23% | 0.49% | 1.72% | | 0.25% | 0.25% | 0.49% | | 0.00% | 0.00% | 0.00% |
| Number of Records Excluded Because of | 0 | | | | 0 | | | | 0 | | | |
| Number of administrative data records | 1 | | | | 1 | | | | 1 | | | |
| Number of medical records excluded | 0 | | | | 0 | | | | 0 | | | |
| Number of employee/dependent records | 0 | | | | 0 | | | | 0 | | | |
| Records Added from the Oversample List | 0 | | | | 0 | | | | 0 | | | |
| Denominator | | 281 | 126 | 407 | | 281 | 126 | 407 | | 281 | 126 | 407 |
| Numerator Events by Admin Data | | 5 | 2 | 7 | | 1 | 1 | 2 | | 0 | 0 | 0 |
| Numerator Events by Medical Record | | 119 | 66 | 185 | | 136 | 45 | 181 | | 121 | 63 | 184 |
| Reported Rate | | 44.13% | 53.97% | 47.17% | | 48.75% | 36.51% | 44.96% | | 43.06% | 50.00% | 45.21% |
| Lower 95% Confidence Interval | | 38.14% | 44.87% | 42.20% | | 42.73% | 27.70% | 40.01% | | 37.09% | 40.87% | 40.25% |
| Upper 95% Confidence Interval | | 50.11% | 63.07% | 52.15% | | 54.78% | 45.31% | 49.92% | | 49.03% | 59.13% | 50.17% |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|----------------------|------|-----|-----|-----|-------------|-----|-------------------------|-------------|-----------|-----------|
| Measurement Year | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | |
| Number of medical data records excluded | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | |
| Denominator | | | | | | | | | | | |
| Numerator Events by administrative Data | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | DTaP | Combo 2 | Combo 3 | Combo 4 | Combo 5 | Combo 6 | Combo 7 | Combo 8 | Combo 9 | Combo10 |
|---|----------------------|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Measurement Year | | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | | |
| Admin rate on FSS | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | | |
| Number of medical data records excluded | | | | | | | | | | | |
| Number of employee/dependent records excluded | | | | | | | | | | | |
| Records Added from the Oversample List | | | | | | | | | | | |
| Denominator | | | | | | | | | | | |
| Numerator Events by administrative Data | | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|----------------------|--------|--------|--------|--------|-------------|--------|-------------------------|-------------|-----------|-----------|
| Measurement Year | 2013 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 397 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 321 | 366 | 366 | 367 | 341 | 359 | 331 | 222 | 256 | 185 |
| Current Year's Administrative Rate | | 80.86% | 92.19% | 92.19% | 92.44% | 85.89% | 90.43% | 83.38% | 55.92% | 64.48% | 46.60% |
| Minimum Required Sample Size | 397 | | | | | | | | | | |
| Oversampling Rate | 0 | | | | | | | | | | |
| Final Sample Size (FSS) | 397 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 321 | 366 | 366 | 367 | 341 | 359 | 331 | 222 | 256 | 185 |
| Admin rate on FSS | | 80.86% | 92.19% | 92.19% | 92.44% | 85.89% | 90.43% | 83.38% | 55.92% | 64.48% | 46.60% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 397 | | | | | | | | | | |
| Numerator Events by administrative Data | | 321 | 366 | 366 | 367 | 341 | 359 | 331 | 222 | 256 | 185 |
| Numerator Events by Medical Record | | 12 | 8 | 1 | 9 | 23 | 1 | 0 | 5 | 22 | 24 |
| Reported Rate | | 83.88% | 94.21% | 92.44% | 94.71% | 91.69% | 90.68% | 83.38% | 57.18% | 70.03% | 52.64% |
| Lower 95% Confidence Interval | | 80.14% | 91.78% | 89.72% | 92.38% | 88.85% | 87.69% | 79.59% | 52.19% | 65.39% | 47.61% |
| Upper 95% Confidence Interval | | 87.62% | 96.63% | 95.17% | 97.04% | 94.53% | 93.67% | 87.16% | 62.17% | 74.66% | 57.68% |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | DTaP | Combo 2 | Combo 3 | Combo 4 | Combo 5 | Combo 6 | Combo 7 | Combo 8 | Combo 9 | Combo10 |
|---|----------------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Measurement Year | 2013 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 397 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 321 | 288 | 277 | 177 | 204 | 156 | 138 | 109 | 113 | 88 |
| Current Year's Administrative Rate | | 80.86% | 72.54% | 69.77% | 44.58% | 51.39% | 39.29% | 34.76% | 27.46% | 28.46% | 22.17% |
| Minimum Required Sample Size | 397 | | | | | | | | | | |
| Oversampling Rate | 0 | | | | | | | | | | |
| Final Sample Size (FSS) | 397 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 321 | 288 | 277 | 177 | 204 | 156 | 138 | 109 | 113 | 88 |
| Admin rate on FSS | | 80.86% | 72.54% | 69.77% | 44.58% | 51.39% | 39.29% | 34.76% | 27.46% | 28.46% | 22.17% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 397 | | | | | | | | | | |
| Numerator Events by administrative Data | | 321 | 288 | 277 | 177 | 204 | 156 | 138 | 109 | 113 | 88 |
| Numerator Events by Medical Record | | 12 | 23 | 15 | 13 | 25 | 33 | 22 | 27 | 36 | 30 |
| Reported Rate | | 83.88% | 78.34% | 73.55% | 47.86% | 57.68% | 47.61% | 40.30% | 34.26% | 37.53% | 29.72% |
| Lower 95% Confidence Interval | | 80.14% | 74.16% | 69.09% | 42.82% | 52.70% | 42.57% | 35.35% | 29.46% | 32.64% | 25.10% |
| Upper 95% Confidence Interval | | 87.62% | 82.52% | 78.02% | 52.90% | 62.67% | 52.65% | 45.25% | 39.05% | 42.42% | 34.34% |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza |
|---|----------------------|--------|--------|--------|--------|-------------|--------|-------------------------|-------------|-----------|-----------|
| Measurement Year | 2013 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 17 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 15 | 16 | 15 | 16 | 15 | 14 | 16 | 8 | 11 | 10 |
| Current Year's Administrative Rate | | 88.24% | 94.12% | 88.24% | 94.12% | 88.24% | 82.35% | 94.12% | 47.06% | 64.71% | 58.82% |
| Minimum Required Sample Size | 17 | | | | | | | | | | |
| Oversampling Rate | 0 | | | | | | | | | | |
| Final Sample Size (FSS) | 17 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 15 | 16 | 15 | 16 | 15 | 14 | 16 | 8 | 11 | 10 |
| Admin rate on FSS | | 88.24% | 94.12% | 88.24% | 94.12% | 88.24% | 82.35% | 94.12% | 47.06% | 64.71% | 58.82% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 17 | | | | | | | | | | |
| Numerator Events by administrative Data | | 15 | 16 | 15 | 16 | 15 | 14 | 16 | 8 | 11 | 10 |

Effectiveness of Care

Prime West

Childhood Immunization Status

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure Data | DTaP | Combo 2 | Combo 3 | Combo 4 | Combo 5 | Combo 6 | Combo 7 | Combo 8 | Combo 9 | Combo10 |
|---|----------------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Measurement Year | 2013 | | | | | | | | | | |
| Data Collection Methodology | H | | | | | | | | | | |
| Eligible Member Population | 17 | | | | | | | | | | |
| Numerator events by admin data in eligible population | | 15 | 14 | 14 | 8 | 10 | 8 | 6 | 5 | 6 | 4 |
| Current Year's Administrative Rate | | 88.24% | 82.35% | 82.35% | 47.06% | 58.82% | 47.06% | 35.29% | 29.41% | 35.29% | 23.53% |
| Minimum Required Sample Size | 17 | | | | | | | | | | |
| Oversampling Rate | 0 | | | | | | | | | | |
| Final Sample Size (FSS) | 17 | | | | | | | | | | |
| Numerator events by admin data in FSS | | 15 | 14 | 14 | 8 | 10 | 8 | 6 | 5 | 6 | 4 |
| Admin rate on FSS | | 88.24% | 82.35% | 82.35% | 47.06% | 58.82% | 47.06% | 35.29% | 29.41% | 35.29% | 23.53% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | |
| Number of employee/dependent records excluded | 0 | | | | | | | | | | |
| Records Added from the Oversample List | 0 | | | | | | | | | | |
| Denominator | 17 | | | | | | | | | | |
| Numerator Events by administrative Data | | 15 | 14 | 14 | 8 | 10 | 8 | 6 | 5 | 6 | 4 |

Effectiveness of Care

Prime West

Immunizations for Adolescents

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | Meningococcal | Tdap | Combo 1 |
|---|----------------------|---------------|------|---------|
| Measurement Year | | | | |
| Data Collection Methodology | | | | |
| Eligible Member Population | | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | | |
| Current Year's Admin Rate | | NR | NR | NR |
| Minimum Required Sample Size | | | | |
| Oversampling Rate | | | | |
| Final Sample Size (FSS) | | | | |
| Numerator events by admin data in FSS | | | | |
| Admin Rate on FSS | | NR | NR | NR |
| Records Excluded because of Valid Data Errors | | | | |
| Number of administrative data records excluded | | | | |
| Number of medical data records excluded | | | | |
| Number of employee/dependent medical records excluded | | | | |
| Records Added from the Oversample List | | | | |
| Denominator | | | | |
| Numerator Events by Admin Data | | | | |
| Numerator Events by Medical Record | | | | |
| Reported Rate | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR |

Effectiveness of Care

Prime West

Immunizations for Adolescents

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA-Expand)

| Data Elements | General Measure Data | Meningococcal | Tdap | Combo 1 |
|---|----------------------|---------------|--------|---------|
| Measurement Year | 2013 | | | |
| Data Collection Methodology | H | | | |
| Eligible Member Population | 258 | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 100 | 217 | 98 |
| Current Year's Admin Rate | | 38.76% | 84.11% | 37.98% |
| Minimum Required Sample Size | 258 | | | |
| Oversampling Rate | 0.00% | | | |
| Final Sample Size (FSS) | 258 | | | |
| Numerator events by admin data in FSS | | 100 | 217 | 98 |
| Admin Rate on FSS | | 38.76% | 84.11% | 37.98% |
| Records Excluded because of Valid Data Errors | 0 | | | |
| Number of administrative data records excluded | 0 | | | |
| Number of medical data records excluded | 0 | | | |
| Number of employee/dependent medical records excluded | 0 | | | |
| Records Added from the Oversample List | 0 | | | |
| Denominator | 258 | | | |
| Numerator Events by Admin Data | | 100 | 217 | 98 |
| Numerator Events by Medical Record | | 4 | 2 | 4 |
| Reported Rate | | 40.31% | 84.88% | 39.53% |
| Lower 95% Confidence Interval | | 34.13% | 80.32% | 33.38% |
| Upper 95% Confidence Interval | | 46.49% | 89.45% | 45.69% |

Effectiveness of Care

Prime West

Immunizations for Adolescents

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure Data | Meningococcal | Tdap | Combo 1 |
|--|----------------------|---------------|--------|---------|
| Measurement Year | 2013 | | | |
| Data Collection Methodology | H | | | |
| Eligible Member Population | 17 | | | |
| Numerator Events by Admin Data on Eligible | | 12 | 16 | 12 |
| Current Year's Admin Rate | | 70.59% | 94.12% | 70.59% |
| Minimum Required Sample Size | 17 | | | |
| Oversampling Rate | 0.00% | | | |
| Final Sample Size (FSS) | 17 | | | |
| Numerator events by admin data in FSS | | 12 | 16 | 12 |
| Admin Rate on FSS | | 70.59% | 94.12% | 70.59% |
| Records Excluded because of Valid Data Errors | 0 | | | |
| Number of administrative data records excluded | 0 | | | |
| Number of medical data records excluded | 0 | | | |
| Number of employee/dependent medical records | 0 | | | |
| Records Added from the Oversample List | 0 | | | |
| Denominator | 17 | | | |
| Numerator Events by Admin Data | | 12 | 16 | 12 |
| Numerator Events by Medical Record | | 0 | 0 | 0 |
| Reported Rate | | NA | NA | NA |
| Lower 95% Confidence Interval | | NA | NA | NA |
| Upper 95% Confidence Interval | | NA | NA | NA |

Effectiveness of Care

Breast Cancer Screening

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | MA Expand F& C | MN Care | SNBC SNP | SNBC Non SNP |
|--------------------------------|------------|--------------------|--------|----------------|---------|----------|--------------|
| Measurement Year | | | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | | | A | A | A | A | A |
| Eligible Member Population | | | 240 | 107 | 93 | 54 | 18 |
| Numerator Events by Admin Data | | | 140 | 55 | 58 | 41 | 14 |
| Reported Rate | NR | NR | 58.33% | 51.40% | 62.37% | 75.93% | NA |
| Lower 95% Confidence Interval | NR | NR | 51.89% | 41.46% | 51.98% | 63.60% | NA |
| Upper 95% Confidence Interval | NR | NR | 64.78% | 61.34% | 72.75% | 88.26% | NA |

| Data Elements | Commercial | MA Expand F& C | MN Care |
|---|------------|----------------|---------|
| Measurement Year | | 2013 | 2013 |
| Data Collection Methodology | | H | H |
| Eligible Member Population | | 1796 | 525 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 993 | 298 |
| Current Year's Admin Rate | NR | 55.29% | 56.76% |
| Minimum Required Sample Size | | 411 | 411 |
| Oversampling Rate | | 5.00% | 5.00% |
| Final Sample Size (FSS) | | 432 | 432 |
| Numerator events by admin data in FSS | | 247 | 256 |
| Admin Rate on FSS | NR | 57.18% | 59.26% |
| Records Excluded because of Valid Data Errors | | 0 | 0 |
| Number of administrative data records excluded | | 2 | 4 |
| Number of medical record data records excluded | | 7 | 11 |
| Number of employee/dependent medical records excluded | | 0 | 0 |
| Records Added from the Oversample List | | 7 | 9 |
| Denominator | | 411 | 411 |
| Numerator Events by Admin Data | | 236 | 251 |
| Numerator Events by Medical Record | | 28 | 17 |
| Reported Rate | NR | 64.23% | 65.21% |
| Lower 95% Confidence Interval | NR | 59.48% | 60.48% |
| Upper 95% Confidence Interval | NR | 68.99% | 69.93% |

Effectiveness of Care

Prime West

Colorectal Cancer Screening

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC SNP | SNBC Non SNP |
|--|------------|--------------------|--------|----------|--------------|
| Measurement Year | | | 2013 | 2013 | |
| Data collection methodology (administrative or hybrid) | | | H | H | |
| Eligible population | | | 410 | 101 | |
| Number of numerator events by administrative data in eligible population (before exclusions) | | | 197 | 62 | |
| Current year's administrative rate (before exclusions) | NR | NR | 48.05% | 61.39% | NR |
| Minimum required sample size (MRSS) or other sample size | | | 407 | 101 | |
| Oversampling rate | | | 0.00% | 0.00% | |
| Final sample size (FSS) | | | 407 | 101 | |
| Number of numerator events by administrative data in FSS | | | 197 | 62 | |
| Administrative rate on FSS | NR | NR | 48.40% | 61.39% | NR |
| Number of original sample records excluded because of valid data errors | | | 0 | 0 | |
| Number of administrative data records excluded | | | 3 | 0 | |
| Number of medical record data records excluded | | | 0 | 0 | |
| Number of employee/dependent medical records excluded | | | 0 | 0 | |
| Records added from the oversample list | | | 0 | 0 | |
| Denominator | | | 407 | 101 | |
| Numerator events by administrative data | | | 197 | 62 | |
| Numerator events by medical records | | | 29 | 6 | |
| Reported rate | NR | NR | 55.53% | 67.33% | NR |
| Lower 95% confidence interval | NR | NR | 50.58% | 57.68% | NR |
| Upper 95% confidence interval | NR | NR | 60.48% | 76.97% | NR |

Effectiveness of Care

Chlamydia Screening in Women

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | Ages 16-20 | Ages 21-24 | Total |
|--------------------------------|----------------------|------------|------------|-------|
| Measurement Year | | | | |
| Data Collection Methodology | | | | |
| Eligible Member Population | | | | NR |
| Numerator Events by Admin Data | | | | NR |
| Reported Rate | | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR |

Effectiveness of Care

Prime West

Chlamydia Screening in Women

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

| Data Elements | General Measure Data | Ages 16-20 | Ages 21-24 | Total |
|--------------------------------|----------------------|------------|------------|--------|
| Measurement Year | 2013 | | | |
| Data Collection Methodology | A | | | |
| Eligible Member Population | | 227 | 237 | 464 |
| Numerator Events by Admin Data | | 69 | 83 | 152 |
| Reported Rate | | 30.40% | 35.02% | 32.76% |
| Lower 95% Confidence Interval | | 24.19% | 28.74% | 28.38% |
| Upper 95% Confidence Interval | | 36.60% | 41.31% | 37.14% |

Effectiveness of Care

Prime West

Chlamydia Screening in Women

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | Ages 16-20 | Ages 21-24 | Total |
|--------------------------------|---------|------------|------------|--------|
| Measurement Year | 2013 | | | |
| Data Collection Methodology | A | | | |
| Eligible Member Population | | 40 | 29 | 69 |
| Numerator Events by Admin Data | | 10 | 11 | 21 |
| Reported Rate | | 25.00% | NA | 30.43% |
| Lower 95% Confidence Interval | | 10.33% | NA | 18.85% |
| Upper 95% Confidence Interval | | 39.67% | NA | 42.02% |

Effectiveness of Care

Prime West

Glaucoma Screening in Older Adults

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Medicare Advantage | MSHO |
|--------------------------------|--------------------|--------|
| Measurement Year | | 2013 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 1363 |
| Numerator Events by Admin Data | | 1001 |
| Reported Rate | NR | 73.44% |
| Lower 95% Confidence Interval | NR | 71.06% |
| Upper 95% Confidence Interval | NR | 75.82% |

| Data Elements | Commercial | MA Expand F & C | MN Care |
|---|------------|-----------------|---------|
| Measurement Year | | 2013 | 2013 |
| Data Collection Methodology | | H | H |
| Eligible Member Population | | 116 | 8 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 15 | 1 |
| Current Year's Admin Rate | NR | 12.93% | 12.50% |
| Minimum Required Sample Size | | 116 | 8 |
| Oversampling Rate | | 0.00% | 0.00% |
| Final Sample Size (FSS) | | 116 | 8 |
| Numerator events by admin data in FSS | | 15 | 1 |
| Admin Rate on FSS | NR | 12.93% | 12.50% |
| Records Excluded because of Valid Data Errors | | 0 | 0 |
| Number of administrative data records excluded | | 0 | 0 |
| Number of medical record data records excluded | | 0 | 0 |
| Number of employee/dependent medical records excluded | | 0 | 0 |
| Records Added from the Oversample List | | 0 | 0 |
| Denominator | | 116 | 8 |
| Numerator Events by Admin Data | | 15 | 1 |
| Numerator Events by Medical Record | | 2 | 0 |
| Reported Rate | NR | 14.66% | NA |
| Lower 95% Confidence Interval | NR | 7.79% | NA |
| Upper 95% Confidence Interval | NR | 21.52% | NA |

MSHO

| Data Elements | General Measure Data | Advance Care Planning | Medication Review | Functional Status Assessment | Pain Screening |
|---|----------------------|-----------------------|-------------------|------------------------------|----------------|
| Measurement Year | 2013 | | | | |
| Data Collection Methodology | H | | | | |
| Eligible Member Population | 1744 | | | | |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | 804 | 4 | 825 | 690 |
| Current Year's Admin Rate | | 46.10% | 0.23% | 47.31% | 39.56% |
| Minimum Required Sample Size | 411 | | | | |
| Oversampling Rate | 5.00% | | | | |
| Final Sample Size (FSS) | 432 | | | | |
| Numerator events by admin data in FSS | | 215 | 0 | 201 | 165 |
| Admin Rate on FSS | | 49.77% | 0.00% | 46.53% | 38.19% |
| Records Excluded because of Valid Data Errors | 2 | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | |
| Records Added from the Oversample List | 2 | | | | |
| Denominator | 411 | | | | |
| Numerator Events by Admin Data | | 208 | 0 | 194 | 160 |
| Numerator Events by Medical Record | | 73 | 160 | 121 | 168 |
| Reported Rate | | 68.37% | 38.93% | 76.64% | 79.81% |
| Lower 95% Confidence Interval | | 63.75% | 34.09% | 72.43% | 75.80% |
| Upper 95% Confidence Interval | | 72.99% | 43.77% | 80.85% | 83.81% |

Medicare Advantage

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 56 | | |
| Numerator Events by Admin Data | | 36 | 47 |
| Reported Rate | | 64.29% | 83.93% |
| Lower 95% Confidence Interval | | 50.84% | 73.42% |
| Upper 95% Confidence Interval | | 77.73% | 94.44% |

SNBC-SNP

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 10 | | |
| Numerator Events by Admin Data | | 8 | 10 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Effectiveness of Care

Prime West

Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Data Elements | General Measure Data | Systemic corticosteroid | Bronchodilator |
|--------------------------------|----------------------|-------------------------|----------------|
| Measurement Year | 2013 | | |
| Eligible Member Population | 23 | | |
| Numerator Events by Admin Data | | 1 | 3 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Effectiveness of Care

Prime West

Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Medicare Advantage | MSHO | SNBC SNP | SNBC Non SNP |
|--------------------------------|--------------------|--------|----------|--------------|
| Measurement Year | | 2013 | 2013 | 2013 |
| Data Collection Methodology | | A | A | A |
| Eligible Member Population | | 41 | 4 | 3 |
| Numerator Events by Admin Data | | 6 | 1 | 0 |
| Reported Rate | NR | 14.63% | NA | NA |
| Lower 95% Confidence Interval | NR | 2.60% | NA | NA |
| Upper 95% Confidence Interval | NR | 26.67% | NA | NA |

Commercial

| Data Elements | General Measure Data | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|--------------------------------|----------------------|-----------|------------|------------|------------|-------|
| Measurement Year | | | | | | |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | NR |
| Numerator Events by Admin Data | | | | | | NR |
| Number of required exclusions | | | | | | NR |
| Reported Rate | | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|--------------------------------|----------------------|-----------|------------|------------|------------|--------|
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 29 | 26 | 47 | 8 | 110 |
| Numerator Events by Admin Data | | 28 | 25 | 38 | 8 | 99 |
| Number of required exclusions | | 3 | 1 | 8 | 11 | 23 |
| Reported Rate | | NA | NA | 80.85% | NA | 90.00% |
| Lower 95% Confidence Interval | | NA | NA | 68.54% | NA | 83.94% |
| Upper 95% Confidence Interval | | NA | NA | 93.16% | NA | 96.06% |

Effectiveness of Care

Use of Appropriate Medications for People with Asthma

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | Ages 5-11 | Ages 12-18 | Ages 19-50 | Ages 51-64 | Total |
|--------------------------------|---------|-----------|------------|------------|------------|-------|
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 4 | 2 | 11 | 8 | 25 |
| Numerator Events by Admin Data | | 4 | 2 | 10 | 7 | 23 |
| Number of required exclusions | | 0 | 0 | 1 | 4 | 5 |
| Reported Rate | | NA | NA | NA | NA | NA |
| Lower 95% Confidence Interval | | NA | NA | NA | NA | NA |
| Upper 95% Confidence Interval | | NA | NA | NA | NA | NA |

Commercial

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | NR | NR |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Final Sample Size (FSS) | | | |
| Numerator events by admin data in FSS | | | |
| Admin rate on FSS | | NR | NR |
| Records Excluded because of Valid Data Errors | | | |
| Number of employee/dependent medical records excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data on Eligible Population | | | |
| Current Year's Admin Rate | | NR | NR |
| Minimum Required Sample Size | | | |
| Oversampling Rate | | | |
| Final Sample Size (FSS) | | | |
| Numerator events by admin data in FSS | | | |
| Admin rate on FSS | | NR | NR |
| Records Excluded because of Valid Data Errors | | | |
| Number of employee/dependent medical records excluded | | | |
| Records Added from the Oversample List | | | |
| Denominator | | | |
| Numerator Events by Admin Data | | | |
| Numerator Events by Medical Record | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | H | | |
| Eligible Member Population | 15 | | |
| Numerator Events by Admin Data on Eligible Population | | 10 | 0 |
| Current Year's Admin Rate | | 66.67% | 0.00% |
| Minimum Required Sample Size | 15 | | |
| Oversampling Rate | 0.00% | | |
| Final Sample Size (FSS) | 15 | | |
| Numerator events by admin data in FSS | | 10 | 0 |
| Admin rate on FSS | | 66.67% | 0.00% |
| Records Excluded because of Valid Data Errors | 0 | | |
| Number of employee/dependent medical records excluded | 0 | | |
| Records Added from the Oversample List | 0 | | |
| Denominator | 15 | | |
| Numerator Events by Admin Data | | 10 | 0 |
| Numerator Events by Medical Record | | 0 | 5 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Effectiveness of Care

Cholesterol Management for Patients with Cardiovascular Conditions

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure Data | LDL-C screening | LDL-C Level of <100 mg/dL |
|---|----------------------|-----------------|---------------------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | H | | |
| Eligible Member Population | 11 | | |
| Numerator Events by Admin Data on Eligible Population | | 9 | 0 |
| Current Year's Admin Rate | | 81.82% | 0.00% |
| Minimum Required Sample Size | 11 | | |
| Oversampling Rate | 0.00% | | |
| Final Sample Size (FSS) | 11 | | |
| Numerator events by admin data in FSS | | 9 | 0 |
| Admin rate on FSS | | 81.82% | 0.00% |
| Records Excluded because of Valid Data Errors | 0 | | |
| Number of employee/dependent medical records excluded | 0 | | |
| Records Added from the Oversample List | 0 | | |
| Denominator | 11 | | |
| Numerator Events by Admin Data | | 9 | 0 |
| Numerator Events by Medical Record | | 0 | 7 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Effectiveness of Care

Controlling High Blood Pressure

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC-SNP | SNBC Non SNP | MA Expand F&C | MN Care |
|---|------------|--------------------|--------|----------|--------------|---------------|---------|
| Measurement Year | | | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology (Hybrid) | | | H | H | H | H | H |
| Eligible Member Population | | | 388 | 39 | 179 | 277 | 106 |
| Numerator Events by Admin Data on Eligible Population (before exclusions) | | | 0 | 0 | 0 | 0 | 0 |
| Current Year's Admin Rate | NR | NR | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Minimum Required Sample Size | | | 284 | 37 | 160 | 259 | 105 |
| Oversampling Rate | | | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Final Sample Size (FSS) | | | 284 | 37 | 160 | 259 | 105 |
| Numerator events by admin data in FSS | | | 0 | 0 | 0 | 0 | 0 |
| Admin rate on FSS | NR | NR | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Records Excluded because of Valid Data Errors | | | 0 | 1 | 3 | 6 | 2 |
| Number of records excluded because of false positive diagnoses | | | 0 | 1 | 3 | 6 | 2 |
| Number of administrative data records excluded | | | 104 | 2 | 16 | 12 | 1 |
| Number of medical record data records excluded | | | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | | | 0 | 0 | 0 | 0 | 0 |
| Records Added from the OverSample List | | | 0 | 0 | 0 | 0 | 0 |
| Denominator | | | 283 | 35 | 157 | 253 | 103 |
| Numerator Events by Admin Data | | | 0 | 0 | 0 | 0 | 0 |
| Numerator Events by Medical Record | | | 197 | 27 | 99 | 149 | 63 |
| Reported Rate | NR | NR | 69.61% | 77.14% | 63.06% | 58.89% | 61.17% |
| Lower 95% Confidence Interval | NR | NR | 64.08% | 61.80% | 55.19% | 52.63% | 51.27% |
| Upper 95% Confidence Interval | NR | NR | 75.15% | 92.48% | 70.93% | 65.15% | 71.06% |

Effectiveness of Care

Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | Medicare Advantage | MSHO | SNBC SNP | SNBC Non SNP | MA Expand F&C | MN Care |
|---|------------|--------------------|------|----------|--------------|---------------|---------|
| Measurement Year | | | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | | | A | A | A | A | A |
| Eligible Member Population | | | 17 | 0 | 3 | 5 | 1 |
| Numerator Events by Admin Data on Eligible Population | | | 16 | 0 | 2 | 5 | 1 |
| Reported Rate | NR | NR | NA | NR | NA | NA | NA |
| Lower 95% Confidence Interval | NR | NR | NA | NR | NA | NA | NA |
| Upper 95% Confidence Interval | NR | NR | NA | NR | NA | NA | NA |

Commercial

| Data Elements | HbA1c Testing | Poor HbA1c Control (>9.0%) | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|----------------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | |
| Current Year's Administrative Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | |
| Admin rate on FSS | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | |
| Number of medical record data records excluded | | | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | | | |
| Number of HbA1c < 7 required administrative data records excluded | | | | | | | | | | |
| Number of HbA1c < 7 required medical records excluded | | | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | | | |
| Denominator | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | |
| Reported Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Medicare Advantage

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | | | | | | | | | | |
| Data Collection Methodology | | | | | | | | | | |
| Eligible Member Population | | | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | | | |
| Current Year's Administrative Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | | | |
| Oversampling Rate | | | | | | | | | | |
| Final Sample Size (FSS) | | | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | | | |
| Admin rate on FSS | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | | | |
| Number of administrative data records excluded | | | | | | | | | | |
| Number of medical record data records excluded | | | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | | | |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | | | |
| Denominator | | | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | | | |
| Reported Rate | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

Effectiveness of Care

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2013 | 2013 | | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | H | H | | H | H | H | H | H | H | H |
| Eligible Member Population | 200 | 200 | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| Numerator events by admin data in eligible population | 185 | 199 | | 0 | 121 | 163 | 1 | 159 | 0 | 0 |
| Current Year's Administrative Rate | 92.50% | 99.50% | NR | 0.00% | 60.50% | 81.50% | 0.50% | 79.50% | 0.00% | 0.00% |
| Minimum Required Sample Size | 200 | 200 | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 200 | 200 | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| Numerator events by admin data in FSS | 185 | 199 | | 0 | 121 | 163 | 1 | 159 | 0 | 0 |
| Admin rate on FSS | 92.50% | 99.50% | NR | 0.00% | 60.50% | 81.50% | 0.50% | 79.50% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 200 | 200 | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| Numerator Events by Admin Data | 185 | 83 | | 0 | 121 | 163 | 1 | 159 | 0 | 0 |
| Numerator Events by Medical Record | 0 | 8 | | 94 | 22 | 1 | 78 | 4 | 138 | 117 |
| Reported Rate | 92.50% | 45.50% | NR | 47.00% | 71.50% | 82.00% | 39.50% | 81.50% | 69.00% | 58.50% |
| Lower 95% Confidence Interval | 88.60% | 38.35% | NR | 39.83% | 64.99% | 76.43% | 32.47% | 75.87% | 62.34% | 51.42% |
| Upper 95% Confidence Interval | 96.40% | 52.65% | NR | 54.17% | 78.01% | 87.57% | 46.53% | 87.13% | 75.66% | 65.58% |

Effectiveness of Care

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC - SNP

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2013 | 2013 | | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | H | H | | H | H | H | H | H | H | H |
| Eligible Member Population | 52 | 52 | | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| Numerator events by admin data in eligible population | 47 | 52 | | 0 | 38 | 36 | 1 | 40 | 0 | 0 |
| Current Year's Administrative Rate | 90.38% | 100.00% | NR | 0.00% | 73.08% | 69.23% | 1.92% | 76.92% | 0.00% | 0.00% |
| Minimum Required Sample Size | 52 | 52 | | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 52 | 52 | | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| Numerator events by admin data in FSS | 47 | 52 | | 0 | 38 | 36 | 1 | 40 | 0 | 0 |
| Admin rate on FSS | 90.38% | 100.00% | NR | 0.00% | 73.08% | 69.23% | 1.92% | 76.92% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 52 | 52 | | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| Numerator Events by Admin Data | | 20 | | 0 | 38 | 36 | 1 | 40 | 0 | 0 |
| Numerator Events by Medical Record | | 2 | | 24 | 5 | 2 | 21 | 3 | 39 | 32 |
| Reported Rate | NR | 42.31% | NR | 46.15% | 82.69% | 73.08% | 42.31% | 82.69% | 75.00% | 61.54% |
| Lower 95% Confidence Interval | NR | 27.92% | NR | 31.64% | 71.45% | 60.06% | 27.92% | 71.45% | 62.27% | 47.35% |
| Upper 95% Confidence Interval | NR | 56.70% | NR | 60.67% | 93.94% | 86.09% | 56.70% | 93.94% | 87.73% | 75.72% |

Effectiveness of Care

Prime West

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC - Non SNP

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2013 | 2013 | | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | H | H | | H | H | H | H | H | H | H |
| Eligible Member Population | 214 | 214 | | 214 | 214 | 214 | 214 | 214 | 214 | 214 |
| Numerator events by admin data in eligible population | 176 | 214 | | 0 | 119 | 156 | 1 | 132 | 0 | 0 |
| Current Year's Administrative Rate | 82.24% | 100.00% | NR | 0.00% | 55.61% | 72.90% | 0.47% | 61.68% | 0.00% | 0.00% |
| Minimum Required Sample Size | 214 | 214 | | 214 | 214 | 214 | 214 | 214 | 214 | 214 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 214 | 214 | | 214 | 214 | 214 | 214 | 214 | 214 | 214 |
| Numerator events by admin data in FSS | 176 | 214 | | 0 | 119 | 156 | 1 | 132 | 0 | 0 |
| Admin rate on FSS | 82.24% | 100.00% | NR | 0.00% | 55.61% | 72.90% | 0.47% | 61.68% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of administrative data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 213 | 213 | | 213 | 213 | 213 | 213 | 213 | 213 | 213 |
| Numerator Events by Admin Data | 176 | 90 | | 0 | 119 | 156 | 1 | 132 | 0 | 0 |
| Numerator Events by Medical Record | 3 | 20 | | 92 | 26 | 3 | 69 | 29 | 148 | 111 |
| Reported Rate | 84.04% | 51.64% | NR | 43.19% | 68.08% | 74.65% | 32.86% | 75.59% | 69.48% | 52.11% |
| Lower 95% Confidence Interval | 78.88% | 44.70% | NR | 36.31% | 61.58% | 68.57% | 26.32% | 69.58% | 63.06% | 45.17% |
| Upper 95% Confidence Interval | 89.19% | 58.59% | NR | 50.08% | 74.57% | 80.72% | 39.41% | 81.59% | 75.90% | 59.06% |

Effectiveness of Care

Comprehensive Diabetes Care

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | HbA1c Testing | Poor HbA1c Control | Good HbA1c Control (<7.0%) | Adequate HbA1c Control (<8.0%) | Eye Exam | LDL-C Screening | LDL-C Level <100 mg/dL | Monitoring for Diabetic Nephropathy | Blood Pressure <140/90 mm Hg | Blood Pressure <140/80 mm Hg |
|---|---------------|--------------------|----------------------------|--------------------------------|----------|-----------------|------------------------|-------------------------------------|------------------------------|------------------------------|
| Measurement Year | 2013 | 2013 | | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 225 | 225 | | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| Numerator events by admin data in eligible population | 181 | 225 | | 0 | 124 | 155 | 0 | 154 | 0 | 0 |
| Current Year's Administrative Rate | 80.44% | 100.00% | NR | 0.00% | 55.11% | 68.89% | 0.00% | 68.44% | 0.00% | 0.00% |
| Minimum Required Sample Size | 222 | 222 | | 222 | 222 | 222 | 222 | 222 | 222 | 222 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 222 | 222 | | 222 | 222 | 222 | 222 | 222 | 222 | 222 |
| Numerator events by admin data in FSS | 181 | 222 | | 0 | 121 | 154 | 0 | 153 | 0 | 0 |
| Admin rate on FSS | 81.53% | 100.00% | NR | 0.00% | 54.50% | 69.37% | 0.00% | 68.92% | 0.00% | 0.00% |
| Number of Records Excluded Because of Valid Data Errors | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of administrative data records excluded | 3 | 3 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Number of medical record data records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the Oversample List | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 221 | 221 | | 221 | 221 | 221 | 221 | 221 | 221 | 221 |
| Numerator Events by Admin Data | 181 | 88 | | 0 | 121 | 154 | 0 | 153 | 0 | 0 |
| Numerator Events by Medical Record | 6 | 29 | | 87 | 17 | 1 | 59 | 13 | 166 | 118 |
| Reported Rate | 84.62% | 52.94% | NR | 39.37% | 62.44% | 70.14% | 26.70% | 75.11% | 75.11% | 53.39% |
| Lower 95% Confidence Interval | 79.63% | 46.13% | NR | 32.70% | 55.83% | 63.88% | 20.64% | 69.19% | 69.19% | 46.59% |
| Upper 95% Confidence Interval | 89.60% | 59.75% | NR | 46.03% | 69.05% | 76.40% | 32.76% | 81.04% | 81.04% | 60.20% |

Effectiveness of Care

Comprehensive Diabetes Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | HbA1c | Poor HbA1c | Good HbA1c | Adequate | Eye Exam | LDL-C | LDL-C Level | Monitoring for | Blood | Blood |
|--|--------|------------|------------|----------|----------|--------|-------------|----------------|--------|--------|
| Measurement Year | 2013 | 2013 | | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 | 2013 |
| Data Collection Methodology | H | H | H | H | H | H | H | H | H | H |
| Eligible Member Population | 98 | 98 | | 98 | 98 | 98 | 98 | 98 | 98 | 98 |
| Numerator events by admin data in eligible | 91 | 98 | | 0 | 59 | 83 | 0 | 81 | 0 | 0 |
| Current Year's Administrative Rate | 92.86% | 100.00% | NR | 0.00% | 60.20% | 84.69% | 0.00% | 82.65% | 0.00% | 0.00% |
| Minimum Required Sample Size | 97 | 97 | | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| Oversampling Rate | 0% | 0% | | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Final Sample Size (FSS) | 97 | 97 | | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| Numerator events by admin data in FSS | 89 | 97 | | 0 | 58 | 82 | 0 | 80 | 0 | 0 |
| Admin rate on FSS | 91.75% | 100.00% | NR | 0.00% | 59.79% | 84.54% | 0.00% | 82.47% | 0.00% | 0.00% |
| Number of Records Excluded Because of | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of administrative data records | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of medical record data records | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of employee/dependent medical | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of Administrative required exclusions | | | | | | | | | | |
| Number of Hybrid required exclusions | | | | | | | | | | |
| Additional Records Added from the | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 97 | 97 | | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| Numerator Events by Admin Data | 89 | 23 | | 0 | 58 | 82 | 0 | 80 | 0 | 0 |
| Numerator Events by Medical Record | 1 | 14 | | 54 | 8 | 0 | 38 | 3 | 72 | 49 |
| Reported Rate | 92.78% | 38.14% | NR | 55.67% | 68.04% | 84.54% | 39.18% | 85.57% | 74.23% | 50.52% |
| Lower 95% Confidence Interval | 87.12% | 27.96% | NR | 45.27% | 58.25% | 76.83% | 28.95% | 78.06% | 65.01% | 40.05% |
| Upper 95% Confidence Interval | 98.45% | 48.33% | NR | 66.07% | 77.84% | 92.25% | 49.41% | 93.08% | 83.45% | 60.98% |

Effectiveness of Care

Prime West

Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Medicare Advantage |
|--------------------------------|--------------------|
| Measurement Year | |
| Data Collection Methodology | |
| Eligible Member Population | |
| Numerator Events by Admin Data | |
| Reported Rate | NR |
| Lower 95% Confidence Interval | NR |
| Upper 95% Confidence Interval | NR |

Effectiveness of Care

Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Medicare Advantage | MSHO |
|--------------------------------|--------------------|--------|
| Measurement Year | | 2013 |
| Data Collection Methodology | | A |
| Eligible Member Population | | 74 |
| Numerator Events by Admin Data | | 13 |
| Reported Rate | NR | 17.57% |
| Lower 95% Confidence Interval | NR | 8.22% |
| Upper 95% Confidence Interval | NR | 26.91% |

Commercial

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 45 | | |
| Numerator Events by Admin Data | | 39 | 34 |
| Reported Rate | | 86.67% | 75.56% |
| Lower 95% Confidence Interval | | 75.62% | 61.89% |
| Upper 95% Confidence Interval | | 97.71% | 89.22% |

SNBC-SNP

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

SNBC-Non SNP

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 27 | | |
| Numerator Events by Admin Data | | 12 | 10 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

| Data Elements | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
|--------------------------------|----------------------|---------------------------------|--|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 269 | | |
| Numerator Events by Admin Data | | 137 | 98 |
| Reported Rate | | 50.93% | 36.43% |
| Lower 95% Confidence Interval | | 44.77% | 30.49% |
| Upper 95% Confidence Interval | | 57.09% | 42.37% |

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | Effective Acute | Effective |
|--------------------------------|---------|-----------------|-----------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 39 | | |
| Numerator Events by Admin Data | | 25 | 17 |
| Reported Rate | | 64.10% | 43.59% |
| Lower 95% Confidence Interval | | 47.77% | 26.74% |
| Upper 95% Confidence Interval | | 80.44% | 60.43% |

Effectiveness of Care

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | Initiation Phase | Continuation and Maintenance Phase |
|--------------------------------|----------------------|------------------|------------------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F& C)

| Data Elements | General Measure Data | Initiation Phase | Continuation and Maintenance Phase |
|--------------------------------|----------------------|------------------|------------------------------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | | 91 | 30 |
| Numerator Events by Admin Data | | 33 | 14 |
| Reported Rate | | 36.26% | 46.67% |
| Lower 95% Confidence Interval | | 25.84% | 27.15% |
| Upper 95% Confidence Interval | | 46.69% | 66.19% |

Effectiveness of Care

Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | Initiation | Continuation |
|--------------------------------|---------|------------|--------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | | 8 | 5 |
| Numerator Events by Admin Data | | 2 | 1 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Medicare Advantage

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 5 | | |
| Numerator Events by Admin Data | | 2 | 0 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

SNBC - SNP

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 7 | | |
| Numerator Events by Admin Data | | 5 | 5 |
| Reported Rate | | NA | NA |
| Lower 95% Confidence Interval | | NA | NA |
| Upper 95% Confidence Interval | | NA | NA |

Effectiveness of Care

Follow-up After Hospitalization for Mental Illness

SNBC-Non SNP

| Data Elements | General Measure Data | 30 Days | 7 Days |
|--------------------------------|----------------------|---------|--------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 45 | | |
| Numerator Events by Admin Data | | 40 | 28 |
| Reported Rate | | 88.89% | 62.22% |
| Lower 95% Confidence Interval | | 78.60% | 46.95% |
| Upper 95% Confidence Interval | | 99.18% | 77.50% |

Effectiveness of Care

Prime West

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|-------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | | | | | | |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR |

Effectiveness of Care

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|-------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | | | | | | |
| Data Collection Methodology | | | | | | |
| Eligible Member Population | | | | | | |
| Numerator Events by Admin Data | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR |

Effectiveness of Care

Prime West

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 715 | 107 | 842 | 99 | 1763 |
| Numerator Events by Admin Data | | 672 | 104 | 791 | 76 | 1643 |
| Reported Rate | | 93.99% | 97.20% | 93.94% | 76.77% | 93.19% |
| Lower 95% Confidence Interval | | 92.17% | 93.60% | 92.27% | 67.94% | 91.99% |
| Upper 95% Confidence Interval | | 95.80% | 100.00% | 95.61% | 85.59% | 94.40% |

Effectiveness of Care

Prime West

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 46 | 1 | 31 | 24 | 102 |
| Numerator Events by Admin Data | | 40 | 1 | 30 | 20 | 91 |
| Reported Rate | | 86.96% | NA | 96.77% | NA | 89.22% |
| Lower 95% Confidence Interval | | 76.14% | NA | 88.94% | NA | 82.71% |
| Upper 95% Confidence Interval | | 97.78% | NA | 100.00% | NA | 95.73% |

Effectiveness of Care

Prime West

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 68 | 2 | 48 | 27 | 145 |
| Numerator Events by Admin Data | | 55 | 2 | 43 | 21 | 121 |
| Reported Rate | | 80.88% | NA | 89.58% | NA | 83.45% |
| Lower 95% Confidence Interval | | 70.80% | NA | 79.90% | NA | 77.05% |
| Upper 95% Confidence Interval | | 90.96% | NA | 99.27% | NA | 89.84% |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | Annual Monitoring for Members on | | | | |
|--------------------------------|----------------------|----------------------------------|---------|-----------|------------------|--------|
| | | ACE Inhibitors or ARBs | Digoxin | Diuretics | Anti-convulsants | Total |
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 227 | 4 | 170 | 27 | 428 |
| Numerator Events by Admin Data | | 181 | 4 | 144 | 17 | 346 |
| Reported Rate | | 79.74% | NA | 84.71% | NA | 80.84% |
| Lower 95% Confidence Interval | | 74.29% | NA | 79.00% | NA | 77.00% |
| Upper 95% Confidence Interval | | 85.19% | NA | 90.41% | NA | 84.69% |

Effectiveness of Care

Prime West

Annual Monitoring for Patients on Persistent Medications

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure | Annual Monitoring for Members on | | | | |
|--------------------------------|-----------------|----------------------------------|---------|-----------|-------|--------|
| | | ACE Inhibitors | Digoxin | Diuretics | Anti- | Total |
| Measurement Year | 2013 | | | | | |
| Data Collection Methodology | A | | | | | |
| Eligible Member Population | | 108 | 1 | 57 | 10 | 176 |
| Numerator Events by Admin Data | | 93 | 1 | 46 | 9 | 149 |
| Lower 95% Confidence Interval | | 79.13% | NA | 69.58% | NA | 79.05% |
| Upper 95% Confidence Interval | | 93.10% | NA | 91.82% | NA | 90.27% |

| Data Elements | MSHO |
|--|------|
| Measurement Year | |
| Data collection methodology (Administrative or Hybrid) | |
| Eligible member population | |
| Number of numerator events by administrative data in eligible population (before exclusions) | |
| Current year's administrative rate (before exclusions) | NR |
| Minimum required sample size (MRSS) or other sample size | |
| Oversampling rate | |
| Final sample size (FSS) | |
| Number of numerator events by administrative data in FSS | |
| Administrative rate on FSS | NR |
| Number of original sample records excluded because of valid data errors | |
| Number of employee/dependent medical records excluded | |
| Records added from the oversample list | |
| Denominator | |
| Numerator events by administrative data | |
| Numerator events by medical record | |
| Reported rate | NR |
| Lower 95% confidence interval | NR |
| Upper 95% confidence interval | NR |

Medicare Advantage

| Data Elements | General Measure Data | Drug-Disease Interactions | | | |
|--------------------------------|----------------------|--|--|---|-------|
| | | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Measurement Year | | | | | |
| Data Collection Methodology | | | | | |
| Eligible Member Population | | | | | |
| Numerator Events by Admin Data | | | | | |
| Reported Rate | | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR |

MSHO

| Data Elements | General Measure Data | Drug-Disease Interactions | | | |
|--------------------------------|----------------------|--|--|---|--------|
| | | History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents | Dementia + Tricyclic Antidepressants or Anticholinergic Agents | Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs | Total |
| Measurement Year | 2013 | | | | |
| Data Collection Methodology | A | | | | |
| Eligible Member Population | | 31 | 287 | 51 | 369 |
| Numerator Events by Admin Data | | 17 | 170 | 3 | 190 |
| Reported Rate | | 54.84% | 59.23% | 5.88% | 51.49% |
| Lower 95% Confidence Interval | | 35.71% | 53.37% | 0.00% | 46.26% |
| Upper 95% Confidence Interval | | 73.97% | 65.09% | 13.32% | 56.73% |

Medicare Advantage

| Data Elements | General Measure Data | At least 1 Prescription | At least 2 Prescriptions |
|--------------------------------|----------------------|-------------------------|--------------------------|
| Measurement Year | | | |
| Data Collection Methodology | | | |
| Eligible Member Population | | | |
| Numerator Events by Admin Data | | | |
| Reported Rate | | NR | NR |
| Lower 95% Confidence Interval | | NR | NR |
| Upper 95% Confidence Interval | | NR | NR |

MSHO

| Data Elements | General Measure Data | At least 1 Prescription | At least 2 Prescriptions |
|--------------------------------|----------------------|-------------------------|--------------------------|
| Measurement Year | 2013 | | |
| Data Collection Methodology | A | | |
| Eligible Member Population | 1744 | | |
| Numerator Events by Admin Data | | 398 | 69 |
| Reported Rate | | 22.82% | 3.96% |
| Lower 95% Confidence Interval | | 20.82% | 3.01% |
| Upper 95% Confidence Interval | | 24.82% | 4.90% |

Commercial

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|-------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | | | | NR |
| Numerator events by administrative data | | | | | NR |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

Medicare Advantage

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|-------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | | | | NR |
| Numerator events by administrative data | | | | | NR |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

MSHO

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 0 | 0 | 1759 | 1759 |
| Numerator events by administrative data | | 0 | 0 | 1725 | 1725 |
| Reported rate | | NA | NA | 98.07% | 98.07% |
| Lower 95% confidence interval | | NA | NA | 97.40% | 97.40% |
| Upper 95% confidence interval | | NA | NA | 98.74% | 98.74% |

SNBC-SNP

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|---------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 45 | 133 | 9 | 187 |
| Numerator events by administrative data | | 45 | 132 | 9 | 186 |
| Reported rate | | 100.00% | 99.25% | NA | 99.47% |
| Lower 95% confidence interval | | 98.89% | 97.40% | NA | 98.15% |
| Upper 95% confidence interval | | 100.00% | 100.00% | NA | 100.00% |

SNBC-Non SNP

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 394 | 608 | 39 | 1041 |
| Numerator events by administrative data | | 362 | 582 | 38 | 982 |
| Reported rate | | 91.88% | 95.72% | 97.44% | 94.33% |
| Lower 95% confidence interval | | 89.05% | 94.03% | 91.19% | 92.88% |
| Upper 95% confidence interval | | 94.70% | 97.41% | 100.00% | 95.79% |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|----------------------|------------|------------|----------|--------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population (i.e. members who meet all denominator criteria) | | 2148 | 890 | 0 | 3038 |
| Numerator events by administrative data | | 1951 | 794 | 0 | 2745 |
| Reported rate | | 90.83% | 89.21% | NA | 90.36% |
| Lower 95% confidence interval | | 89.58% | 87.12% | NA | 89.29% |
| Upper 95% confidence interval | | 92.07% | 91.31% | NA | 91.42% |

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure | Ages 20-44 | Ages 45-64 | Ages 65+ | Total |
|---|-----------------|------------|------------|----------|--------|
| Measurement Year | 2013 | | | | |
| Data collection methodology | A | | | | |
| Eligible member population (i.e. members) | | 505 | 435 | 0 | 940 |
| Numerator events by administrative data | | 440 | 396 | 0 | 836 |
| Reported rate | | 87.13% | 91.03% | NA | 88.94% |
| Lower 95% confidence interval | | 84.11% | 88.23% | NA | 86.88% |
| Upper 95% confidence interval | | 90.15% | 93.83% | NA | 90.99% |

Access/Availability of Care

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | 12-24 months | 25 months - 6 yrs. | 7-11 yrs. | 12-19 yrs. |
|---|----------------------|--------------|--------------------|-----------|------------|
| Measurement Year | | | | | |
| Data collection methodology (Administrative only) | | | | | |
| Eligible member population | | | | | |
| Numerator events by administrative data | | | | | |
| Reported rate | | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR |

Access/Availability of Care

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | 12-24 months | 25 months - 6 yrs. | 7-11 yrs. | 12-19 yrs. |
|---|----------------------|--------------|--------------------|-----------|------------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population | | 567 | 1504 | 1021 | 1165 |
| Numerator events by administrative data | | 539 | 1303 | 939 | 1072 |
| Reported rate | | 95.06% | 86.64% | 91.97% | 92.02% |
| Lower 95% confidence interval | | 93.19% | 84.88% | 90.25% | 90.42% |
| Upper 95% confidence interval | | 96.93% | 88.39% | 93.68% | 93.62% |

Access/Availability of Care

Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General Measure | 12-24 months | 25 months - | 7-11 yrs. | 12-19 yrs. |
|---|-----------------|--------------|-------------|-----------|------------|
| Measurement Year | 2013 | | | | |
| Data collection methodology (Administrative only) | A | | | | |
| Eligible member population | | 17 | 227 | 100 | 115 |
| Numerator events by administrative data | | 17 | 203 | 93 | 111 |
| Reported rate | | NA | 89.43% | 93.00% | 96.52% |
| Lower 95% confidence interval | | NA | 85.21% | 87.50% | 92.74% |
| Upper 95% confidence interval | | NA | 93.65% | 98.50% | 100.00% |

Access/Availability of Care

Prime West

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Data Elements | General Measure Data | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment |
| Measurement Year | | | | | | | |
| Data collection methodology (Administrative only) | | | | | | | |
| Eligible member population | | | | | | NR | |
| Numerator events by administrative data | | | | | | NR | NR |
| Reported rate | | NR | NR | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR | NR | NR |

Medicare Advantage

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | | | | | | | |
| Data collection methodology (Administrative only) | | | | | | | |
| Eligible member population | | | | | | NR | |
| Numerator events by administrative data | | | | | | NR | NR |
| Reported rate | | NR | NR | NR | NR | NR | NR |
| Lower 95% confidence interval | | NR | NR | NR | NR | NR | NR |
| Upper 95% confidence interval | | NR | NR | NR | NR | NR | NR |

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | 2013 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 0 | | 12 | | 12 | |
| Numerator events by administrative data | | 0 | 0 | 5 | 1 | 5 | 1 |
| Reported rate | | NA | NA | NA | NA | NA | NA |
| Lower 95% confidence interval | | NA | NA | NA | NA | NA | NA |
| Upper 95% confidence interval | | NA | NA | NA | NA | NA | NA |

Access/Availability of Care

Prime West

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | 2013 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 0 | | 14 | | 14 | |
| Numerator events by administrative data | | 0 | 0 | 6 | 2 | 6 | 2 |
| Reported rate | | NA | NA | NA | NA | NA | NA |
| Lower 95% confidence interval | | NA | NA | NA | NA | NA | NA |
| Upper 95% confidence interval | | NA | NA | NA | NA | NA | NA |

Access/Availability of Care

Prime West

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | 2013 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 0 | | 139 | | 139 | |
| Numerator events by administrative data | | 0 | 0 | 54 | 9 | 54 | 9 |
| Reported rate | | NA | NA | 38.85% | 6.47% | 38.85% | 6.47% |
| Lower 95% confidence interval | | NA | NA | 30.39% | 2.02% | 30.39% | 2.02% |
| Upper 95% confidence interval | | NA | NA | 47.31% | 10.93% | 47.31% | 10.93% |

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | 2013 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 38 | | 401 | | 439 | |
| Numerator events by administrative data | | 19 | 3 | 163 | 63 | 182 | 66 |
| Reported rate | | 50.00% | 7.89% | 40.65% | 15.71% | 41.46% | 15.03% |
| Lower 95% confidence interval | | 32.79% | 0.00% | 35.72% | 12.02% | 36.74% | 11.58% |
| Upper 95% confidence interval | | 67.21% | 17.78% | 45.58% | 19.40% | 46.18% | 18.49% |

Access/Availability of Care

Prime West

Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | 13-17 Year Olds | | 18+ Year Olds | | Total | |
|---|---------|-----------------|------------|---------------|------------|---------------|------------|
| | | Initiation of | Engagement | Initiation of | Engagement | Initiation of | Engagement |
| Measurement Year | 2013 | | | | | | |
| Data collection methodology (Administrative only) | A | | | | | | |
| Eligible member population | | 1 | | 43 | | 44 | |
| Numerator events by administrative data | | 0 | 0 | 19 | 6 | 19 | 6 |
| Reported rate | | NA | NA | 44.19% | 13.95% | 43.18% | 13.64% |
| Lower 95% confidence interval | | NA | NA | 28.18% | 2.43% | 27.41% | 2.36% |
| Upper 95% confidence interval | | NA | NA | 60.19% | 25.47% | 58.95% | 24.91% |

Commercial

| Data Elements | Timeliness of Prenatal Care | Postpartum Care |
|--|-----------------------------|-----------------|
| Measurement Year | | |
| Data collection methodology (Administrative or Hybrid) | | |
| Eligible member population | | |
| Number of numerator events by administrative data in eligible population (before exclusions) | | |
| Current year's administrative rate (before exclusions) | NR | NR |
| Minimum required sample size (MRSS) or other sample size | | |
| Oversampling rate | | |
| Final sample size (FSS) | | |
| Number of numerator events by administrative data in FSS | | |
| Administrative rate on FSS | NR | NR |
| Number of original sample records excluded because of valid data errors | | |
| Number of employee/dependent medical records excluded | | |
| Records added from the oversample list | | |
| Denominator | | |
| Numerator events by administrative data | | |
| Numerator events by medical record | | |
| Reported rate | NR | NR |
| Lower 95% confidence interval | NR | NR |
| Upper 95% confidence interval | NR | NR |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | Timeliness of Prenatal Care | Postpartum Care |
|--|-----------------------------|-----------------|
| Measurement Year | 2013 | 2013 |
| Data collection methodology (Administrative or Hybrid) | H | H |
| Eligible member population | 735 | 735 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 314 | 339 |
| Current year's administrative rate (before exclusions) | 42.72% | 46.12% |
| Minimum required sample size (MRSS) or other sample size | 411 | 411 |
| Oversampling rate | 5.00% | 5.00% |
| Final sample size (FSS) | 432 | 432 |
| Number of numerator events by administrative data in FSS | 204 | 222 |
| Administrative rate on FSS | 47.22% | 51.39% |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 |
| Records added from the oversample list | 0 | 0 |
| Denominator | 411 | 411 |
| Numerator events by administrative data | 194 | 208 |
| Numerator events by medical record | 94 | |
| Reported rate | 70.07% | 50.61% |
| Lower 95% confidence interval | 65.52% | 45.65% |
| Upper 95% confidence interval | 74.62% | 55.56% |

Access/Availability of Care

Prenatal and Postpartum Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | Timeliness of | Postpartum |
|---|---------------|------------|
| Measurement Year | 2013 | 2013 |
| Data collection methodology (Administrative or Hybrid) | H | H |
| Eligible member population | 21 | 21 |
| Number of numerator events by administrative data in eligible | 10 | 13 |
| Current year's administrative rate (before exclusions) | 47.62% | 61.90% |
| Minimum required sample size (MRSS) or other sample size | 21 | 21 |
| Oversampling rate | 0.00% | 0.00% |
| Final sample size (FSS) | 21 | 21 |
| Number of numerator events by administrative data in FSS | 10 | 13 |
| Administrative rate on FSS | 47.62% | 61.90% |
| Number of original sample records excluded because of valid | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 |
| Records added from the oversample list | 0 | 0 |
| Denominator | 21 | 21 |
| Numerator events by administrative data | 10 | 13 |
| Numerator events by medical record | 2 | 5 |
| Reported rate | NA | NA |
| Lower 95% confidence interval | NA | NA |
| Upper 95% confidence interval | NA | NA |

Commercial

| Data Elements | General Measure Data | Zero Visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more visits |
|---|----------------------|-------------|---------|----------|----------|----------|----------|------------------|
| Measurement Year | | | | | | | | |
| Data Collection Methodology | | | | | | | | |
| Eligible Member Population | | | | | | | | |
| Numerator events by admin data in eligible population | | | | | | | | |
| Current Year's Administrative Rate | | NR | NR | NR | NR | NR | NR | NR |
| Minimum Required Sample Size | | | | | | | | |
| Oversampling Rate | | | | | | | | |
| Final sample size (FSS) | | | | | | | | |
| Numerator events by admin data in FSS | | | | | | | | |
| Administrative rate on FSS | | NR | NR | NR | NR | NR | NR | NR |
| Number of Records Excluded Because of Valid Data Errors | | | | | | | | |
| Number of employee/dependent medical records excluded | | | | | | | | |
| Additional Records Added from the Oversample List | | | | | | | | |
| Denominator | | | | | | | | |
| Numerator Events by Admin Data | | | | | | | | |
| Numerator Events by Medical Record | | | | | | | | |
| Reported Rate | | NR | NR | NR | NR | NR | NR | NR |
| Lower 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR |
| Upper 95% Confidence Interval | | NR | NR | NR | NR | NR | NR | NR |

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Data Elements | General Measure Data | Zero Visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more visits |
|---|----------------------|-------------|---------|----------|----------|----------|----------|------------------|
| Measurement Year | 2013 | | | | | | | |
| Data Collection Methodology | H | | | | | | | |
| Eligible Member Population | 522 | | | | | | | |
| Numerator events by admin data in eligible population | | 14 | 19 | 19 | 34 | 76 | 86 | 274 |
| Current Year's Administrative Rate | | 2.68% | 3.64% | 3.64% | 6.51% | 14.56% | 16.48% | 52.49% |
| Minimum Required Sample Size | 411 | | | | | | | |
| Oversampling Rate | 5.00% | | | | | | | |
| Final sample size (FSS) | 432 | | | | | | | |
| Numerator events by admin data in FSS | | 12 | 14 | 17 | 30 | 62 | 68 | 229 |
| Administrative rate on FSS | | 2.78% | 3.24% | 3.94% | 6.94% | 14.35% | 15.74% | 53.01% |
| Number of Records Excluded Because of Valid Data Errors | 0 | | | | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | | | | |
| Additional Records Added from the Oversample List | 0 | | | | | | | |
| Denominator | 411 | | | | | | | |
| Numerator Events by Admin Data | | 8 | 11 | 11 | 22 | 38 | 44 | 224 |
| Numerator Events by Medical Record | | 0 | 2 | 0 | 2 | 4 | 15 | 30 |
| Reported Rate | | 1.95% | 3.16% | 2.68% | 5.84% | 10.22% | 14.36% | 61.80% |
| Lower 95% Confidence Interval | | 0.49% | 1.35% | 0.99% | 3.45% | 7.17% | 10.84% | 56.98% |
| Upper 95% Confidence Interval | | 3.40% | 4.98% | 4.36% | 8.23% | 13.27% | 17.87% | 66.62% |

Use of Services

Prime West

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Data Elements | General | Zero Visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more |
|--|---------|-------------|---------|----------|----------|----------|----------|-----------|
| Measurement Year | 2013 | | | | | | | |
| Data Collection Methodology | H | | | | | | | |
| Eligible Member Population | 13 | | | | | | | |
| Numerator events by admin data in eligible | | 1 | 0 | 2 | 1 | 0 | 3 | 6 |
| Current Year's Administrative Rate | | 7.69% | 0.00% | 15.38% | 7.69% | 0.00% | 23.08% | 46.15% |
| Minimum Required Sample Size | 13 | | | | | | | |
| Oversampling Rate | 0.00% | | | | | | | |
| Final sample size (FSS) | 13 | | | | | | | |
| Numerator events by admin data in FSS | | 1 | 0 | 2 | 1 | 0 | 3 | 6 |
| Administrative rate on FSS | | 7.69% | 0.00% | 15.38% | 7.69% | 0.00% | 23.08% | 46.15% |
| Number of Records Excluded Because of | 0 | | | | | | | |
| Number of employee/dependent medical | 0 | | | | | | | |
| Additional Records Added from the | 0 | | | | | | | |
| Denominator | 13 | | | | | | | |
| Numerator Events by Admin Data | | 1 | 0 | 1 | 1 | 0 | 3 | 6 |
| Numerator Events by Medical Record | | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Reported Rate | | NA | NA | NA | NA | NA | NA | NA |
| Lower 95% Confidence Interval | | NA | NA | NA | NA | NA | NA | NA |
| Upper 95% Confidence Interval | | NA | NA | NA | NA | NA | NA | NA |

Use of Services

Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | MA Expand F&C | MN Care |
|---|------------|---------------|---------|
| Measurement Year | | 2013 | 2013 |
| Data Collection Methodology | | H | H |
| Eligible Member Population | | 1192 | 194 |
| Numerator events by admin data in eligible population | | 577 | 108 |
| Current Year's Admin Rate | NR | 48.41% | 55.67% |
| Minimum Required Sample Size | | 411 | 194 |
| Oversampling Rate | | 5.00% | 0.00% |
| Final sample size (FSS) | | 432 | 194 |
| Numerator events by admin data in FSS | | 229 | 108 |
| Administrative rate on FSS | NR | 53.01% | 55.67% |
| Records Excluded because of Valid Data Errors | | 0 | 0 |
| Number of employee/dependent medical records excluded | | 0 | 0 |
| Records Added from the Oversample List | | 0 | 0 |
| Denominator | | 411 | 194 |
| Numerator Events by Admin Data | | 220 | 108 |
| Numerator Events by Medical Record | | 12 | 5 |
| Reported Rate | NR | 56.45% | 58.25% |
| Lower 95% Confidence Interval | NR | 51.53% | 51.05% |
| Upper 95% Confidence Interval | NR | 61.36% | 65.44% |

Use of Services

Prime West

Adolescent Well-Care Visits

Data Last Refreshed:
Jul 15, 2015 8:02 AM

| Data Elements | Commercial | MA Expand F&C | MN Care |
|---|------------|---------------|---------|
| Measurement Year | | 2013 | 2013 |
| Data Collection Methodology | | H | H |
| Eligible Member Population | | 1814 | 256 |
| Numerator events by admin data in eligible population | | 537 | 74 |
| Current Year's Admin Rate | NR | 29.60% | 28.91% |
| Minimum Required Sample Size | | 411 | 256 |
| Oversampling Rate | | 5.00% | 0.00% |
| Final sample size (FSS) | | 432 | 256 |
| Numerator events by admin data in FSS | | 144 | 74 |
| Administrative rate on FSS | NR | 33.33% | 28.91% |
| Records Excluded because of Valid Data Errors | | 0 | 0 |
| Number of employee/dependent medical records excluded | | 0 | 0 |
| Records Added from the Oversample List | | 0 | 0 |
| Denominator | | 411 | 256 |
| Numerator Events by Admin Data | | 140 | 74 |
| Numerator Events by Medical Record | | 27 | 20 |
| Reported Rate | NR | 40.63% | 36.72% |
| Lower 95% Confidence Interval | NR | 35.76% | 30.62% |
| Upper 95% Confidence Interval | NR | 45.50% | 42.82% |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | | NR | | NR |
| 1-9 | | NR | | NR |
| 10-19 | | NR | | NR |
| 20-44 | | NR | | NR |
| 45-64 | | NR | | NR |
| 65-74 | | NR | | NR |
| 75-84 | | NR | | NR |
| 85+ | | NR | | NR |
| Unknown | | | | |
| Total | NR | NR | NR | NR |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | | NR | | NR |
| 1-9 | | NR | | NR |
| 10-19 | | NR | | NR |
| 20-44 | | NR | | NR |
| 45-64 | | NR | | NR |
| 65-74 | | NR | | NR |
| 75-84 | | NR | | NR |
| 85+ | | NR | | NR |
| Unknown | | | | |
| Total | NR | NR | NR | NR |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 0 |
| 45-64 | 3 |
| 65-74 | 6523 |
| 75-84 | 7832 |
| 85+ | 10567 |
| Unknown | 0 |
| Total | 24925 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 0 | NA | 0 | NA |
| 1-9 | 0 | NA | 0 | NA |
| 10-19 | 0 | NA | 0 | NA |
| 20-44 | 0 | NA | 0 | NA |
| 45-64 | 9 | 3000.00 | 0 | 0.00 |
| 65-74 | 6429 | 985.59 | 345 | 52.89 |
| 75-84 | 7823 | 998.85 | 365 | 46.60 |
| 85+ | 8665 | 820.01 | 446 | 42.21 |
| Unknown | 0 | | 0 | |
| Total | 22926 | 919.80 | 1156 | 46.38 |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 591 |
| 45-64 | 1671 |
| 65-74 | 104 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 2366 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 0 | NA | 0 | NA |
| 1-9 | 0 | NA | 0 | NA |
| 10-19 | 0 | NA | 0 | NA |
| 20-44 | 656 | 1109.98 | 73 | 123.52 |
| 45-64 | 1840 | 1101.14 | 89 | 53.26 |
| 65-74 | 126 | 1211.54 | 12 | 115.38 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 2622 | 1108.20 | 174 | 73.54 |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 198 |
| 20-44 | 7670 |
| 45-64 | 10696 |
| 65-74 | 434 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 18998 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 0 | NA | 0 | NA |
| 1-9 | 0 | NA | 0 | NA |
| 10-19 | 73 | 368.69 | 9 | 45.45 |
| 20-44 | 5217 | 680.18 | 707 | 92.18 |
| 45-64 | 9315 | 870.89 | 815 | 76.20 |
| 65-74 | 467 | 1076.04 | 29 | 66.82 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 15072 | 793.35 | 1560 | 82.11 |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Age | Member Months |
|--------------|---------------|
| <1 | 13234 |
| 1-9 | 67456 |
| 10-19 | 46572 |
| 20-44 | 64562 |
| 45-64 | 17973 |
| 65-74 | 5 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 209802 |

| Age | Outpatient Visits (Excludes MH/CD) | | Emergency Room Visits | |
|--------------|------------------------------------|-----------------------------|-----------------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 12337 | 932.22 | 1231 | 93.02 |
| 1-9 | 24613 | 364.87 | 3185 | 47.22 |
| 10-19 | 14851 | 318.88 | 1680 | 36.07 |
| 20-44 | 36406 | 563.89 | 5292 | 81.97 |
| 45-64 | 11897 | 661.94 | 941 | 52.36 |
| 65-74 | 4 | 800.00 | 0 | 0.00 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 100108 | 477.15 | 12329 | 58.76 |

Use of Services

Ambulatory Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Age | Member Months |
|--------------|---------------|
| <1 | 247 |
| 1-9 | 5673 |
| 10-19 | 4030 |
| 20-44 | 10396 |
| 45-64 | 7676 |
| 65-74 | 2 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 28024 |

| Age | Outpatient Visits (Excludes) | | Emergency Room Visits | |
|--------------|------------------------------|---------------|-----------------------|---------------|
| | Visits | Visits/ 1,000 | Visits | Visits/ 1,000 |
| <1 | 213 | 862.35 | 15 | 60.73 |
| 1-9 | 2031 | 358.01 | 126 | 22.21 |
| 10-19 | 1532 | 380.15 | 107 | 26.55 |
| 20-44 | 4932 | 474.41 | 385 | 37.03 |
| 45-64 | 5080 | 661.80 | 250 | 32.57 |
| 65-74 | 0 | 0.00 | 0 | 0.00 |
| 75-84 | 0 | NA | 0 | NA |
| 85+ | 0 | NA | 0 | NA |
| Unknown | 0 | | 0 | |
| Total | 13788 | 492.01 | 883 | 31.51 |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-----------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity | | | | | |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| Age | Member Months |
|--------------|---------------|
| <1 | |
| 1-9 | |
| 10-19 | |
| 20-44 | |
| 45-64 | |
| 65-74 | |
| 75-84 | |
| 85+ | |
| Unknown | |
| Total | NR |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-----------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| <1 | | NR | | NR | NR |
| 1-9 | | NR | | NR | NR |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| 65-74 | | NR | | NR | NR |
| 75-84 | | NR | | NR | NR |
| 85+ | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity | | | | | |
| 10-19 | | NR | | NR | NR |
| 20-44 | | NR | | NR | NR |
| 45-64 | | NR | | NR | NR |
| Unknown | | | | | NR |
| Total | NR | NR | NR | NR | NR |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 0 |
| 45-64 | 3 |
| 65-74 | 6523 |
| 75-84 | 7832 |
| 85+ | 10567 |
| Unknown | 0 |
| Total | 24925 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| 65-74 | 232 | 35.57 | 1342 | 205.73 | 5.78 |
| 75-84 | 267 | 34.09 | 1297 | 165.60 | 4.86 |
| 85+ | 390 | 36.91 | 1954 | 184.92 | 5.01 |
| Unknown | 0 | | 0 | | NA |
| Total | 889 | 35.67 | 4593 | 184.27 | 5.17 |
| Medicine | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| 65-74 | 168 | 25.76 | 895 | 137.21 | 5.33 |
| 75-84 | 213 | 27.20 | 996 | 127.17 | 4.68 |
| 85+ | 343 | 32.46 | 1616 | 152.93 | 4.71 |
| Unknown | 0 | | 0 | | NA |
| Total | 724 | 29.05 | 3507 | 140.70 | 4.84 |
| Surgery | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| 65-74 | 64 | 9.81 | 447 | 68.53 | 6.98 |
| 75-84 | 54 | 6.89 | 301 | 38.43 | 5.57 |
| 85+ | 47 | 4.45 | 338 | 31.99 | 7.19 |
| Unknown | 0 | | 0 | | NA |
| Total | 165 | 6.62 | 1086 | 43.57 | 6.58 |
| Maternity | | | | | |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | NA | 0 | NA | NA |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 0 | 0.00 | 0 | 0.00 | NA |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 0 |
| 20-44 | 591 |
| 45-64 | 1671 |
| 65-74 | 104 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 2366 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 3 | 5.08 | 26 | 43.99 | 8.67 |
| 45-64 | 42 | 25.13 | 225 | 134.65 | 5.36 |
| 65-74 | 4 | 38.46 | 15 | 144.23 | 3.75 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 49 | 20.71 | 266 | 112.43 | 5.43 |
| Medicine | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 1 | 1.69 | 2 | 3.38 | 2.00 |
| 45-64 | 31 | 18.55 | 152 | 90.96 | 4.90 |
| 65-74 | 4 | 38.46 | 15 | 144.23 | 3.75 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 36 | 15.22 | 169 | 71.43 | 4.69 |
| Surgery | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 2 | 3.38 | 24 | 40.61 | 12.00 |
| 45-64 | 11 | 6.58 | 73 | 43.69 | 6.64 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 13 | 5.49 | 97 | 41.00 | 7.46 |
| Maternity | | | | | |
| 10-19 | 0 | NA | 0 | NA | NA |
| 20-44 | 0 | 0.00 | 0 | 0.00 | NA |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 0 | 0.00 | 0 | 0.00 | NA |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Age | Member Months |
|--------------|---------------|
| <1 | 0 |
| 1-9 | 0 |
| 10-19 | 198 |
| 20-44 | 7670 |
| 45-64 | 10696 |
| 65-74 | 434 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 18998 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|------------|----------------------------------|-------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 128 | 16.69 | 591 | 77.05 | 4.62 |
| 45-64 | 306 | 28.61 | 1468 | 137.25 | 4.80 |
| 65-74 | 12 | 27.65 | 39 | 89.86 | 3.25 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 446 | 23.48 | 2098 | 110.43 | 4.70 |
| Medicine | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 85 | 11.08 | 369 | 48.11 | 4.34 |
| 45-64 | 213 | 19.91 | 889 | 83.12 | 4.17 |
| 65-74 | 10 | 23.04 | 31 | 71.43 | 3.10 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 308 | 16.21 | 1289 | 67.85 | 4.19 |
| Surgery | | | | | |
| <1 | 0 | NA | 0 | NA | NA |
| 1-9 | 0 | NA | 0 | NA | NA |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 33 | 4.30 | 194 | 25.29 | 5.88 |
| 45-64 | 93 | 8.69 | 579 | 54.13 | 6.23 |
| 65-74 | 2 | 4.61 | 8 | 18.43 | 4.00 |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 128 | 6.74 | 781 | 41.11 | 6.10 |
| Maternity | | | | | |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 10 | 1.30 | 28 | 3.65 | 2.80 |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 10 | 0.54 | 28 | 1.51 | 2.80 |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Age | Member Months |
|--------------|---------------|
| <1 | 13234 |
| 1-9 | 67456 |
| 10-19 | 46572 |
| 20-44 | 64562 |
| 45-64 | 17973 |
| 65-74 | 5 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 209802 |

| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Member Months | Average Length of Stay |
|------------------------|-------------|----------------------------------|-------------|----------------------------|------------------------|
| Total Inpatient | | | | | |
| <1 | 100 | 7.56 | 661 | 49.95 | 6.61 |
| 1-9 | 85 | 1.26 | 399 | 5.91 | 4.69 |
| 10-19 | 134 | 2.88 | 370 | 7.94 | 2.76 |
| 20-44 | 1153 | 17.86 | 3162 | 48.98 | 2.74 |
| 45-64 | 204 | 11.35 | 798 | 44.40 | 3.91 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 1676 | 7.99 | 5390 | 25.69 | 3.22 |
| Medicine | | | | | |
| <1 | 86 | 6.50 | 438 | 33.10 | 5.09 |
| 1-9 | 66 | 0.98 | 157 | 2.33 | 2.38 |
| 10-19 | 29 | 0.62 | 76 | 1.63 | 2.62 |
| 20-44 | 170 | 2.63 | 621 | 9.62 | 3.65 |
| 45-64 | 99 | 5.51 | 393 | 21.87 | 3.97 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 450 | 2.14 | 1685 | 8.03 | 3.74 |
| Surgery | | | | | |
| <1 | 14 | 1.06 | 223 | 16.85 | 15.93 |
| 1-9 | 19 | 0.28 | 242 | 3.59 | 12.74 |
| 10-19 | 26 | 0.56 | 67 | 1.44 | 2.58 |
| 20-44 | 138 | 2.14 | 454 | 7.03 | 3.29 |
| 45-64 | 105 | 5.84 | 405 | 22.53 | 3.86 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 302 | 1.44 | 1391 | 6.63 | 4.61 |
| Maternity | | | | | |
| 10-19 | 79 | 1.70 | 227 | 4.87 | 2.87 |
| 20-44 | 844 | 13.07 | 2084 | 32.28 | 2.47 |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 923 | 7.15 | 2311 | 17.90 | 2.50 |

Use of Services

Prime West

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Age | Member Months |
|--------------|---------------|
| <1 | 247 |
| 1-9 | 5673 |
| 10-19 | 4030 |
| 20-44 | 10396 |
| 45-64 | 7676 |
| 65-74 | 2 |
| 75-84 | 0 |
| 85+ | 0 |
| Unknown | 0 |
| Total | 28024 |

| Age | Discharges | Discharges / | Days | Days / 1,000 | Average |
|------------------------|------------|--------------|------------|--------------|-------------|
| Total Inpatient | | | | | |
| <1 | 3 | 12.15 | 8 | 32.39 | 2.67 |
| 1-9 | 1 | 0.18 | 1 | 0.18 | 1.00 |
| 10-19 | 6 | 1.49 | 17 | 4.22 | 2.83 |
| 20-44 | 46 | 4.42 | 126 | 12.12 | 2.74 |
| 45-64 | 14 | 1.82 | 48 | 6.25 | 3.43 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 70 | 2.50 | 200 | 7.14 | 2.86 |
| Medicine | | | | | |
| <1 | 3 | 12.15 | 8 | 32.39 | 2.67 |
| 1-9 | 0 | 0.00 | 0 | 0.00 | NA |
| 10-19 | 4 | 0.99 | 11 | 2.73 | 2.75 |
| 20-44 | 8 | 0.77 | 29 | 2.79 | 3.63 |
| 45-64 | 5 | 0.65 | 16 | 2.08 | 3.20 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 20 | 0.71 | 64 | 2.28 | 3.20 |
| Surgery | | | | | |
| <1 | 0 | 0.00 | 0 | 0.00 | NA |
| 1-9 | 1 | 0.18 | 1 | 0.18 | 1.00 |
| 10-19 | 2 | 0.50 | 6 | 1.49 | 3.00 |
| 20-44 | 16 | 1.54 | 51 | 4.91 | 3.19 |
| 45-64 | 9 | 1.17 | 32 | 4.17 | 3.56 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | NA | 0 | NA | NA |
| 85+ | 0 | NA | 0 | NA | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 28 | 1.00 | 90 | 3.21 | 3.21 |
| Maternity | | | | | |
| 10-19 | 0 | 0.00 | 0 | 0.00 | NA |
| 20-44 | 22 | 2.12 | 46 | 4.42 | 2.09 |
| 45-64 | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 22 | 1.00 | 46 | 2.08 | 2.09 |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-24 | | | NR | | | NR | | | NR | | | NR |
| 25-34 | | | NR | | | NR | | | NR | | | NR |
| 35-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-24 | | | NR | | | NR | | | NR | | | NR |
| 25-34 | | | NR | | | NR | | | NR | | | NR |
| 35-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35-64 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 3 | 3 |
| 65+ | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 |

| Age | Any Services | | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|-----------|--------------|-----------|--------------|--|--------------|---------------|--------------|
| | Sex | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-24 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 25-34 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 35-64 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| 65+ | M | 21 | 3.93% | 12 | 2.25% | 0 | 0.00% | 14 | 2.62% |
| | F | 24 | 1.56% | 11 | 0.71% | 0 | 0.00% | 16 | 1.04% |
| | Total | 45 | 2.17% | 23 | 1.11% | 0 | 0.00% | 30 | 1.44% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 21 | 3.93% | 12 | 2.25% | 0 | 0.00% | 14 | 2.62% |
| | F | 24 | 1.56% | 11 | 0.71% | 0 | 0.00% | 16 | 1.04% |
| | Total | 45 | 2.17% | 23 | 1.11% | 0 | 0.00% | 30 | 1.44% |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|-------------|---------------------------|-------------|-------------|--|-------------|-------------|-------------------------------|-------------|-------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-24 | 32 | 0 | 32 | 32 | 0 | 32 | 32 | 0 | 32 | 32 | 0 | 32 |
| 25-34 | 65 | 109 | 174 | 65 | 109 | 174 | 65 | 109 | 174 | 65 | 109 | 174 |
| 35-64 | 896 | 1160 | 2056 | 896 | 1160 | 2056 | 896 | 1160 | 2056 | 896 | 1160 | 2056 |
| 65+ | 57 | 47 | 104 | 57 | 47 | 104 | 57 | 47 | 104 | 57 | 47 | 104 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-24 | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| 25-34 | M | 1 | 18.46% | 0 | 0.00% | 0 | 0.00% | 1 | 18.46% |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 1 | 6.90% | 0 | 0.00% | 0 | 0.00% | 1 | 6.90% |
| 35-64 | M | 10 | 13.39% | 2 | 2.68% | 0 | 0.00% | 9 | 12.05% |
| | F | 13 | 13.45% | 2 | 2.07% | 0 | 0.00% | 12 | 12.41% |
| | Total | 23 | 13.42% | 4 | 2.33% | 0 | 0.00% | 21 | 12.26% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 1 | 25.53% | 0 | 0.00% | 0 | 0.00% | 1 | 25.53% |
| | Total | 1 | 11.54% | 0 | 0.00% | 0 | 0.00% | 1 | 11.54% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 11 | 12.57% | 2 | 2.29% | 0 | 0.00% | 10 | 11.43% |
| | F | 14 | 12.77% | 2 | 1.82% | 0 | 0.00% | 13 | 11.85% |
| | Total | 25 | 12.68% | 4 | 2.03% | 0 | 0.00% | 23 | 11.67% |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|--------------|---------------------------|-------------|--------------|--|-------------|--------------|-------------------------------|-------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-24 | 792 | 568 | 1360 | 792 | 568 | 1360 | 792 | 568 | 1360 | 792 | 568 | 1360 |
| 25-34 | 1665 | 1362 | 3027 | 1665 | 1362 | 3027 | 1665 | 1362 | 3027 | 1665 | 1362 | 3027 |
| 35-64 | 6844 | 7333 | 14177 | 6844 | 7333 | 14177 | 6844 | 7333 | 14177 | 6844 | 7333 | 14177 |
| 65+ | 146 | 288 | 434 | 146 | 288 | 434 | 146 | 288 | 434 | 146 | 288 | 434 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-24 | M | 7 | 10.61% | 1 | 1.52% | 0 | 0.00% | 7 | 10.61% |
| | F | 5 | 10.56% | 4 | 8.45% | 0 | 0.00% | 3 | 6.34% |
| | Total | 12 | 10.59% | 5 | 4.41% | 0 | 0.00% | 10 | 8.82% |
| 25-34 | M | 26 | 18.74% | 8 | 5.77% | 2 | 1.44% | 23 | 16.58% |
| | F | 28 | 24.67% | 9 | 7.93% | 0 | 0.00% | 25 | 22.03% |
| | Total | 54 | 21.41% | 17 | 6.74% | 2 | 0.79% | 48 | 19.03% |
| 35-64 | M | 99 | 17.36% | 30 | 5.26% | 0 | 0.00% | 92 | 16.13% |
| | F | 109 | 17.84% | 28 | 4.58% | 0 | 0.00% | 98 | 16.04% |
| | Total | 208 | 17.61% | 58 | 4.91% | 0 | 0.00% | 190 | 16.08% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 2 | 8.33% | 1 | 4.17% | 0 | 0.00% | 1 | 4.17% |
| | Total | 2 | 5.53% | 1 | 2.76% | 0 | 0.00% | 1 | 2.76% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 132 | 16.77% | 39 | 4.95% | 2 | 0.25% | 122 | 15.50% |
| | F | 144 | 18.09% | 42 | 5.28% | 0 | 0.00% | 127 | 15.96% |
| | Total | 276 | 17.43% | 81 | 5.12% | 2 | 0.13% | 249 | 15.73% |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|---------------|---------------|---------------------------|---------------|---------------|--|---------------|---------------|-------------------------------|---------------|---------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 |
| 13-17 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 |
| 18-24 | 7106 | 14455 | 21561 | 7106 | 14455 | 21561 | 7106 | 14455 | 21561 | 7106 | 14455 | 21561 |
| 25-34 | 9554 | 21889 | 31443 | 9554 | 21889 | 31443 | 9554 | 21889 | 31443 | 9554 | 21889 | 31443 |
| 35-64 | 15603 | 20005 | 35608 | 15603 | 20005 | 35608 | 15603 | 20005 | 35608 | 15603 | 20005 | 35608 |
| 65+ | 2 | 3 | 5 | 2 | 3 | 5 | 2 | 3 | 5 | 2 | 3 | 5 |
| Total | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|--------------|------------|--------------|--|--------------|---------------|--------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 4 | 0.10% | 0 | 0.00% | 0 | 0.00% | 4 | 0.10% |
| | Total | 4 | 0.05% | 0 | 0.00% | 0 | 0.00% | 4 | 0.05% |
| 13-17 | M | 49 | 5.12% | 24 | 2.51% | 1 | 0.10% | 41 | 4.29% |
| | Total | 49 | 2.52% | 24 | 1.24% | 1 | 0.05% | 41 | 2.11% |
| 18-24 | M | 116 | 19.59% | 37 | 6.25% | 1 | 0.17% | 112 | 18.91% |
| | Total | 116 | 6.46% | 37 | 2.06% | 1 | 0.06% | 112 | 6.23% |
| 25-34 | M | 236 | 29.64% | 70 | 8.79% | 2 | 0.25% | 231 | 29.01% |
| | Total | 236 | 9.01% | 70 | 2.67% | 2 | 0.08% | 231 | 8.82% |
| 35-64 | M | 268 | 20.61% | 84 | 6.46% | 1 | 0.08% | 252 | 19.38% |
| | Total | 268 | 9.03% | 84 | 2.83% | 1 | 0.03% | 252 | 8.49% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NR | 0 | NR | 0 | NR | 0 | NR |
| | Total | 0 | NR | 0 | NR | 0 | NR | 0 | NR |
| Total | M | 673 | 8.66% | 215 | 2.77% | 5 | 0.06% | 640 | 8.24% |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | 673 | 3.85% | 215 | 1.23% | 5 | 0.03% | 640 | 3.66% |

Use of Services

Prime West

Identification of Alcohol and Other Drug Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 |
| 13-17 | 873 | 1023 | 1896 | 873 | 1023 | 1896 | 873 | 1023 | 1896 | 873 | 1023 | 1896 |
| 18-24 | 1045 | 1809 | 2854 | 1045 | 1809 | 2854 | 1045 | 1809 | 2854 | 1045 | 1809 | 2854 |
| 25-34 | 2078 | 2670 | 4748 | 2078 | 2670 | 4748 | 2078 | 2670 | 4748 | 2078 | 2670 | 4748 |
| 35-64 | 4753 | 6465 | 11218 | 4753 | 6465 | 11218 | 4753 | 6465 | 11218 | 4753 | 6465 | 11218 |
| 65+ | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 2 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|--------------|-----------|--------------|--|--------------|---------------|--------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| 13-17 | M | 4 | 5.50% | 2 | 2.75% | 0 | 0.00% | 4 | 5.50% |
| | F | 1 | 1.17% | 0 | 0.00% | 0 | 0.00% | 1 | 1.17% |
| | Total | 5 | 3.16% | 2 | 1.27% | 0 | 0.00% | 5 | 3.16% |
| 18-24 | M | 8 | 9.19% | 3 | 3.44% | 1 | 1.15% | 8 | 9.19% |
| | F | 4 | 2.65% | 0 | 0.00% | 0 | 0.00% | 4 | 2.65% |
| | Total | 12 | 5.05% | 3 | 1.26% | 1 | 0.42% | 12 | 5.05% |
| 25-34 | M | 15 | 8.66% | 4 | 2.31% | 0 | 0.00% | 15 | 8.66% |
| | F | 7 | 3.15% | 1 | 0.45% | 0 | 0.00% | 7 | 3.15% |
| | Total | 22 | 5.56% | 5 | 1.26% | 0 | 0.00% | 22 | 5.56% |
| 35-64 | M | 37 | 9.34% | 4 | 1.01% | 0 | 0.00% | 36 | 9.09% |
| | F | 33 | 6.13% | 5 | 0.93% | 0 | 0.00% | 32 | 5.94% |
| | Total | 70 | 7.49% | 9 | 0.96% | 0 | 0.00% | 68 | 7.27% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 64 | 5.97% | 13 | 1.21% | 1 | 0.09% | 63 | 5.88% |
| | F | 45 | 3.56% | 6 | 0.47% | 0 | 0.00% | 44 | 3.48% |
| | Total | 109 | 4.67% | 19 | 0.81% | 1 | 0.04% | 107 | 4.58% |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------|-----------|---------|--|---------|---------------|---------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | M | | NR | | NR | | NR | | NR |
| | F | | NR | | NR | | NR | | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------|-------|---------------------------|--------|-------|--|--------|-------|-------------------------------|--------|-------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | | | NR | | | NR | | | NR | | | NR |
| 13-17 | | | NR | | | NR | | | NR | | | NR |
| 18-64 | | | NR | | | NR | | | NR | | | NR |
| 65+ | | | NR | | | NR | | | NR | | | NR |
| Unknown | | | NR | | | NR | | | NR | | | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Age | Any Services | | | Inpatient | | | Intensive Outpatient/Partial Hospitalization | | | Outpatient/ED | | |
|--------------|--------------|--------|---------|-----------|--------|---------|--|--------|---------|---------------|--------|---------|
| | Sex | Number | Percent | | Number | Percent | | Number | Percent | | Number | Percent |
| 0-12 | M | | NR | | | NR | | | NR | | | NR |
| | F | | NR | | | NR | | | NR | | | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| 13-17 | M | | NR | | | NR | | | NR | | | NR |
| | F | | NR | | | NR | | | NR | | | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| 18-64 | M | | NR | | | NR | | | NR | | | NR |
| | F | | NR | | | NR | | | NR | | | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| 65+ | M | | NR | | | NR | | | NR | | | NR |
| | F | | NR | | | NR | | | NR | | | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| Unknown | M | | NR | | | NR | | | NR | | | NR |
| | F | | NR | | | NR | | | NR | | | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| Total | M | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| | F | NR | NR | | NR | NR | | NR | NR | | NR | NR |
| | Total | NR | NR | | NR | NR | | NR | NR | | NR | NR |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-64 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 3 | 3 |
| 65+ | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 | 6413 | 18509 | 24922 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 | 6413 | 18512 | 24925 |

| Age | Any Services | | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | | Outpatient/ED | | | |
|--------------|--------------|------------|---------------|-----------|-----------|--|--|----------|---------------|--|------------|--------------|
| | Sex | Number | Percent | | Number | Percent | | Number | Percent | | Number | Percent |
| 0-12 | M | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | F | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | Total | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| 13-17 | M | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | F | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | Total | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| 18-64 | M | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | F | 0 | 0.00% | | 0 | 0.00% | | 0 | 0.00% | | 0 | 0.00% |
| | Total | 0 | 0.00% | | 0 | 0.00% | | 0 | 0.00% | | 0 | 0.00% |
| 65+ | M | 66 | 12.35% | | 17 | 3.18% | | 1 | 0.19% | | 50 | 9.36% |
| | F | 174 | 11.28% | | 46 | 2.98% | | 0 | 0.00% | | 137 | 8.88% |
| | Total | 240 | 11.56% | | 63 | 3.03% | | 1 | 0.05% | | 187 | 9.00% |
| Unknown | M | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | F | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| | Total | 0 | NA | | 0 | NA | | 0 | NA | | 0 | NA |
| Total | M | 66 | 12.35% | | 17 | 3.18% | | 1 | 0.19% | | 50 | 9.36% |
| | F | 174 | 11.28% | | 46 | 2.98% | | 0 | 0.00% | | 137 | 8.88% |
| | Total | 240 | 11.55% | | 63 | 3.03% | | 1 | 0.05% | | 187 | 9.00% |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|-------------|---------------------------|-------------|-------------|--|-------------|-------------|-------------------------------|-------------|-------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-64 | 993 | 1269 | 2262 | 993 | 1269 | 2262 | 993 | 1269 | 2262 | 993 | 1269 | 2262 |
| 65+ | 57 | 47 | 104 | 57 | 47 | 104 | 57 | 47 | 104 | 57 | 47 | 104 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 | 1050 | 1316 | 2366 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-64 | M | 44 | 53.17% | 3 | 3.63% | 1 | 1.21% | 43 | 51.96% |
| | F | 68 | 64.30% | 5 | 4.73% | 2 | 1.89% | 67 | 63.36% |
| | Total | 112 | 59.42% | 8 | 4.24% | 3 | 1.59% | 110 | 58.36% |
| 65+ | M | 2 | 42.11% | 0 | 0.00% | 0 | 0.00% | 2 | 42.11% |
| | F | 3 | 76.60% | 0 | 0.00% | 0 | 0.00% | 3 | 76.60% |
| | Total | 5 | 57.69% | 0 | 0.00% | 0 | 0.00% | 5 | 57.69% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 46 | 52.57% | 3 | 3.43% | 1 | 1.14% | 45 | 51.43% |
| | F | 71 | 64.74% | 5 | 4.56% | 2 | 1.82% | 70 | 63.83% |
| | Total | 117 | 59.34% | 8 | 4.06% | 3 | 1.52% | 115 | 58.33% |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|-------------|--------------|---------------------------|-------------|--------------|--|-------------|--------------|-------------------------------|-------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-64 | 9301 | 9263 | 18564 | 9301 | 9263 | 18564 | 9301 | 9263 | 18564 | 9301 | 9263 | 18564 |
| 65+ | 146 | 288 | 434 | 146 | 288 | 434 | 146 | 288 | 434 | 146 | 288 | 434 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 | 9447 | 9551 | 18998 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 13-17 | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| 18-64 | M | 294 | 37.93% | 20 | 2.58% | 8 | 1.03% | 291 | 37.54% |
| | F | 356 | 46.12% | 28 | 3.63% | 12 | 1.55% | 352 | 45.60% |
| | Total | 650 | 42.02% | 48 | 3.10% | 20 | 1.29% | 643 | 41.56% |
| 65+ | M | 4 | 32.88% | 0 | 0.00% | 0 | 0.00% | 4 | 32.88% |
| | F | 5 | 20.83% | 0 | 0.00% | 0 | 0.00% | 5 | 20.83% |
| | Total | 9 | 24.88% | 0 | 0.00% | 0 | 0.00% | 9 | 24.88% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 298 | 37.85% | 20 | 2.54% | 8 | 1.02% | 295 | 37.47% |
| | F | 361 | 45.36% | 28 | 3.52% | 12 | 1.51% | 357 | 44.85% |
| | Total | 659 | 41.63% | 48 | 3.03% | 20 | 1.26% | 652 | 41.18% |

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care(MA Expand F&C)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|---------------|---------------|---------------------------|---------------|---------------|--|---------------|---------------|-------------------------------|---------------|---------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 | 49474 | 48407 | 97881 |
| 13-17 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 | 11477 | 11827 | 23304 |
| 18-64 | 32263 | 56349 | 88612 | 32263 | 56349 | 88612 | 32263 | 56349 | 88612 | 32263 | 56349 | 88612 |
| 65+ | 2 | 3 | 5 | 2 | 3 | 5 | 2 | 3 | 5 | 2 | 3 | 5 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 | 93216 | 116586 | 209802 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|------------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 702 | 17.03% | 5 | 0.12% | 13 | 0.32% | 702 | 17.03% |
| | F | 491 | 12.17% | 8 | 0.20% | 6 | 0.15% | 490 | 12.15% |
| | Total | 1193 | 14.63% | 13 | 0.16% | 19 | 0.23% | 1192 | 14.61% |
| 13-17 | M | 269 | 28.13% | 15 | 1.57% | 7 | 0.73% | 264 | 27.60% |
| | F | 316 | 32.06% | 31 | 3.15% | 18 | 1.83% | 313 | 31.76% |
| | Total | 585 | 30.12% | 46 | 2.37% | 25 | 1.29% | 577 | 29.71% |
| 18-64 | M | 633 | 23.54% | 40 | 1.49% | 13 | 0.48% | 618 | 22.99% |
| | F | 1345 | 28.64% | 71 | 1.51% | 34 | 0.72% | 1329 | 28.30% |
| | Total | 1978 | 26.79% | 111 | 1.50% | 47 | 0.64% | 1947 | 26.37% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 1604 | 20.65% | 60 | 0.77% | 33 | 0.42% | 1584 | 20.39% |
| | F | 2152 | 22.15% | 110 | 1.13% | 58 | 0.60% | 2132 | 21.94% |
| | Total | 3756 | 21.48% | 170 | 0.97% | 91 | 0.52% | 3716 | 21.25% |

Use of Services

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care(MN Care)

| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive Outpatient/Partial Hospitalization) | | | Member Months (Outpatient/ED) | | |
|--------------|---------------------|--------------|--------------|---------------------------|--------------|--------------|--|--------------|--------------|-------------------------------|--------------|--------------|
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 | 4108 | 3198 | 7306 |
| 13-17 | 873 | 1023 | 1896 | 873 | 1023 | 1896 | 873 | 1023 | 1896 | 873 | 1023 | 1896 |
| 18-64 | 7876 | 10944 | 18820 | 7876 | 10944 | 18820 | 7876 | 10944 | 18820 | 7876 | 10944 | 18820 |
| 65+ | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 2 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 | 12859 | 15165 | 28024 |

| Age | Sex | Any Services | | Inpatient | | Intensive Outpatient/Partial Hospitalization | | Outpatient/ED | |
|--------------|--------------|--------------|---------------|-----------|--------------|--|--------------|---------------|---------------|
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 0-12 | M | 33 | 9.64% | 0 | 0.00% | 0 | 0.00% | 33 | 9.64% |
| | F | 19 | 7.13% | 0 | 0.00% | 0 | 0.00% | 19 | 7.13% |
| | Total | 52 | 8.54% | 0 | 0.00% | 0 | 0.00% | 52 | 8.54% |
| 13-17 | M | 11 | 15.12% | 2 | 2.75% | 1 | 1.37% | 10 | 13.75% |
| | F | 20 | 23.46% | 2 | 2.35% | 1 | 1.17% | 20 | 23.46% |
| | Total | 31 | 19.62% | 4 | 2.53% | 2 | 1.27% | 30 | 18.99% |
| 18-64 | M | 98 | 14.93% | 2 | 0.30% | 3 | 0.46% | 96 | 14.63% |
| | F | 136 | 14.91% | 2 | 0.22% | 2 | 0.22% | 136 | 14.91% |
| | Total | 234 | 14.92% | 4 | 0.26% | 5 | 0.32% | 232 | 14.79% |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| Total | M | 142 | 13.25% | 4 | 0.37% | 4 | 0.37% | 139 | 12.97% |
| | F | 175 | 13.85% | 4 | 0.32% | 3 | 0.24% | 175 | 13.85% |
| | Total | 317 | 13.57% | 8 | 0.34% | 7 | 0.30% | 314 | 13.45% |

Use of Services

Plan All-Cause Readmissions

Medicare Advantage

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|-------|------------------------------------|--|--------------------------------|------------------------------|----------------|
| 18-44 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 45-54 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 55-64 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR |

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|-------|------------------------------------|--|--------------------------------|------------------------------|----------------|
| 65-74 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 75-84 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 85+ | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR |

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|--------------|------------------------------------|--|--------------------------------|------------------------------|----------------|
| 18-44 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | Total | 0 | 0 | NA | 0.00% | 0.00% |
| 45-54 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | Total | 0 | 0 | NA | 0.00% | 0.00% |
| 55-64 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | Total | 0 | 0 | NA | 0.00% | 0.00% |
| Total | M | 0 | 0 | 0 | 0.00% | 0.00% |
| | F | 0 | 0 | 0 | 0.00% | 0.00% |
| | Total | 0 | 0 | 0 | 0.00% | 0.00% |

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|--------------|------------------------------------|--|--------------------------------|------------------------------|-----------------|
| 65-74 | M | 33 | 6 | 18.18% | 17.14% | 448.70% |
| | F | 92 | 14 | 15.22% | 15.04% | 1123.37% |
| | Total | 125 | 20 | 16.00% | 15.59% | 1572.07% |
| 75-84 | M | 46 | 5 | 10.87% | 17.22% | 631.39% |
| | F | 108 | 9 | 8.33% | 16.38% | 1435.52% |
| | Total | 154 | 14 | 9.09% | 16.63% | 2066.91% |
| 85+ | M | 46 | 5 | 10.87% | 18.30% | 664.52% |
| | F | 148 | 20 | 13.51% | 14.84% | 1824.50% |
| | Total | 194 | 25 | 12.89% | 15.66% | 2489.02% |
| Total | M | 125 | 16 | 12.80% | 17.60% | 1744.61% |
| | F | 348 | 43 | 12.36% | 15.37% | 4383.39% |
| | Total | 473 | 59 | 12.47% | 15.96% | 6128.00% |

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|-------|------------------------------------|--|--------------------------------|------------------------------|----------------|
| 18-44 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | | 0.00% | 0.00% | 0.00% |
| | Total | 0 | NA | NA | 0.00% | 0.00% |
| 45-54 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | Total | 0 | 0 | NA | 0.00% | 0.00% |
| 55-64 | M | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | F | 0 | 0 | 0.00% | 0.00% | 0.00% |
| | Total | 0 | 0 | NA | 0.00% | 0.00% |
| Total | M | 0 | 0 | NA | 0.00% | 0.00% |
| | F | 0 | 0 | 33.33% | 0.00% | 0.00% |
| | Total | 0 | 0 | 33.33% | 0.00% | 0.00% |

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|-------|------------------------------------|--|--------------------------------|------------------------------|----------------|
| 65-74 | M | 0 | | | | |
| | F | 3 | | | | |
| | Total | 3 | NR | NA | NR | NR |
| 75-84 | M | 0 | | | | |
| | F | 0 | | | | |
| | Total | 0 | NR | NA | NR | NR |
| 85+ | M | 0 | | | | |
| | F | 0 | | | | |
| | Total | 0 | NR | NA | NR | NR |
| Total | M | 0 | NR | NA | NR | NR |
| | | 3 | NR | NA | NR | NR |
| | | 3 | NR | NA | NR | NR |

Use of Services

Plan All-Cause Readmissions

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Age | Sex | Count of Index Stays | Count of 30-Day | Observed | Average Adjusted | Total Variance |
|-------|-------|----------------------|-----------------|----------|------------------|----------------|
| 18-44 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 45-54 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 55-64 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR |

| Age | Sex | Count of Index Stays (Denominator) | Count of 30-Day Readmissions (Numerator) | Observed Readmission (Num/Den) | Average Adjusted Probability | Total Variance |
|-------|-------|---------------------------------------|--|--------------------------------------|---------------------------------|----------------|
| 65-74 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 75-84 | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| 85+ | M | | | | | |
| | F | | | | | |
| | Total | NR | NR | NR | NR | NR |
| Total | M | NR | NR | NR | NR | NR |
| | | NR | NR | NR | NR | NR |
| | | NR | NR | NR | NR | NR |

Health Plan Descriptive Information

Prime West

Board Certification

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| Type of Physician | Number of Physicians in Each Practice Area | Active Board Certification | |
|--------------------------------|--|----------------------------|---------|
| | | Number | Percent |
| Family Medicine | 706 | 691 | 97.88% |
| Internal Medicine | 246 | 237 | 96.34% |
| Geriatricians | 25 | 23 | 92.00% |
| Other practitioner Specialists | 6170 | 5371 | 87.05% |

Health Plan Descriptive Information

Prime West

Board Certification

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| Type of Physician | Number of Physicians in Each Practice Area | Active Board Certification | |
|--------------------------------|--|----------------------------|---------|
| | | Number | Percent |
| Family Medicine | | | NR |
| Internal Medicine | | | NR |
| Geriatricians | | | NR |
| Other practitioner Specialists | | | NR |

Health Plan Descriptive Information

Prime West

Board Certification

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| Type of Physician | Number of Physicians in Each Practice Area | Active Board Certification | |
|--------------------------------|--|----------------------------|---------|
| | | Number | Percent |
| Family Medicine | | | NR |
| Internal Medicine | | | NR |
| Geriatricians | | | NR |
| Other practitioner Specialists | | | NR |

Health Plan Descriptive Information

Prime West

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Commercial

| | Member Months | | |
|----------------------------|---------------|--------|-------|
| | Male | Female | Total |
| <1 | | | NR |
| 1-4 | | | NR |
| 5-9 | | | NR |
| 10-14 | | | NR |
| 15-17 | | | NR |
| 18-19 | | | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | | | NR |
| 25-29 | | | NR |
| 30-34 | | | NR |
| 35-39 | | | NR |
| 40-44 | | | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | | | NR |
| 50-54 | | | NR |
| 55-59 | | | NR |
| 60-64 | | | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | | | NR |
| 70-74 | | | NR |
| 75-79 | | | NR |
| 80-84 | | | NR |
| 85-89 | | | NR |
| >=90 | | | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | | | NR |
| Total | NR | NR | NR |

Health Plan Descriptive Information

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Medicare Advantage

| | Member Months | | |
|-------------------|---------------|--------|-------|
| | Male | Female | Total |
| <1 | | | NR |
| 1-4 | | | NR |
| 5-9 | | | NR |
| 10-14 | | | NR |
| 15-17 | | | NR |
| 18-19 | | | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | | | NR |
| 25-29 | | | NR |
| 30-34 | | | NR |
| 35-39 | | | NR |
| 40-44 | | | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | | | NR |
| 50-54 | | | NR |
| 55-59 | | | NR |
| 60-64 | | | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | | | NR |
| 70-74 | | | NR |
| 75-79 | | | NR |
| 80-84 | | | NR |
| 85-89 | | | NR |
| >=90 | | | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | | | NR |
| Total | NR | NR | NR |

Health Plan Descriptive Information

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

MSHO

| | Member Months | | |
|----------------------------|----------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 0 | 0 | 0 |
| 1-4 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 |
| 15-17 | 0 | 0 | 0 |
| 18-19 | 0 | 0 | 0 |
| 0-19 Subtotal | 0 | 0 | 0 |
| 0-19 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 20-24 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 |
| 20-44 Subtotal | 0 | 0 | 0 |
| 20-44 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 45-49 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 |
| 60-64 | 0 | 3 | 3 |
| 45-64 Subtotal | 0 | 3 | 3 |
| 45-64 Subtotal: % | 0.00% | 0.02% | 0.01% |
| 65-69 | 923 | 2149 | 3072 |
| 70-74 | 1102 | 2349 | 3451 |
| 75-79 | 1258 | 2461 | 3719 |
| 80-84 | 1111 | 3002 | 4113 |
| 85-89 | 1019 | 3471 | 4490 |
| >=90 | 1000 | 5077 | 6077 |
| >=65 Subtotal | 6413 | 18509 | 24922 |
| >=65 Subtotal: % | 100.00% | 99.98% | 99.99% |
| Age Unknown | 0 | 0 | 0 |
| Total | 6413 | 18512 | 24925 |

Health Plan Descriptive Information

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-SNP

| | Member Months | | |
|----------------------------|---------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 0 | 0 | 0 |
| 1-4 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 |
| 15-17 | 0 | 0 | 0 |
| 18-19 | 0 | 0 | 0 |
| 0-19 Subtotal | 0 | 0 | 0 |
| 0-19 Subtotal: % | 0.00% | 0.00% | 0.00% |
| 20-24 | 32 | 0 | 32 |
| 25-29 | 32 | 7 | 39 |
| 30-34 | 33 | 102 | 135 |
| 35-39 | 100 | 98 | 198 |
| 40-44 | 75 | 112 | 187 |
| 20-44 Subtotal | 272 | 319 | 591 |
| 20-44 Subtotal: % | 25.90% | 24.24% | 24.98% |
| 45-49 | 205 | 200 | 405 |
| 50-54 | 180 | 259 | 439 |
| 55-59 | 223 | 264 | 487 |
| 60-64 | 113 | 227 | 340 |
| 45-64 Subtotal | 721 | 950 | 1671 |
| 45-64 Subtotal: % | 68.67% | 72.19% | 70.63% |
| 65-69 | 54 | 47 | 101 |
| 70-74 | 3 | 0 | 3 |
| 75-79 | 0 | 0 | 0 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 0 | 0 |
| >=65 Subtotal | 57 | 47 | 104 |
| >=65 Subtotal: % | 5.43% | 3.57% | 4.40% |
| Age Unknown | 0 | 0 | 0 |
| Total | 1050 | 1316 | 2366 |

Health Plan Descriptive Information

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

SNBC-Non SNP

| | Member Months | | |
|----------------------------|---------------|--------|-------|
| | Male | Female | Total |
| <1 | | | NR |
| 1-4 | | | NR |
| 5-9 | | | NR |
| 10-14 | | | NR |
| 15-17 | | | NR |
| 18-19 | | | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | | | NR |
| 25-29 | | | NR |
| 30-34 | | | NR |
| 35-39 | | | NR |
| 40-44 | | | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | | | NR |
| 50-54 | | | NR |
| 55-59 | | | NR |
| 60-64 | | | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | | | NR |
| 70-74 | | | NR |
| 75-79 | | | NR |
| 80-84 | | | NR |
| 85-89 | | | NR |
| >=90 | | | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | | | NR |
| Total | NR | NR | NR |

Health Plan Descriptive Information

Prime West

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MA Expand F&C)

| | Member Months | | |
|----------------------------|---------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 6616 | 6618 | 13234 |
| 1-4 | 16122 | 15790 | 31912 |
| 5-9 | 18091 | 17453 | 35544 |
| 10-14 | 13765 | 13774 | 27539 |
| 15-17 | 6357 | 6599 | 12956 |
| 18-19 | 2717 | 3360 | 6077 |
| 0-19 Subtotal | 63668 | 63594 | 127262 |
| 0-19 Subtotal: % | 68.30% | 54.55% | 60.66% |
| 20-24 | 4389 | 11095 | 15484 |
| 25-29 | 4680 | 11947 | 16627 |
| 30-34 | 4874 | 9942 | 14816 |
| 35-39 | 3614 | 6183 | 9797 |
| 40-44 | 3131 | 4707 | 7838 |
| 20-44 Subtotal | 20688 | 43874 | 64562 |
| 20-44 Subtotal: % | 22.19% | 37.63% | 30.77% |
| 45-49 | 2895 | 3459 | 6354 |
| 50-54 | 2950 | 2933 | 5883 |
| 55-59 | 1999 | 1783 | 3782 |
| 60-64 | 1014 | 940 | 1954 |
| 45-64 Subtotal | 8858 | 9115 | 17973 |
| 45-64 Subtotal: % | 9.50% | 7.82% | 8.57% |
| 65-69 | 2 | 3 | 5 |
| 70-74 | 0 | 0 | 0 |
| 75-79 | 0 | 0 | 0 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 0 | 0 |
| >=65 Subtotal | 2 | 3 | 5 |
| >=65 Subtotal: % | 0.00% | 0.00% | 0.00% |
| Age Unknown | 0 | 0 | 0 |
| Total | 93216 | 116586 | 209802 |

Health Plan Descriptive Information

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Jul 15, 2015 8:02 AM

Minnesota Health Care Programs - Managed Care (MN Care)

| | Member Months | | |
|----------------------------|---------------|---------------|---------------|
| | Male | Female | Total |
| <1 | 142 | 105 | 247 |
| 1-4 | 1381 | 1203 | 2584 |
| 5-9 | 1823 | 1266 | 3089 |
| 10-14 | 1101 | 1031 | 2132 |
| 15-17 | 534 | 616 | 1150 |
| 18-19 | 261 | 487 | 748 |
| 0-19 Subtotal | 5242 | 4708 | 9950 |
| 0-19 Subtotal: % | 40.77% | 31.05% | 35.51% |
| 20-24 | 784 | 1322 | 2106 |
| 25-29 | 1107 | 1425 | 2532 |
| 30-34 | 971 | 1245 | 2216 |
| 35-39 | 912 | 884 | 1796 |
| 40-44 | 742 | 1004 | 1746 |
| 20-44 Subtotal | 4516 | 5880 | 10396 |
| 20-44 Subtotal: % | 35.12% | 38.77% | 37.10% |
| 45-49 | 710 | 1210 | 1920 |
| 50-54 | 980 | 1393 | 2373 |
| 55-59 | 710 | 958 | 1668 |
| 60-64 | 699 | 1016 | 1715 |
| 45-64 Subtotal | 3099 | 4577 | 7676 |
| 45-64 Subtotal: % | 24.10% | 30.18% | 27.39% |
| 65-69 | 2 | 0 | 2 |
| 70-74 | 0 | 0 | 0 |
| 75-79 | 0 | 0 | 0 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 0 | 0 |
| >=65 Subtotal | 2 | 0 | 2 |
| >=65 Subtotal: % | 0.02% | 0.00% | 0.01% |
| Age Unknown | 0 | 0 | 0 |
| Total | 12859 | 15165 | 28024 |